HitachiSoft UTM Sample

ログ分析 カスタム レポート 11月 2008

レポート範囲: 2008/11/01 - 2008/11/30

ご案内

本レポートは公開するためファイル形式は PDF 形式ですが、

基のファイル形式は Word 形式

です。

本レポート中の IP アドレス、ホスト名(FQDN)、メールアドレスなどは、すべて架空のものです。


目次


攻撃元別攻撃イベント4
攻撃元別内部攻撃イベント19
攻撃元別部署攻撃イベント28
攻撃元別外部攻撃イベント35
攻撃先別攻撃イベント44
攻撃先別内部攻撃イベント65
攻撃先別部署攻撃イベント83
攻撃先別外部攻撃イベント91
攻撃種類別攻撃元99
攻擊種類別攻擊先107
プロトコル別攻撃種類119
検知ウィルス 122
プロトコル別検知ウィルス125
ウィルスを検知したファイルの拡張子 128
ウィルス検知関連内部クライアント130
ウィルス検知関連外部クライアント136
フィルタ対象アドレス別ユーザ140
フィルタ対象カテゴリ別ユーザ144

フィルタ対象ユーザ別アドレス	147
フィルタ対象ユーザ別カテゴリ	154
マシンアドレス別送信メールアドレス	158
メールアドレス別送信マシンアドレス	165

攻撃元別攻撃イベント

このページは、どこから(攻撃元)どのような攻撃が何回行われたかを示します。





攻撃元別攻撃イベント

攻撃元		攻撃種類	回数	
1 .	133.108.222.12	Host scanning has	12	1.46%
		been detected.		
		UDP port scanning	12	1.46%
		has been detected.		
		IP packet with the	10	1.21%
		network source IP		
		address has been		
		detected.		
		Very Small IP	10	1.21%
		Fragment attack		
		has been detected.		
		TCP port scanning	9	1.09%
		has been detected.		
		ICMP packet with	8	0.97%
		the malformed		
		ICMP header has		
		been detected.		
		ICMP Flood attack	7	0.85%
		has been detected.	-	010070
		TCP packet with	7	0.85%
		invalid ack number	-	
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP packet with	7	0.85%
		the invalid		
		checksum value		
		has been detected.		
		UDP Bomb attack	7	0.85%
		has been detected.	•	0.0070
		TCP packet with	6	0.73%
		malformed option		0070
		has been detected.		
		TCP-SYN packet	6	0.73%
		with data part has		0070
		been detected.		
		Too Many IP	6	0.73%
		Fragment attack	"	3 370
		has been detected.		
		ICMP packet with	5	0.60%
		the invalid	٦	0.0070
		checksum value		
		has been detected.		
		SYN Flood attack	5	0.60%
		has been detected.	٦	0.0070
		Fragmented IGMP	4	0.48%
		attack has been	4	0.40 /0
	1	allack Has Deen		

	攻撃イベント	2 400.000.000		
攻撃元		攻撃種類	回数	
		detected.		
		Packet has been	4	0.48%
		received from the		
		already blocked		
		host.		
		UDP packet with	4	0.48%
		the invalid		
		checksum value		
		has been detected.		
		IP packet with the	3	0.36%
		malformed IP		
		option has been		
		detected.		
		TCP packet with	2	0.24%
		the malformed TCP	_	J.∠∓/0
		header has been		
		detected.		
		合計	134	16.32%
2.	133.108.222.13	TCP packet with	14	1.70%
2 .	155.100.222.15	the malformed TCP	14	1.7070
		header has been		
		detected.		
		IP packet with the	10	1.21%
		network source IP	10	1.21/0
		address has been		
		detected.		
			9	4.000/
		UDP packet with the invalid	9	1.09%
		checksum value		
		has been detected.	0	4.000/
		Very Small IP	9	1.09%
		Fragment attack		
		has been detected.	_	0.070/
		Host scanning has	8	0.97%
		been detected.		0.070:
		SYN Flood attack	8	0.97%
		has been detected.		
		TCP port scanning	8	0.97%
		has been detected.		
		TCP packet with	7	0.85%
		the invalid		
		checksum value		
		has been detected.		
_		Packet has been	6	0.73%
		received from the		
		already blocked		
		host.		

火筝 儿刚	攻撃イベント			
攻撃元		攻撃種類	回数	
		TCP packet with	6	0.73%
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP-SYN packet	6	0.73%
		with data part has	J	0.70
		been detected.		
		Too Many IP	6	0.73%
		Fragment attack	O	0.7376
		has been detected.		
				0.700/
		UDP Bomb attack	6	0.73%
		has been detected.	_	0.0001
		ICMP Flood attack	5	0.60%
		has been detected.		
		ICMP packet with	5	0.60%
		the invalid		
		checksum value		
		has been detected.		
		IP packet with the	5	0.60%
		malformed IP		
		option has been		
		detected.		
		TCP packet with	5	0.60%
		malformed option		
		has been detected.		
		UDP port scanning	4	0.48%
		has been detected.	•	0.1070
		Fragmented IGMP	3	0.36%
		attack has been	3	0.5070
		detected.		
	1	ICMP packet with	1	0.12%
		the malformed	Ī	U. 12 ⁻⁷ 0
		ICMP header has		
	-	been detected.	404	4E 0E0/
	100 100 000 15	合計	131	15.95%
3 .	133.108.222.10	IP packet with the	13	1.58%
		malformed IP		
		option has been		
		detected.		
		IP packet with the	12	1.46%
		network source IP		
		address has been		
		detected.		
		Very Small IP	10	1.21%
		Fragment attack	. 3	,0

攻撃元別攻撃イベント			
攻撃元	攻撃種類	回数	
	has been detected.		
	TCP packet with	9	1.09%
	the malformed TCP		
	header has been		
	detected.		
	Too Many IP	9	1.09%
	Fragment attack		1.0070
	has been detected.		
	UDP Bomb attack	9	1.09%
	has been detected.	9	1.03/0
		0	0.070/
	UDP packet with	8	0.97%
	the invalid		
	checksum value		
	has been detected.		
	ICMP Flood attack	7	0.85%
	has been detected.		
	SYN Flood attack	7	0.85%
	has been detected.		
	TCP port scanning	7	0.85%
	has been detected.		
	Fragmented IGMP	6	0.73%
	attack has been		0070
	detected.		
	TCP-SYN packet	6	0.73%
	with data part has	o	0.7570
	been detected.		
		_	0.000/
	TCP packet with	5	0.60%
	invalid ack number		
	that is not related		
	with the existing		
	connections has		
	been received.		
	ICMP packet with	4	0.48%
	the invalid		
	checksum value		
	has been detected.		
	Packet has been	4	0.48%
	received from the		
	already blocked		
	host.		
	UDP port scanning	4	0.48%
	has been detected.		5. 10 /0
	ICMP packet with	3	0.36%
	the malformed	3	0.30 /0
	ICMP header has		
	been detected.		0.0001
	TCP packet with	3	0.36%

	攻撃イベント	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
攻撃元		攻撃種類	回数	
		the invalid		
		checksum value		
		has been detected.		
		TCP packet with	2	0.24%
		malformed option		
		has been detected.		
		Host scanning has	1	0.12%
		been detected.		
		合計	129	15.71%
4.	133.108.222.14	ICMP packet with	12	1.46%
	10011001222111	the malformed		11.1070
		ICMP header has		
		been detected.		
		SYN Flood attack	12	1.46%
		has been detected.	12	1.40 /0
			11	1 2 40/
		Host scanning has	11	1.34%
		been detected.	4.4	4.040/
		ICMP Flood attack	11	1.34%
		has been detected.		
		ICMP packet with	11	1.34%
		the invalid		
		checksum value		
		has been detected.		
		IP packet with the	7	0.85%
		network source IP		
		address has been		
		detected.		
		TCP packet with	7	0.85%
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP packet with	7	0.85%
		malformed option		
		has been detected.		
		IP packet with the	6	0.73%
		malformed IP	_	
		option has been		
		detected.		
		UDP Bomb attack	6	0.73%
		has been detected.	3	3.7070
		Fragmented IGMP	5	0.60%
		attack has been	3	0.00 /0
		detected.		
			_	0.000/
		TCP packet with	5	0.60%
		the invalid		

攻擊元別	攻撃イベント			
攻撃元		攻撃種類	回数	
		checksum value		
		has been detected.		
		TCP packet with	5	0.60%
		the malformed TCP		
		header has been		
		detected.		
		Very Small IP	5	0.60%
		Fragment attack		
		has been detected.		
		TCP port scanning	4	0.48%
		has been detected.		
		TCP-SYN packet	4	0.48%
		with data part has		
		been detected.		
		UDP packet with	4	0.48%
		the invalid		
		checksum value		
		has been detected.		
		Too Many IP	3	0.36%
		Fragment attack		
		has been detected.		
		Packet has been	2	0.24%
		received from the	_	0.2.70
		already blocked		
		host.		
		UDP port scanning	2	0.24%
		has been detected.	_	0.2.70
		合計	129	15.71%
5 .	133.108.222.11	ICMP Flood attack	15	1.82%
- 0.	100.100.222.11	has been detected.	.0	1.0270
		Fragmented IGMP	8	0.97%
		attack has been	J	0.01 70
		detected.		
		UDP port scanning	8	0.97%
		has been detected.	J	0.01 70
		Very Small IP	8	0.97%
		Fragment attack	J	0.51 /0
		has been detected.		
		ICMP packet with	7	0.85%
		the invalid	′	0.00/0
		checksum value		
		has been detected.		
		Packet has been	7	0.85%
		received from the	′	0.05%
		already blocked		
		host.	-	0.050/
		SYN Flood attack	7	0.85%

攻撃元別攻撃イベント			
攻撃元	攻撃種類	回数	
	has been detected.		
	TCP packet with	7	0.85%
	malformed option		
	has been detected.		
	TCP packet with	7	0.85%
	the malformed TCP		
	header has been		
	detected.		
	Host scanning has	6	0.73%
	been detected.		
	TCP port scanning	6	0.73%
	has been detected.		
	TCP-SYN packet	6	0.73%
	with data part has		21.0,0
	been detected.		
	ICMP packet with	5	0.60%
	the malformed		2.20,0
	ICMP header has		
	been detected.		
	IP packet with the	5	0.60%
	network source IP		
	address has been		
	detected.		
	TCP packet with	5	0.60%
	the invalid		0.0070
	checksum value		
	has been detected.		
	UDP Bomb attack	4	0.48%
	has been detected.	•	01.1070
	UDP packet with	4	0.48%
	the invalid	- r	J. 40 /0
	checksum value		
	has been detected.		
	TCP packet with	3	0.36%
	invalid ack number	3	0.0070
	that is not related		
	with the existing		
	connections has		
	been received.		
	Too Many IP	3	0.36%
	Fragment attack	3	0.0070
	has been detected.		
	IP packet with the	2	0.24%
	malformed IP	4	U.Z-7/0
	option has been		
	detected.		
	合計	123	14.98%

攻擊元別	攻撃イベント			
攻撃元		攻撃種類	回数	
6 .	192.168.99.224	Fragmented IGMP attack has been detected.	2	0.24%
		Too Many IP Fragment attack has been detected.	2	0.24%
		Host scanning has been detected.	1	0.12%
		IP packet with the malformed IP option has been detected.	1	0.12%
		TCP packet with invalid ack number that is not related with the existing connections has been received.	1	0.12%
		TCP packet with the malformed TCP header has been detected.	1	0.12%
		TCP port scanning has been detected.	1	0.12%
		UDP packet with the invalid checksum value has been detected.	1	0.12%
		合計	10	1.21%
7 .	192.168.99.208	IP packet with the network source IP address has been detected.	2	0.24%
		Host scanning has been detected.	1	0.12%
		ICMP packet with the malformed ICMP header has been detected.	1	0.12%
		Packet has been received from the already blocked host.	1	0.12%
		TCP packet with invalid ack number that is not related with the existing	1	0.12%

攻擊元別	攻撃イベント			
攻撃元		攻撃種類	回数	
		connections has		
		been received.		
		TCP packet with	1	0.12%
		the malformed TCP		
		header has been		
		detected.		
		TCP-SYN packet	1	0.12%
		with data part has		
		been detected.		
		合計	8	0.97%
8.	192.168.99.200	TCP port scanning	2	0.24%
		has been detected.		
		ICMP packet with	1	0.12%
		the malformed	-	01.1_70
		ICMP header has		
		been detected.		
		IP packet with the	1	0.12%
		malformed IP	•	0.1270
		option has been		
		detected.		
		IP packet with the	1	0.12%
		network source IP	•	0.1270
		address has been		
		detected.		
		Packet has been	1	0.12%
		received from the	•	0.1270
		already blocked		
		host.		
		TCP packet with	1	0.12%
		the malformed TCP	•	0.1270
		header has been		
		detected.		
		合計	7	0.85%
9.	192.168.99.227	UDP port scanning	2	0.24%
<u> </u>	192.100.99.221	has been detected.	2	0.2470
		Fragmented IGMP	1	0.12%
		attack has been	'	0.12/0
		detected.		
		Packet has been	1	0.12%
		received from the	1	0.12/0
		already blocked host.		
		SYN Flood attack	4	0.420/
			1	0.12%
		has been detected.		0.4007
		TCP packet with	1	0.12%
		malformed option		
		has been detected.		

	攻撃イベント	P white, where there		
攻撃元	1	攻撃種類	回数	
		UDP Bomb attack	1	0.12%
		has been detected.		
		合計	7	0.85%
1 0.	192.168.99.190	ICMP Flood attack	1	0.12%
		has been detected.		
		ICMP packet with	1	0.12%
		the malformed		
		ICMP header has		
		been detected.		
		SYN Flood attack	1	0.12%
		has been detected.		
		TCP packet with	1	0.12%
		the invalid		
		checksum value		
		has been detected.		
		Too Many IP	1	0.12%
		Fragment attack		
		has been detected.		
		Very Small IP	1	0.12%
		Fragment attack		
		has been detected.		
		合計	6	0.73%
11.	192.168.99.210	ICMP packet with	1	0.12%
		the malformed		
		ICMP header has		
		been detected.		
		IP packet with the	1	0.12%
		network source IP		
		address has been		
		detected.		
		SYN Flood attack	1	0.12%
		has been detected.		
		TCP packet with	1	0.12%
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP port scanning	1	0.12%
		has been detected.		
		UDP packet with	1	0.12%
		the invalid	•	
		checksum value		
		has been detected.		
		合計	6	0.73%
1 2.	192.168.99.225	ICMP Flood attack	1	0.12%
<u> </u>	102.100.00.220	has been detected.	'	U. 12/0

攻擊元別	攻撃イベント			
攻撃元		攻撃種類	回数	
		ICMP packet with	1	0.12%
		the invalid		
		checksum value		
		has been detected.		
		TCP packet with	1	0.12%
		malformed option		
		has been detected.		
		TCP packet with	1	0.12%
		the invalid		
		checksum value		
		has been detected.		
		UDP packet with	1	0.12%
		the invalid		
		checksum value		
		has been detected.		
		UDP port scanning	1	0.12%
		has been detected.		
		合計	6	0.73%
13.	192.168.99.235	ICMP Flood attack	3	0.36%
		has been detected.		
		Fragmented IGMP	1	0.12%
		attack has been	•	0.1270
		detected.		
		TCP packet with	1	0.12%
		invalid ack number	•	011270
		that is not related		
		with the existing		
		connections has		
		been received.		
		UDP packet with	1	0.12%
		the invalid	•	0.1270
		checksum value		
		has been detected.		
		合計	6	0.73%
1 4.	192.168.99.198	ICMP Flood attack	1	0.12%
	102.100.03.130	has been detected.	1	0.12/0
		TCP packet with	1	0.12%
		invalid ack number	'	0.12/0
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP packet with	1	0.12%
		malformed option	'	0.1270
		has been detected.		
			1	0.400/
		TCP packet with	1	0.12%
		the invalid		

	攻撃イベント			
攻撃元		攻撃種類	回数	
		checksum value		
		has been detected.		
		Very Small IP	1	0.12%
		Fragment attack		
		has been detected.		
		合計	5	0.60%
15.	192.168.99.207	ICMP packet with	1	0.12%
	102.100.00.201	the invalid	•	0.1270
		checksum value		
		has been detected.		
		SYN Flood attack	1	0.12%
		has been detected.	'	0.12/0
			1	0.12%
		TCP packet with	'	0.12%
		malformed option		
		has been detected.		0.1001
		Too Many IP	1	0.12%
		Fragment attack		
		has been detected.		
		UDP packet with	1	0.12%
		the invalid		
		checksum value		
		has been detected.		
		合計	5	0.60%
1 6.	192.168.99.216	Host scanning has	1	0.12%
		been detected.		
		ICMP packet with	1	0.12%
		the malformed		
		ICMP header has		
		been detected.		
		IP packet with the	1	0.12%
		network source IP	'	0.1270
		address has been		
		detected.		
			1	0.12%
		TCP packet with	1	0.12%
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		Too Many IP	1	0.12%
		Fragment attack		
		has been detected.		
		合計	5	0.60%
1 7.	192.168.99.231	Host scanning has	1	0.12%
		been detected.		
		Packet has been	1	0.12%
		received from the	1	5.1270

	攻撃イベント			
攻撃元		攻撃種類	回数	
		already blocked host.		
		SYN Flood attack has been detected.	1	0.12%
		TCP packet with malformed option has been detected.	1	0.12%
		TCP packet with the invalid checksum value	1	0.12%
		has been detected. 合計	5	0.60%
1 8.	192.168.99.234	Fragmented IGMP attack has been detected.	3	0.36%
		IP packet with the malformed IP option has been detected.	1	0.12%
		UDP packet with the invalid checksum value has been detected.	1	0.12%
		合計	5	0.60%
1 9.	192.168.99.193	IP packet with the malformed IP option has been detected.	1	0.12%
		TCP port scanning has been detected.	1	0.12%
		UDP Bomb attack has been detected.	1	0.12%
		UDP port scanning has been detected.	1	0.12%
		合計	4	0.48%
2 0.	192.168.99.194	UDP port scanning has been detected.	2	0.24%
		ICMP packet with the invalid checksum value has been detected.	1	0.12%
		TCP packet with the invalid checksum value has been detected.	1	0.12%
		合計	4	0.48%
小計		н н і	735	89.52%

攻撃元別攻撃イベント			
攻撃元	攻撃種類	回数	
その他		86	10.47%
合計		821	100.00%

攻撃元別攻撃イベント - ヘルプカード

回数 - 行われた攻撃の回数。

攻撃元 - 攻撃を行ったアドレスまたはホスト名。

攻撃種類 - 攻撃元が行った攻撃の種類。


合計 - この表で表示される列のすべてのデータ量。


小計 - 表で現在表示される列のすべてのデータ。 表示されないデータは小計に含まれません。

♀ 最も攻撃を行った攻撃元と攻撃種類がこのページから分かります。

攻撃元別内部攻撃イベント

このページは、どこから(攻撃元)どのような攻撃が何回行われたかを示します。





攻撃元別内部攻撃イベント

攻撃元		攻撃種類	回数	
1 .	192.168.99.224	Fragmented IGMP	2	1.14%
		attack has been		
		detected.		
		Too Many IP	2	1.14%
		Fragment attack		
		has been detected.		
		Host scanning has	1	0.57%
		been detected.		
		IP packet with the	1	0.57%
		malformed IP		
		option has been		
		detected.		
		TCP packet with	1	0.57%
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP packet with	1	0.57%
		the malformed TCP		
		header has been		
		detected.		
		TCP port scanning	1	0.57%
		has been detected.		
		UDP packet with	1	0.57%
		the invalid		
		checksum value		
		has been detected.		
		合計	10	5.71%
2.	192.168.99.208	IP packet with the	2	1.14%
		network source IP		
		address has been		
		detected.		
		Host scanning has	1	0.57%
		been detected.		
		ICMP packet with	1	0.57%
		the malformed	-	
		ICMP header has		
		been detected.		
		Packet has been	1	0.57%
		received from the		
		already blocked		
		host.		
		TCP packet with	1	0.57%
		invalid ack number	-	
		that is not related		
		with the existing		
		connections has		

攻擊元別	内部攻撃イベント			
攻撃元		攻撃種類	回数	
		TCP packet with	1	0.57%
		the malformed TCP		
		header has been		
		detected.		
		TCP-SYN packet	1	0.57%
		with data part has		
		been detected.		
		合計	8	4.57%
3.	192.168.99.200	TCP port scanning	2	1.14%
		has been detected.		
		ICMP packet with	1	0.57%
		the malformed		
		ICMP header has		
		been detected.		
		IP packet with the	1	0.57%
		malformed IP		
		option has been		
		detected.		
		IP packet with the	1	0.57%
		network source IP		0.01,0
		address has been		
		detected.		
		Packet has been	1	0.57%
		received from the	•	0.01 70
		already blocked		
		host.		
		TCP packet with	1	0.57%
		the malformed TCP	-	0.0.70
		header has been		
		detected.		
		合計	7	4.00%
4.	192.168.99.227	UDP port scanning	2	1.14%
<u> </u>	102.100.00.221	has been detected.	-	1.1-70
	+	Fragmented IGMP	1	0.57%
		attack has been	'	0.01 /0
		detected.		
		Packet has been	1	0.57%
		received from the	'	0.57 /0
		already blocked		
		host.		
		SYN Flood attack	1	0 F70/
		has been detected.	1	0.57%
			4	0 F70/
		TCP packet with	1	0.57%
		malformed option		
		has been detected.		0.5707
		UDP Bomb attack	1	0.57%
		has been detected.		

マム 本た 一		man a destruction about		
攻撃元		攻撃種類	回数	
		合計	7	4.00%
5 .	192.168.99.190	ICMP Flood attack	1	0.57%
		has been detected.		
		ICMP packet with	1	0.57%
		the malformed		
		ICMP header has		
		been detected.		
		SYN Flood attack	1	0.57%
		has been detected.		
		TCP packet with	1	0.57%
		the invalid		
		checksum value		
		has been detected.		
		Too Many IP	1	0.57%
		Fragment attack	•	5.5. 70
		has been detected.		
		Very Small IP	1	0.57%
		Fragment attack	'	0.51 /0
		has been detected.		
		合計	6	3.42%
	100 100 00 010		1	
6.	192.168.99.210	ICMP packet with	1	0.57%
		the malformed		
		ICMP header has		
		been detected.	4	0.570/
		IP packet with the	1	0.57%
		network source IP		
		address has been		
		detected.		
		SYN Flood attack	1	0.57%
		has been detected.		
		TCP packet with	1	0.57%
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP port scanning	1	0.57%
		has been detected.		
		UDP packet with	1	0.57%
		the invalid		
		checksum value		
		has been detected.		
		合計	6	3.42%
7 .	192.168.99.225	ICMP Flood attack	1	0.57%
		has been detected.	•	2.2.70
		ICMP packet with	1	0.57%
		the invalid	'	0.01 /0

	内部攻撃イベント			
攻撃元		攻撃種類	回数	
		checksum value		
		has been detected.		
		TCP packet with	1	0.57%
		malformed option		
		has been detected.		
		TCP packet with	1	0.57%
		the invalid		
		checksum value		
		has been detected.		
		UDP packet with	1	0.57%
		the invalid	•	0.01 70
		checksum value		
		has been detected.		
			1	0.57%
		UDP port scanning has been detected.	'	0.57 %
			6	3.42%
	100 100 00 00	合計	6	
8.	192.168.99.235	ICMP Flood attack	3	1.71%
		has been detected.		
		Fragmented IGMP	1	0.57%
		attack has been		
		detected.		
		TCP packet with	1	0.57%
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		UDP packet with	1	0.57%
		the invalid		
		checksum value		
		has been detected.		
		合計	6	3.42%
9.	192.168.99.198	ICMP Flood attack	1	0.57%
<u> </u>	192.100.99.190	has been detected.	'	0.57 /0
		TCP packet with	1	0.57%
		•	1	0.57%
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP packet with	1	0.57%
		malformed option		
		has been detected.		
_		TCP packet with	1	0.57%
		the invalid		
		checksum value		
		has been detected.		

	内部攻撃イベント			
攻撃元		攻撃種類	回数	
		Very Small IP	1	0.57%
		Fragment attack		
		has been detected.		
		合計	5	2.85%
1 0.	192.168.99.207	ICMP packet with	1	0.57%
-		the invalid		
		checksum value		
		has been detected.		
		SYN Flood attack	1	0.57%
		has been detected.	'	0.51 /0
			1	0.570/
		TCP packet with	'	0.57%
		malformed option		
		has been detected.		2 2/
		Too Many IP	1	0.57%
		Fragment attack		
		has been detected.		
		UDP packet with	1	0.57%
		the invalid		
		checksum value		
		has been detected.		
		合計	5	2.85%
11.	192.168.99.216	Host scanning has	1	0.57%
	102.100.00.210	been detected.	•	0.01 70
		ICMP packet with	1	0.57%
		the malformed	'	0.57 /0
		ICMP header has		
		been detected.	_	0.570/
		IP packet with the	1	0.57%
		network source IP		
		address has been		
		detected.		
		TCP packet with	1	0.57%
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		Too Many IP	1	0.57%
		Fragment attack	'	0.01 /0
		has been detected.		
		合計	5	2.85%
10	102 169 00 224			
1 2.	192.168.99.231	Host scanning has	1	0.57%
		been detected.		
		Packet has been	1	0.57%
		received from the		
		already blocked		
		host.		

	内部攻撃イベント			
攻撃元		攻撃種類	回数	
		SYN Flood attack	1	0.57%
		has been detected.		
		TCP packet with	1	0.57%
		malformed option		
		has been detected.		
		TCP packet with	1	0.57%
		the invalid		
		checksum value		
		has been detected.		
		合計	5	2.85%
13.	192.168.99.234	Fragmented IGMP	3	1.71%
		attack has been		
		detected.		
		IP packet with the	1	0.57%
		malformed IP		
		option has been		
		detected.		
		UDP packet with	1	0.57%
		the invalid		
		checksum value		
		has been detected.		
		合計	5	2.85%
14.	192.168.99.193	IP packet with the	1	0.57%
	102110011001	malformed IP	-	0.0.70
		option has been		
		detected.		
		TCP port scanning	1	0.57%
		has been detected.	•	0.01 70
		UDP Bomb attack	1	0.57%
		has been detected.	•	0.01 /0
		UDP port scanning	1	0.57%
		has been detected.	'	0.57 70
		合計	4	2.28%
15.	192.168.99.194	UDP port scanning	2	1.14%
— 13.	132.100.33.134	has been detected.	2	1.1470
			4	0 E70/
		ICMP packet with the invalid	1	0.57%
		checksum value		
		has been detected.		0.570/
		TCP packet with	1	0.57%
		the invalid		
		checksum value		
		has been detected.		0.000/
		合計	4	2.28%
1 6.	192.168.99.195	Too Many IP	2	1.14%
		Fragment attack		
		has been detected.		

攻擊元別	内部攻撃イベント			
攻撃元		攻撃種類	回数	
		Packet has been	1	0.57%
		received from the		
		already blocked		
		host.		
		TCP packet with	1	0.57%
		the malformed TCP		
		header has been		
		detected.		
		合計	4	2.28%
1 7.	192.168.99.196	ICMP Flood attack	1	0.57%
	10211001001100	has been detected.	-	0.0.70
		ICMP packet with	1	0.57%
		the malformed	•	0.01 /0
		ICMP header has		
		been detected.		
		IP packet with the	1	0.57%
		malformed IP	'	0.57 /6
		option has been		
		detected.		
		UDP packet with	1	0.57%
		the invalid		0.57 %
		checksum value		
		has been detected.		
		合計	4	2.28%
1 8.	102 168 00 107		1	
10.	192.168.99.197	Fragmented IGMP attack has been	1	0.57%
		detected.	4	0.570/
		ICMP packet with	1	0.57%
		the invalid		
		checksum value		
		has been detected.		0.5701
		TCP packet with	1	0.57%
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP port scanning	1	0.57%
		has been detected.		
		合計	4	2.28%
1 9.	192.168.99.204	ICMP packet with	1	0.57%
		the invalid		
		checksum value		
		has been detected.		
		TCP port scanning	1	0.57%
		has been detected.		
		TCP-SYN packet	1	0.57%

攻擊元別	内部攻撃イベント			
攻撃元		攻撃種類	回数	
		with data part has been detected.		
		UDP packet with the invalid checksum value has been detected.	1	0.57%
		合計	4	2.28%
2 0.	192.168.99.209	Fragmented IGMP attack has been detected.	1	0.57%
		ICMP packet with the invalid checksum value has been detected.	1	0.57%
		Packet has been received from the already blocked host.	1	0.57%
		TCP packet with the malformed TCP header has been detected.	1	0.57%
		合計	4	2.28%
小計			109	62.28%
その他			66	37.71%
合計			175	100.00%

攻撃元別内部攻撃イベント - ヘルプカード

回数 - 行われた攻撃の回数。

攻撃元 - 攻撃を行ったアドレスまたはホスト名。

攻撃種類 - 攻撃元が行った攻撃の種類。


合計 - この表で表示される列のすべてのデータ量。


小計 - 表で現在表示される列のすべてのデータ。 表示されないデータは小計に含まれません。

役最も攻撃を行った攻撃元と攻撃種類がこのページから分かります。

攻撃元別部署攻撃イベント

このページは、どこから(攻撃元)どのような攻撃が何回行われたかを示します。





攻撃元別部署攻撃イベント

攻撃元		攻撃種類	回数	
1 .	Tech Support (sample)	IP packet with the	5	3.16%
		network source IP		
		address has been		
		detected.		
		TCP packet with	4	2.53%
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP port scanning	4	2.53%
		has been detected.	-	
		ICMP packet with	3	1.89%
		the invalid	Ĭ	1.0070
		checksum value		
		has been detected.		
		ICMP packet with	3	1.89%
		the malformed	١	1.0070
		ICMP header has		
		been detected.		
		Packet has been	3	1.89%
		received from the	3	1.0976
		already blocked		
		host.		
		TCP packet with	3	1.89%
		the malformed TCP	3	1.09%
		header has been		
		detected.		4.000/
		UDP packet with the invalid	3	1.89%
		checksum value		
		has been detected.	-	4.000/
		ICMP Flood attack	2	1.26%
		has been detected.		4.0007
		IP packet with the	2	1.26%
		malformed IP		
		option has been		
		detected.		4.000/
		SYN Flood attack	2	1.26%
		has been detected.		
		TCP packet with	2	1.26%
		malformed option		
		has been detected.		
		TCP-SYN packet	2	1.26%
		with data part has		
		been detected.		
		Too Many IP		1.26%
		Fragment attack		
		has been detected.		

	部署攻撃イベント			
攻撃元		攻撃種類	回数	
		Fragmented IGMP	1	0.63%
		attack has been		
		detected.		
		Host scanning has	1	0.63%
		been detected.		
		TCP packet with	1	0.63%
		the invalid		
		checksum value		
		has been detected.		
		UDP Bomb attack	1	0.63%
		has been detected.	'	0.0070
		Very Small IP	1	0.63%
		Fragment attack	'	0.03 /6
		has been detected.		
		has been detected. 合計	A.E.	28.48%
			45	
2 .	Development (sample)	ICMP packet with	5	3.16%
		the invalid		
		checksum value		
		has been detected.		
		Too Many IP	5	3.16%
		Fragment attack		
		has been detected.		
		Fragmented IGMP	3	1.89%
		attack has been		
		detected.		
		IP packet with the	3	1.89%
		malformed IP		
		option has been		
		detected.		
		TCP packet with	3	1.89%
		the malformed TCP		
		header has been		
		detected.		
		UDP Bomb attack	3	1.89%
		has been detected.		1.0070
		UDP port scanning	3	1.89%
		has been detected.	٦	1.03/0
		Packet has been	2	1.26%
			2	1.20%
		received from the		
		already blocked		
		host.		4.0001
		TCP packet with	2	1.26%
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		

攻擊元別	部署攻撃イベント			
攻撃元		攻撃種類	回数	
		TCP packet with	2	1.26%
		malformed option		
		has been detected.		
		UDP packet with	2	1.26%
		the invalid		
		checksum value		
		has been detected.		
		Host scanning has	1	0.63%
		been detected.		
		ICMP Flood attack	1	0.63%
		has been detected.		
		SYN Flood attack	1	0.63%
		has been detected.		
		TCP packet with	1	0.63%
		the invalid		•
		checksum value		
		has been detected.		
		TCP port scanning	1	0.63%
		has been detected.		
		TCP-SYN packet	1	0.63%
		with data part has		
		been detected.		
		Very Small IP	1	0.63%
		Fragment attack		
		has been detected.		
		合計	40	25.31%
3.	Accounting (sample)	Fragmented IGMP	5	3.16%
	3 (34)	attack has been		
		detected.		
		ICMP Flood attack	5	3.16%
		has been detected.		0
		Host scanning has	3	1.89%
		been detected.		
		TCP packet with	3	1.89%
		the invalid		1.0070
		checksum value		
		has been detected.		
		ICMP packet with	2	1.26%
		the invalid	-	070
		checksum value		
		has been detected.		
		SYN Flood attack	2	1.26%
		has been detected.	-	2070
		TCP packet with	2	1.26%
		invalid ack number	2	1.20/0
		that is not related		
		with the existing		
		with the existing		

攻擊元別	部署攻撃イベント			
攻撃元		攻撃種類	回数	
		connections has		
		been received.		
		TCP packet with	2	1.26%
		malformed option		
		has been detected.		
		TCP port scanning	2	1.26%
		has been detected.		
		TCP-SYN packet	2	1.26%
		with data part has		
		been detected.		
		UDP packet with	2	1.26%
		the invalid		
		checksum value		
		has been detected.		
		IP packet with the	1	0.63%
		malformed IP		
		option has been		
		detected.		
		IP packet with the	1	0.63%
		network source IP	•	0.0070
		address has been		
		detected.		
		Packet has been	1	0.63%
		received from the		
		already blocked		
		host.		
		TCP packet with	1	0.63%
		the malformed TCP		
		header has been		
		detected.		
		Too Many IP	1	0.63%
		Fragment attack		
		has been detected.		
		UDP port scanning	1	0.63%
		has been detected.	•	•
		Very Small IP	1	0.63%
		Fragment attack		· -
		has been detected.		
		合計	37	23.41%
4 .	Sales (sample)	UDP packet with	4	2.53%
	(55)	the invalid	'	55,0
		checksum value		
		has been detected.		
		ICMP packet with	3	1.89%
		the malformed	٦	1.5570
		ICMP header has		
		been detected.		
	1	Doon detected.		

	部署攻撃イベント	mail:		
攻撃元		攻撃種類	回数	
		IP packet with the	3	1.89%
		malformed IP		
		option has been		
		detected.		
		Too Many IP	3	1.89%
		Fragment attack		
		has been detected.		
		Host scanning has	2	1.26%
		been detected.		
		IP packet with the	2	1.26%
		network source IP	_	0,0
		address has been		
		detected.		
		TCP packet with	2	1.26%
		invalid ack number	2	1.20%
		that is not related		
		with the existing		
		connections has		
	_	been received.	0	4.000/
		TCP packet with	2	1.26%
		the malformed TCP		
		header has been		
		detected.		
		TCP-SYN packet	2	1.26%
		with data part has		
		been detected.		
		Very Small IP	2	1.26%
		Fragment attack		
		has been detected.		
		ICMP Flood attack	1	0.63%
		has been detected.		
		Packet has been	1	0.63%
		received from the		
		already blocked		
		host.		
		SYN Flood attack	1	0.63%
		has been detected.	'	0.0070
		TCP packet with	1	0.63%
		the invalid	1	0.00/0
		checksum value		
		has been detected.	4	0.000/
		TCP port scanning	1	0.63%
		has been detected.		40.0001
<u></u>		合計	30	18.98%
5.	Partners (sample)	UDP port scanning	2	1.26%
		has been detected.		
		ICMP packet with	1	0.63%

攻撃元別部署攻撃イベント					
攻撃元		攻撃種類	回数		
		the invalid checksum value has been detected.			
		TCP packet with the invalid checksum value has been detected.	1	0.63%	
		合計	4	2.53%	
■ 6.	Intranet (sample)	ICMP packet with the malformed ICMP header has been detected.	2	1.26%	
合計			158	100.00%	

攻撃元別部署攻撃イベント - ヘルプカード

回数 - 行われた攻撃の回数。

攻撃元 - 攻撃を行ったアドレスまたはホスト名。

攻撃種類 - 攻撃元が行った攻撃の種類。


合計 - この表で表示される列のすべてのデータ量。


小計 - 表で現在表示される列のすべてのデータ。 表示されないデータは小計に含まれません。

♀ 最も攻撃を行った攻撃元と攻撃種類がこのページから分かります。

攻撃元別外部攻撃イベント

このページは、どこから(攻撃元)どのような攻撃が何回行われたかを示します。





攻撃元別外部攻撃イベント

攻撃元		攻撃種類	回数	
1 .	133.108.222.12	Host scanning has	12	1.85%
		been detected.		
		UDP port scanning	12	1.85%
		has been detected.		
		IP packet with the	10	1.54%
		network source IP		
		address has been		
		detected.		
		Very Small IP	10	1.54%
		Fragment attack		
		has been detected.		
		TCP port scanning	9	1.39%
		has been detected.		
		ICMP packet with	8	1.23%
		the malformed		
		ICMP header has		
		been detected.		
		ICMP Flood attack	7	1.08%
		has been detected.	-	
		TCP packet with	7	1.08%
		invalid ack number	-	
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP packet with	7	1.08%
		the invalid	-	,.
		checksum value		
		has been detected.		
		UDP Bomb attack	7	1.08%
		has been detected.	•	
		TCP packet with	6	0.92%
		malformed option		0.0270
		has been detected.		
		TCP-SYN packet	6	0.92%
		with data part has		0.0270
		been detected.		
		Too Many IP	6	0.92%
		Fragment attack	"	0.02/0
		has been detected.		
		ICMP packet with	5	0.77%
		the invalid	٦	0.11 /0
		checksum value		
		has been detected.		
		SYN Flood attack	5	0.77%
		has been detected.	3	0.11/0
		Fragmented IGMP	4	0.61%
		attack has been	4	0.01/0
	<u> </u>	מנומטת וומס טפפוו		

	外部攻撃イベント	mak , whith particular strongs		vest	
攻撃元		攻撃種類	回数		
		detected.			
		Packet has been	4	0.61%	
		received from the			
		already blocked			
		host.			
		UDP packet with	4	0.61%	
		the invalid			
		checksum value			
		has been detected.			
		IP packet with the	3	0.46%	
		malformed IP			
		option has been			
		detected.			
		TCP packet with	2	0.31%	
		the malformed TCP	_	5.5170	
		header has been			
		detected.			
		合計	134	20.74%	
2.	133.108.222.13	TCP packet with	14	2.16%	
L .	155.100.222.15	the malformed TCP	'-	2.1070	
		header has been			
		detected.			
		IP packet with the	10	1.54%	
		network source IP	10	1.54 /6	
		address has been			
		detected.			
			9	1.39%	
		UDP packet with the invalid	9	1.39%	
		checksum value			
		has been detected.	-	4.000/	
		Very Small IP	9	1.39%	
		Fragment attack			
		has been detected.		4.0007	
		Host scanning has	8	1.23%	
		been detected.		4.000:	
		SYN Flood attack	8	1.23%	
		has been detected.			
		TCP port scanning	8	1.23%	
		has been detected.			
		TCP packet with	7	1.08%	
		the invalid			
		checksum value			
		has been detected.			
		Packet has been	6	0.92%	
		received from the			
		already blocked			
		host.			

攻擊元別	外部攻撃イベント			
攻撃元		攻撃種類	回数	
		TCP packet with	6	0.92%
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP-SYN packet	6	0.92%
		with data part has	۲	0.3270
		been detected.		
		Too Many IP	6	0.92%
			0	0.92%
		Fragment attack		
		has been detected.		
		UDP Bomb attack	6	0.92%
		has been detected.		
		ICMP Flood attack	5	0.77%
		has been detected.		
		ICMP packet with	5	0.77%
		the invalid		
		checksum value		
		has been detected.		
		IP packet with the	5	0.77%
		malformed IP	Ĭ	011 1 70
		option has been		
		detected.		
		TCP packet with	5	0.77%
		malformed option	5	0.77 /0
		has been detected.	4	0.040/
		UDP port scanning	4	0.61%
		has been detected.	_	
		Fragmented IGMP	3	0.46%
		attack has been		
		detected.		
		ICMP packet with	1	0.15%
		the malformed		
		ICMP header has		
		been detected.		
		合計	131	20.27%
3.	133.108.222.10	IP packet with the	13	2.01%
_ 0.	133.133.222.13	malformed IP	.0	2.5170
		option has been		
		detected.		
		IP packet with the	12	1 050/
			12	1.85%
		network source IP		
		address has been		
		detected.		
		Very Small IP	10	1.54%
		Fragment attack		

攻撃元別外部攻撃イベント	شوران جومار والفاد .		
攻撃元	攻撃種類	回数	
	has been detected.		
	TCP packet with	9	1.39%
	the malformed TCP		
	header has been		
	detected.		
	Too Many IP	9	1.39%
	Fragment attack		
	has been detected.		
	UDP Bomb attack	9	1.39%
	has been detected.		110070
	UDP packet with	8	1.23%
	the invalid	o	1.20/0
	checksum value		
	has been detected. ICMP Flood attack	7	1 000/
		/	1.08%
	has been detected.	_	4.0007
	SYN Flood attack	7	1.08%
	has been detected.	_	
	TCP port scanning	7	1.08%
	has been detected.		
	Fragmented IGMP	6	0.92%
	attack has been		
	detected.		
	TCP-SYN packet	6	0.92%
	with data part has		
	been detected.		
	TCP packet with	5	0.77%
	invalid ack number		
	that is not related		
	with the existing		
	connections has		
	been received.		
	ICMP packet with	4	0.61%
	the invalid		0.0170
	checksum value		
	has been detected.		
	Packet has been	4	0.61%
	received from the	4	0.0176
	already blocked		
	host.	4	0.040/
	UDP port scanning	4	0.61%
	has been detected.		0.1001
	ICMP packet with	3	0.46%
	the malformed		
	ICMP header has		
	been detected.		
	TCP packet with	3	0.46%

攻撃元別外部攻撃イベント				
攻撃元		攻撃種類	回数	
		the invalid		
		checksum value		
		has been detected.		
		TCP packet with	2	0.31%
		malformed option		
		has been detected.		
		Host scanning has	1	0.15%
		been detected.		
		合計	129	19.96%
4.	133.108.222.14	ICMP packet with	12	1.85%
		the malformed		
		ICMP header has		
		been detected.		
		SYN Flood attack	12	1.85%
		has been detected.		
		Host scanning has	11	1.70%
		been detected.		
		ICMP Flood attack	11	1.70%
		has been detected.		0,0
		ICMP packet with	11	1.70%
		the invalid	• •	1.7070
		checksum value		
		has been detected.		
		IP packet with the	7	1.08%
		network source IP	•	1.0070
		address has been		
		detected.		
		TCP packet with	7	1.08%
		invalid ack number	•	1.0070
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP packet with	7	1.08%
		malformed option	•	1.0070
		has been detected.		
		IP packet with the	6	0.92%
		malformed IP	J	0.0270
		option has been		
		detected.		
		UDP Bomb attack	6	0.92%
		has been detected.	J	0.02/0
		Fragmented IGMP	5	0.77%
		attack has been	3	0.11/0
		detected.		
			F	0.770/
		TCP packet with the invalid	5	0.77%

攻擊元別	外部攻撃イベント			
攻撃元		攻撃種類	回数	
		checksum value		
		has been detected.		
		TCP packet with	5	0.77%
		the malformed TCP		
		header has been		
		detected.		
		Very Small IP	5	0.77%
		Fragment attack		
		has been detected.		
		TCP port scanning	4	0.61%
		has been detected.		
		TCP-SYN packet	4	0.61%
		with data part has	•	0.0170
		been detected.		
		UDP packet with	4	0.61%
		the invalid	7	0.0170
		checksum value		
		has been detected.		
		Too Many IP	3	0.46%
		Fragment attack	3	0.4076
		has been detected.		
		Packet has been	2	0.31%
		received from the	2	0.31%
		already blocked host.		
			2	0.240/
		UDP port scanning has been detected.	2	0.31%
			129	40.060/
	100 100 000 11	合計		19.96%
5 .	133.108.222.11	ICMP Flood attack	15	2.32%
		has been detected.		4 000/
		Fragmented IGMP	8	1.23%
		attack has been		
		detected.	_	
		UDP port scanning	8	1.23%
		has been detected.		
		Very Small IP	8	1.23%
		Fragment attack		
		has been detected.		
		ICMP packet with	7	1.08%
		the invalid		
		checksum value		
		has been detected.		
		Packet has been	7	1.08%
		received from the		
		already blocked		
		host.		
	+			

攻撃元別外部攻撃イベント			
攻撃元	攻撃種類	回数	
	has been detected.		
	TCP packet with	7	1.08%
	malformed option		
	has been detected.		
	TCP packet with	7	1.08%
	the malformed TCP		
	header has been		
	detected.		
	Host scanning has	6	0.92%
	been detected.		
	TCP port scanning	6	0.92%
	has been detected.		
	TCP-SYN packet	6	0.92%
	with data part has		
	been detected.		
	ICMP packet with	5	0.77%
	the malformed		,-
	ICMP header has		
	been detected.		
	IP packet with the	5	0.77%
	network source IP		
	address has been		
	detected.		
	TCP packet with	5	0.77%
	the invalid		
	checksum value		
	has been detected.		
	UDP Bomb attack	4	0.61%
	has been detected.		
	UDP packet with	4	0.61%
	the invalid		
	checksum value		
	has been detected.		
	TCP packet with	3	0.46%
	invalid ack number	J	0070
	that is not related		
	with the existing		
	connections has		
	been received.		
	Too Many IP	3	0.46%
	Fragment attack		21.070
	has been detected.		
	IP packet with the	2	0.31%
	malformed IP	-	0.0170
	option has been		
	detected.		
	合計	123	19.04%

攻撃元別外部攻撃イベント		
攻撃元	攻撃種類	回数
合計		646 100.00%

攻撃元別外部攻撃イベント - ヘルプカード

回数 - 行われた攻撃の回数。

攻撃元 - 攻撃を行ったアドレスまたはホスト名。

攻撃種類 - 攻撃元が行った攻撃の種類。


合計 - この表で表示される列のすべてのデータ量。


小計 - 表で現在表示される列のすべてのデータ。 表示されないデータは小計に含まれません。

♀最も攻撃を行った攻撃元と攻撃種類がこのページから分かります。

攻撃先別攻撃イベント

このページは、どこ宛て(攻撃先)にどのような攻撃が何回行われたかを示します。





攻撃先別攻撃イベント

攻撃先		攻撃種類	回数	
1 .	133.108.222.10	TCP port scanning	6	0.73%
		has been detected.		
		Host scanning has	4	0.48%
		been detected.		
		ICMP packet with	4	0.48%
		the invalid		
		checksum value		
		has been detected.		
		TCP packet with	4	0.48%
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		Fragmented IGMP	3	0.36%
		attack has been		
		detected.		
		IP packet with the	3	0.36%
		malformed IP		
		option has been		
		detected.		
		TCP packet with	3	0.36%
		malformed option		
		has been detected.		
		UDP Bomb attack	3	0.36%
		has been detected.		
		IP packet with the	2	0.24%
		network source IP		
		address has been		
		detected.		
		SYN Flood attack	2	0.24%
		has been detected.		
		TCP packet with	2	0.24%
		the invalid		
		checksum value		
		has been detected.		
		UDP port scanning	2	0.24%
		has been detected.		
		TCP packet with	1	0.12%
		the malformed TCP		
		header has been		
		detected.		
		TCP-SYN packet	1	0.12%
		with data part has	•	
		been detected.		
		Too Many IP	1	0.12%
		Fragment attack	.	J. 12/0
		has been detected.		

	攻撃イベント	工厂事办4天 ****	1 1 367.	
攻撃先		攻撃種類	回数	
		UDP packet with	1	0.12%
		the invalid		
		checksum value		
		has been detected.		
		Very Small IP	1	0.12%
		Fragment attack		
		has been detected.		
		合計	43	5.23%
2.	133.108.222.12	Too Many IP	4	0.48%
		Fragment attack	-	
		has been detected.		
		ICMP Flood attack	3	0.36%
		has been detected.	3	0.30 /
	+		3	0.260/
		ICMP packet with	3	0.36%
		the invalid		
		checksum value		
		has been detected.		
		ICMP packet with	3	0.36%
		the malformed		
		ICMP header has		
		been detected.		
		Packet has been	3	0.36%
		received from the		
		already blocked		
		host.		
		UDP packet with	3	0.36%
		the invalid		
		checksum value		
		has been detected.		
		IP packet with the	2	0.24%
		network source IP	_	0.217
		address has been		
		detected.		
		SYN Flood attack	2	0.24%
			2	0.24 /
		has been detected.		0.24%
		TCP packet with	2	0.24%
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP packet with	2	0.24%
		malformed option		
		has been detected.		
		TCP packet with	2	0.24%
		the invalid	-	,
		checksum value		

	攻撃イベント	~!. \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1 1 384.	
攻撃先		攻撃種類	回数	
		has been detected.		
		TCP packet with	2	0.24%
		the malformed TCP		
		header has been		
		detected.		
		Fragmented IGMP	1	0.12%
		attack has been		
		detected.		
		Host scanning has	1	0.12%
		been detected.	•	0.1270
		IP packet with the	1	0.12%
		malformed IP	•	0.1270
		option has been		
		detected.		
			1	0.420/
		TCP-SYN packet	1	0.12%
		with data part has		
		been detected.	_	0.400/
		UDP Bomb attack	1	0.12%
		has been detected.		
		UDP port scanning	1	0.12%
		has been detected.		
		Very Small IP	1	0.12%
		Fragment attack		
		has been detected.		
		合計	38	4.62%
3.	133.108.222.11	ICMP Flood attack	4	0.48%
		has been detected.		
		UDP packet with	4	0.48%
		the invalid		
		checksum value		
		has been detected.		
		ICMP packet with	3	0.36%
		the invalid	Ŭ.	0.0070
		checksum value		
		has been detected.		
			3	0.36%
		ICMP packet with the malformed	3	0.30%
		ICMP header has		
		been detected.	0	0.000/
		IP packet with the	3	0.36%
		network source IP		
		address has been		
		detected.		
		Fragmented IGMP	2	0.24%
		attack has been		
		detected.		
		TCP packet with	2	0.24%

攻擊先別	攻撃イベント			
攻撃先		攻撃種類	回数	
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP packet with	2	0.24%
		the malformed TCP	_	0.2170
		header has been		
		detected.		
		TCP port scanning	2	0.24%
		has been detected.	2	0.24 /0
			2	0.040/
		TCP-SYN packet	2	0.24%
		with data part has		
		been detected.		0.0401
		UDP port scanning	2	0.24%
		has been detected.		
		Host scanning has	1	0.12%
		been detected.		
		SYN Flood attack	1	0.12%
		has been detected.		
		TCP packet with	1	0.12%
		malformed option		
		has been detected.		
		TCP packet with	1	0.12%
		the invalid		
		checksum value		
		has been detected.		
		Too Many IP	1	0.12%
		Fragment attack	•	0.1270
		has been detected.		
		Very Small IP	1	0.12%
		Fragment attack	'	U. IZ /0
		has been detected.		
		合計	35	4.26%
	122 100 222 12			
4 .	133.108.222.13	TCP port scanning	3	0.36%
	<u> </u>	has been detected.	_	0.0007
		Too Many IP	3	0.36%
		Fragment attack		
		has been detected.		
		Fragmented IGMP	2	0.24%
		attack has been		
		detected.		
		ICMP packet with	2	0.24%
		the malformed		
		ICMP header has		
		been detected.		
		IP packet with the	2	0.24%

攻撃先別攻撃イベント			
攻撃先	攻撃種類	回数	
	malformed IP		
	option has been		
	detected.		
	Packet has been	2	0.24%
	received from the	_	0.2170
	already blocked		
	host.		
<u> </u>	TCP packet with	2	0.24%
	the invalid	2	0.24%
	checksum value		
	has been detected.		
	TCP-SYN packet	2	0.24%
	with data part has		
	been detected.		
	UDP Bomb attack	2	0.24%
	has been detected.		
	UDP port scanning	2	0.24%
	has been detected.		
	Host scanning has	1	0.12%
	been detected.	-	0/0
	ICMP Flood attack	1	0.12%
	has been detected.	'	0.1270
	ICMP packet with	1	0.12%
	the invalid	'	0.12/0
	checksum value		
	has been detected.		0.400/
	SYN Flood attack	1	0.12%
	has been detected.		
	TCP packet with	1	0.12%
	invalid ack number		
	that is not related		
	with the existing		
	connections has		
	been received.		
	TCP packet with	1	0.12%
	malformed option		
	has been detected.		
	TCP packet with	1	0.12%
	the malformed TCP	•	0.1270
	header has been		
	detected.		
	UDP packet with	1	0.12%
	the invalid	'	U. 12 /0
	checksum value		
	has been detected.		0.1001
	Very Small IP	1	0.12%
	Fragment attack		

	攻撃イベント			
攻撃先		攻撃種類	回数	
		has been detected.		
		合計	31	3.77%
5 .	133.108.222.14	IP packet with the	4	0.48%
		malformed IP		
		option has been		
		detected.		
		TCP packet with	3	0.36%
		the malformed TCP		0.0070
		header has been		
		detected.		
		Too Many IP	3	0.36%
			3	0.30 /6
		Fragment attack		
		has been detected.	0	0.040/
		Fragmented IGMP	2	0.24%
		attack has been		
		detected.		
		ICMP Flood attack	2	0.24%
		has been detected.		
		Packet has been	2	0.24%
		received from the	2	
		already blocked		
		host.		
		TCP packet with		0.24%
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		UDP packet with	2	0.24%
		the invalid	_	0.2 . 70
		checksum value		
		has been detected.		
		Very Small IP	2	0.24%
		Fragment attack	-	0.24/0
		has been detected.		
			1	0.400/
		ICMP packet with	'	0.12%
		the invalid		
		checksum value		
	<u> </u>	has been detected.		0.4007
		ICMP packet with	1	0.12%
		the malformed		
		ICMP header has		
		been detected.		
		IP packet with the	1	0.12%
		network source IP		
		address has been		
		detected.		

	攻撃イベント			
攻撃先		攻撃種類	回数	
		SYN Flood attack	1	0.12%
		has been detected.		
		TCP packet with	1	0.12%
		the invalid		
		checksum value		
		has been detected.		
		TCP-SYN packet	1	0.12%
		with data part has		
		been detected.		
		合計	28	3.41%
6 .	192.168.99.231	Packet has been	3	0.36%
_ 0.	102.100.00.201	received from the	Ŭ.	0.0070
		already blocked		
		host.		
		TCP packet with	3	0.36%
		invalid ack number	3	0.30 /6
		that is not related		
		with the existing connections has		
		been received.		
			2	0.240/
		TCP port scanning	2	0.24%
		has been detected.	0	0.040/
		Very Small IP	2	0.24%
		Fragment attack		
		has been detected.		0.1001
		Fragmented IGMP	1	0.12%
		attack has been		
		detected.		
		Host scanning has	1	0.12%
		been detected.		
		ICMP packet with	1	0.12%
		the invalid		
		checksum value		
		has been detected.		
		ICMP packet with	1	0.12%
		the malformed		
		ICMP header has		
		been detected.		
		IP packet with the	1	0.12%
		network source IP		
		address has been		
		detected.		
		SYN Flood attack	1	0.12%
		has been detected.		J. 1 = 70
		TCP packet with	1	0.12%
		malformed option	1	0.12/0
		has been detected.		
		וומס טבפוו עבובטובע.		

攻擊先別	攻撃イベント			
攻撃先		攻撃種類	回数	
		TCP packet with	1	0.12%
		the invalid		
		checksum value		
		has been detected.		
		TCP packet with	1	0.12%
		the malformed TCP		
		header has been		
		detected.		
		Too Many IP	1	0.12%
		Fragment attack		
		has been detected.		
		UDP Bomb attack	1	0.12%
		has been detected.		
		UDP port scanning	1	0.12%
		has been detected.	-	0
		合計	22	2.68%
7.	192.168.99.235	UDP port scanning	3	0.36%
	102.100.00.200	has been detected.	٥	0.0070
		Packet has been	2	0.24%
		received from the	_	0.2470
		already blocked		
		host.		
		SYN Flood attack	2	0.24%
		has been detected.	2	0.24 /0
			2	0.24%
		TCP packet with the malformed TCP	2	0.24%
		header has been		
		detected.	0	0.040/
		TCP-SYN packet	2	0.24%
		with data part has		
		been detected.		0.0401
		UDP Bomb attack	2	0.24%
		has been detected.		0.1001
		Host scanning has	1	0.12%
		been detected.		
		ICMP Flood attack	1	0.12%
		has been detected.		
		ICMP packet with	1	0.12%
		the invalid		
		checksum value		
		has been detected.		
		IP packet with the	1	0.12%
		malformed IP		
		option has been		
		detected.		
		TCP packet with	1	0.12%
		invalid ack number	,	

攻擊先別	攻撃イベント			
攻撃先		攻撃種類	回数	
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP port scanning	1	0.12%
		has been detected.		
		Too Many IP	1	0.12%
		Fragment attack	-	0/0
		has been detected.		
		UDP packet with	1	0.12%
		the invalid	'	0.12/0
		checksum value		
		has been detected.		
				0.400/
		Very Small IP	1	0.12%
		Fragment attack		
		has been detected.		
		合計	22	2.68%
8.	192.168.99.239	ICMP packet with	4	0.48%
		the invalid		
		checksum value		
		has been detected.		
		ICMP Flood attack	3	0.36%
		has been detected.		
		IP packet with the	3	0.36%
		network source IP		0.0070
		address has been		
		detected.		
		ICMP packet with	2	0.24%
		the malformed	2	0.2470
		ICMP header has		
		been detected.		
				0.040/
		TCP packet with	2	0.24%
		the malformed TCP		
		header has been		
		detected.		0.6.15.
		UDP Bomb attack	2	0.24%
		has been detected.		
		IP packet with the	1	0.12%
		malformed IP		
		option has been		
		detected.		
		SYN Flood attack	1	0.12%
		has been detected.		
		TCP-SYN packet	1	0.12%
		with data part has	•	J. 12/0
		been detected.		
		UDP port scanning	1	0.12%
	1	TODE POIL SCAIMING	1	U.1270

	攻撃イベント	شينول المنطق ال		
攻撃先		攻撃種類	回数	
		has been detected.		
		Very Small IP	1	0.12%
		Fragment attack		
		has been detected.		
		合計	21	2.55%
9.	192.168.99.222	UDP packet with	4	0.48%
		the invalid		
		checksum value		
		has been detected.		
		Fragmented IGMP	2	0.24%
		attack has been	_	0.2.70
		detected.		
		IP packet with the	2	0.24%
		malformed IP	_	0.2470
		option has been		
		detected.	0	0.040/
		UDP port scanning	2	0.24%
		has been detected.		0.1001
		Host scanning has	1	0.12%
		been detected.		
		ICMP Flood attack	1	0.12%
		has been detected.		
		IP packet with the	1	0.12%
		network source IP		
		address has been		
		detected.		
		SYN Flood attack	1	0.12%
		has been detected.		0
		TCP packet with	1	0.12%
		invalid ack number	•	0.1270
		that is not related		
		with the existing		
		connections has		
		been received.		
			1	0.420/
		TCP packet with	1	0.12%
		malformed option		
		has been detected.		0.1001
		TCP packet with	1	0.12%
		the invalid		
		checksum value		
		has been detected.		
		TCP packet with	1	0.12%
		the malformed TCP		
		header has been		
		detected.		
		Too Many IP	1	0.12%
		Fragment attack	•	J. 1 = 70

攻擊先別	攻撃イベント			
攻撃先		攻撃種類	回数	
		has been detected.		
		Very Small IP	1	0.12%
		Fragment attack		
		has been detected.		
		合計	20	2.43%
1 0.	192.168.99.203	IP packet with the	3	0.36%
		network source IP		
		address has been		
		detected.		
		SYN Flood attack	3	0.36%
		has been detected.		
		Host scanning has	2	0.24%
		been detected.		
		ICMP Flood attack	2	0.24%
		has been detected.		
		IP packet with the	2	0.24%
		malformed IP		
		option has been		
		detected.		
		Packet has been	2	0.24%
		received from the		
		already blocked		
		host.		
		Fragmented IGMP	1	0.12%
		attack has been		
		detected.		
		ICMP packet with	1	0.12%
		the invalid		
		checksum value		
		has been detected.		
		TCP-SYN packet	1	0.12%
		with data part has		
		been detected.		
		Very Small IP	1	0.12%
		Fragment attack		
		has been detected.		
		合計	18	2.19%
1 1.	192.168.99.210	ICMP Flood attack	2	0.24%
		has been detected.		
		ICMP packet with	2	0.24%
		the malformed		
		ICMP header has		
		been detected.		
		IP packet with the	2	0.24%
		malformed IP		
		option has been		
		detected.		

攻擊先別攻	撃イベント			
攻撃先		攻撃種類	回数	
		UDP Bomb attack	2	0.24%
		has been detected.		
		Very Small IP	2	0.24%
		Fragment attack		
		has been detected.		
		Host scanning has	1	0.12%
		been detected.		
		IP packet with the	1	0.12%
		network source IP		
		address has been		
		detected.		
		Packet has been	1	0.12%
		received from the		
		already blocked		
		host.		
		TCP packet with	1	0.12%
		malformed option		
		has been detected.		
		TCP packet with	1	0.12%
		the invalid		
		checksum value		
		has been detected.		
		TCP port scanning	1	0.12%
		has been detected.		
		TCP-SYN packet	1	0.12%
		with data part has		
		been detected.		
		Too Many IP	1	0.12%
		Fragment attack		
		has been detected.		
		合計	18	2.19%
1 2. 1	192.168.99.216	SYN Flood attack	3	0.36%
		has been detected.		0.0070
		TCP-SYN packet	3	0.36%
		with data part has		0.0070
		been detected.		
		UDP packet with	3	0.36%
		the invalid		0.0070
		checksum value		
		has been detected.		
		IP packet with the	2	0.24%
		network source IP	-	0.27/0
		address has been		
		detected.		
		Host scanning has	1	0.12%
		been detected.	'	U. IZ /0
		ICMP Flood attack	1	0.420/
		ICIVIF FIDOU ALLACK	1	0.12%

	攻撃イベント			
攻撃先		攻撃種類	回数	
		has been detected.		
		ICMP packet with	1	0.12%
		the invalid		
		checksum value		
		has been detected.		
		TCP packet with	1	0.12%
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP packet with	1	0.12%
		the malformed TCP		
		header has been		
		detected.		
		UDP port scanning	1	0.12%
		has been detected.		
		Very Small IP	1	0.12%
		Fragment attack		
		has been detected.		
		合計	18	2.19%
13.	192.168.99.230	IP packet with the	4	0.48%
		malformed IP		
		option has been		
		detected.		
		ICMP packet with	2	0.24%
		the invalid		
		checksum value		
		has been detected.		
		IP packet with the	2	0.24%
		network source IP		
		address has been		
		detected.		
		TCP packet with	2	0.24%
		the invalid		
		checksum value		
		has been detected.		
_		Too Many IP	2	0.24%
		Fragment attack		
		has been detected.		
		Fragmented IGMP	1	0.12%
		attack has been		
		detected.		
		ICMP packet with	1	0.12%
		the malformed		
		ICMP header has		
		been detected.		

	攻撃イベント			
攻撃先		攻撃種類	回数	
		TCP packet with	1	0.12%
		the malformed TCP		
		header has been		
		detected.		
		TCP-SYN packet	1	0.12%
		with data part has		
		been detected.		
		Very Small IP	1	0.12%
		Fragment attack		
		has been detected.		
		合計	17	2.07%
1 4.	192.168.99.195	Very Small IP	3	0.36%
	102.100.00.100	Fragment attack		0.0070
		has been detected.		
		ICMP Flood attack	2	0.24%
		has been detected.		0.2470
		TCP packet with	2	0.24%
		malformed option	2	0.24 /0
		has been detected.		
			2	0.24%
		UDP port scanning	2	0.24%
		has been detected.	4	0.400/
		Fragmented IGMP	1	0.12%
		attack has been		
		detected.		0.400/
		Host scanning has	1	0.12%
		been detected.		
		IP packet with the	1	0.12%
		network source IP		
		address has been		
		detected.		
		TCP packet with	1	0.12%
		the malformed TCP		
		header has been		
		detected.		
		TCP-SYN packet	1	0.12%
		with data part has		
		been detected.		
		UDP Bomb attack	1	0.12%
		has been detected.		
		UDP packet with	1	0.12%
		the invalid		
		checksum value		
		has been detected.		
		合計	16	1.94%
15.	192.168.99.201	IP packet with the	3	0.36%
10.	102.100.33.201	network source IP	3	0.50 /0
		address has been		
		audiess nas been		

攻擊先別	攻撃イベント			
攻撃先		攻撃種類	回数	
		detected.		
		TCP packet with	2	0.24%
		malformed option		
		has been detected.		
		UDP Bomb attack	2	0.24%
		has been detected.		
		Fragmented IGMP	1	0.12%
		attack has been		
		detected.		
		Host scanning has	1	0.12%
		been detected.	•	0.1270
		ICMP Flood attack	1	0.12%
		has been detected.	•	0.1270
		SYN Flood attack	1	0.12%
		has been detected.	1	0.12/0
		TCP packet with	1	0.12%
		invalid ack number	'	0.12%
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP packet with	1	0.12%
		the invalid	'	0.12/0
		checksum value		
		has been detected.		
		TCP packet with	1	0.12%
		the malformed TCP	'	0.12/0
		header has been		
		detected.		
			1	0.12%
		TCP-SYN packet	!	0.12%
		with data part has been detected.		
			4	0.400/
		Very Small IP	1	0.12%
		Fragment attack		
		has been detected.	16	4 0 40/
- 40	400 400 00 000	合計	16	1.94%
1 6.	192.168.99.202	Fragmented IGMP	2	0.24%
		attack has been		
		detected.		0.6401
		ICMP packet with	2	0.24%
		the invalid		
		checksum value		
		has been detected.	_	
		Packet has been	2	0.24%
		received from the		
		already blocked		
		host.		

攻擊先別	攻撃イベント			
攻撃先		攻撃種類	回数	
		TCP packet with	2	0.24%
		the malformed TCP		
		header has been		
		detected.		
		Very Small IP	2	0.24%
		Fragment attack		
		has been detected.		
		ICMP packet with	1	0.12%
		the malformed		
		ICMP header has		
		been detected.		
		TCP packet with	1	0.12%
		invalid ack number		***
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP packet with	1	0.12%
		malformed option	•	0
		has been detected.		
		TCP port scanning	1	0.12%
		has been detected.	•	0.1270
		Too Many IP	1	0.12%
		Fragment attack	•	0.1270
		has been detected.		
		UDP packet with	1	0.12%
		the invalid	•	0.1270
		checksum value		
		has been detected.		
		合計	16	1.94%
17.	192.168.99.204	Very Small IP	3	0.36%
	102.100.00.201	Fragment attack	J	0.0070
		has been detected.		
		Too Many IP	2	0.24%
		Fragment attack	-	0.2470
		has been detected.		
		UDP Bomb attack	2	0.24%
		has been detected.	_	0.2470
		Fragmented IGMP	1	0.12%
		attack has been	'	U. 12 /0
		detected.		
		ICMP Flood attack	1	0.12%
			1	0.1270
		has been detected.	4	0.400/
		ICMP packet with	1	0.12%
		the malformed ICMP header has		
		been detected.		

攻擊先別	攻撃イベント			
攻撃先		攻撃種類	回数	
		Packet has been	1	0.12%
		received from the		
		already blocked		
		host.		
		SYN Flood attack	1	0.12%
		has been detected.		
		TCP packet with	1	0.12%
		the invalid		
		checksum value		
		has been detected.		
		TCP port scanning	1	0.12%
		has been detected.		
		UDP packet with	1	0.12%
		the invalid	•	0.1270
		checksum value		
		has been detected.		
	<u> </u>	UDP port scanning	1	0.12%
		has been detected.	•	0.1270
		合計	16	1.94%
1 8.	192.168.99.209	TCP packet with	3	0.36%
10.	192.100.99.209	malformed option	3	0.5076
		has been detected.		
		ICMP Flood attack	2	0.24%
		has been detected.	~	0.24%
			2	0.24%
		ICMP packet with the invalid	2	0.24 /0
		checksum value		
		has been detected.		
			2	0.24%
		ICMP packet with the malformed	2	0.24%
		ICMP header has		
		been detected.	2	0.040/
		UDP packet with	2	0.24%
		the invalid		
		checksum value		
		has been detected.	4	0.400/
		IP packet with the	1	0.12%
		malformed IP		
		option has been		
	 	detected.		0.4007
		SYN Flood attack	1	0.12%
		has been detected.		0.4007
		TCP packet with	1	0.12%
		the invalid		
		checksum value		
		has been detected.		
		Too Many IP	1	0.12%

	攻撃イベント			
攻撃先		攻撃種類	回数	
		Fragment attack		
		has been detected.		
		Very Small IP	1	0.12%
		Fragment attack		
		has been detected.		
		合計	16	1.94%
19.	192.168.99.226	ICMP packet with	2	0.24%
		the invalid		
		checksum value		
		has been detected.		
		ICMP packet with	2	0.24%
		the malformed	_	0.2 . 70
		ICMP header has		
		been detected.		
		SYN Flood attack	2	0.24%
		has been detected.	_	0.2470
		Host scanning has	1	0.12%
		been detected.	'	0.12/0
		ICMP Flood attack	1	0.12%
		has been detected.	'	0.12/0
			1	0.12%
		IP packet with the malformed IP	'	0.12%
		option has been		
		detected.	4	0.400/
		IP packet with the	1	0.12%
		network source IP		
		address has been		
		detected.		0.400/
		Packet has been	1	0.12%
		received from the		
		already blocked		
		host.		
		TCP packet with	1	0.12%
		the invalid		
		checksum value		
		has been detected.		
		TCP-SYN packet	1	0.12%
		with data part has		
		been detected.		
		UDP Bomb attack	1	0.12%
		has been detected.		
		UDP port scanning	1	0.12%
		has been detected.		
		合計	15	1.82%
2 0.	192.168.99.196	Fragmented IGMP	2	0.24%
		attack has been	-	2.2.,0
		detected.		

攻撃先別攻撃イベント 攻撃先	丁仁書記され来に	<u> </u>	
火撃 先	攻撃種類	回数	
	Very Small IP	2	0.24%
	Fragment attack		
	has been detected.		
	Host scanning has	1	0.12%
	been detected.		
	ICMP Flood attack	1	0.12%
	has been detected.		
	ICMP packet with	1	0.12%
	the invalid		
	checksum value		
	has been detected.		
	IP packet with the	1	0.12%
	malformed IP		
	option has been		
	detected.		
	TCP packet with	1	0.12%
	malformed option	-	
	has been detected.		
	TCP packet with	1	0.12%
	the invalid	•	0/
	checksum value		
	has been detected.		
	TCP packet with	1	0.12%
	the malformed TCP	•	0
	header has been		
	detected.		
	TCP port scanning	1	0.12%
	has been detected.	·	0.127
	UDP packet with	1	0.12%
	the invalid	· ·	02/
	checksum value		
	has been detected.		
	UDP port scanning	1	0.12%
	has been detected.	ı	0.12/0
	合計	14	1.70%
ルまし	1日1日	440	53.59%
<u>小計</u>			
その他		381	46.40%
合計		821	100.00%

攻撃先別攻撃イベント - ヘルプカード

回数 - 行われた攻撃の回数。

攻撃種類 - 攻撃元が行った攻撃の種類。

攻撃先 - 攻撃を受けたアドレスまたはホスト名。

攻撃先別攻撃イベント - ヘルプカード


合計 - この表で表示される列のすべてのデータ量。


小計 - 表で現在表示される列のすべてのデータ。 表示されないデータは小計に含まれません。

♀ 最も攻撃を受けた攻撃先と攻撃種類がこのページから分かります。

攻撃先別内部攻撃イベント

このページは、どこ宛て(攻撃先)にどのような攻撃が何回行われたかを示します。





攻撃先別内部攻撃イベント

攻撃先		攻撃種類	回数	
1 .	192.168.99.231	Packet has been	3	0.46%
		received from the		
		already blocked		
		host.		
		TCP packet with	3	0.46%
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP port scanning	2	0.31%
		has been detected.	_	
		Very Small IP	2	0.31%
		Fragment attack	-	0.0170
		has been detected.		
		Fragmented IGMP	1	0.15%
		attack has been	'	0.1070
		detected.		
		Host scanning has	1	0.15%
		been detected.	'	0.1370
		ICMP packet with	1	0.15%
		the invalid	'	0.1376
		checksum value		
		has been detected.		
		ICMP packet with	1	0.15%
		the malformed	'	0.1576
		ICMP header has		
		been detected.		
		IP packet with the	1	0.15%
		network source IP	'	0.1576
		address has been		
		detected.		
		SYN Flood attack	1	0.15%
		has been detected.	ı	0.1576
		TCP packet with	1	0.15%
			1	0.15%
		malformed option		
		has been detected.	1	0.150/
		TCP packet with the invalid	ı	0.15%
		checksum value		
		has been detected.	1	0.450/
		TCP packet with the malformed TCP	1	0.15%
		header has been		
		detected.	4	0.450/
		Too Many IP	1	0.15%
	Fragment attack			
		has been detected.		

	内部攻撃イベント			
攻撃先		攻撃種類	回数	
		UDP Bomb attack	1	0.15%
		has been detected.		
		UDP port scanning	1	0.15%
		has been detected.		
		合計	22	3.40%
2.	192.168.99.235	UDP port scanning	3	0.46%
		has been detected.		
		Packet has been	2	0.31%
		received from the		
		already blocked		
		host.		
		SYN Flood attack	2	0.31%
		has been detected.		
		TCP packet with	2	0.31%
		the malformed TCP		
		header has been		
		detected.		
		TCP-SYN packet	2	0.31%
		with data part has		
		been detected.		
		UDP Bomb attack	2	0.31%
		has been detected.	_	
		Host scanning has	1	0.15%
		been detected.		
		ICMP Flood attack	1	0.15%
		has been detected.		
		ICMP packet with	1	0.15%
		the invalid		
		checksum value		
		has been detected.		
		IP packet with the	1	0.15%
		malformed IP	•	
		option has been		
		detected.		
		TCP packet with	1	0.15%
		invalid ack number	-	0
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP port scanning	1	0.15%
		has been detected.	•	5.1070
		Too Many IP	1	0.15%
		Fragment attack	1	0.10/0
		has been detected.		
		UDP packet with	1	0.15%
		the invalid	'	0.15%
		uie iiivaliu		

	内部攻撃イベント			
攻撃先	,	攻撃種類	回数	
		checksum value		
		has been detected.		
		Very Small IP	1	0.15%
		Fragment attack		
		has been detected.		
		合計	22	3.40%
3.	192.168.99.239	ICMP packet with	4	0.61%
_ 0.		the invalid	·	0.0.70
		checksum value		
		has been detected.		
		ICMP Flood attack	3	0.46%
		has been detected.	3	0.4076
			3	0.46%
		IP packet with the	3	0.46%
		network source IP		
		address has been		
		detected.		0.040/
		ICMP packet with	2	0.31%
		the malformed		
		ICMP header has		
		been detected.		
		TCP packet with	2	0.31%
		the malformed TCP		
		header has been		
		detected.		
		UDP Bomb attack	2	0.31%
		has been detected.		
		IP packet with the	1	0.15%
		malformed IP	-	0
		option has been		
		detected.		
		SYN Flood attack	1	0.15%
		has been detected.	'	0.10/0
			1	0.15%
		TCP-SYN packet	1	0.15%
		with data part has		
		been detected.		0.4504
		UDP port scanning	1	0.15%
		has been detected.		0.4=61
		Very Small IP	1	0.15%
		Fragment attack		
		has been detected.		
		合計	21	3.25%
4.	192.168.99.222	UDP packet with	4	0.61%
		the invalid		
		checksum value		
		has been detected.		
		Fragmented IGMP	2	0.31%
		attack has been	-	0.0170

	内部攻撃イベント			
攻撃先		攻撃種類	回数	
		detected.		
		IP packet with the	2	0.31%
		malformed IP		
		option has been		
		detected.		
		UDP port scanning	2	0.31%
		has been detected.		
		Host scanning has	1	0.15%
		been detected.		
		ICMP Flood attack	1	0.15%
		has been detected.		01.070
		IP packet with the	1	0.15%
		network source IP	•	011070
		address has been		
		detected.		
		SYN Flood attack	1	0.15%
		has been detected.	'	0.1070
		TCP packet with	1	0.15%
		invalid ack number	'	0.1070
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP packet with	1	0.15%
		malformed option	'	0.1070
		has been detected.		
		TCP packet with	1	0.15%
		the invalid	•	0.1070
		checksum value		
		has been detected.		
		TCP packet with	1	0.15%
		the malformed TCP	'	0.1376
		header has been		
		detected.		
		Too Many IP	1	0.15%
		Fragment attack	'	0.1576
		has been detected.		
		Very Small IP	1	0.15%
		Fragment attack	1	0.15%
		has been detected.		
			20	2 000/
	400 400 00 000	合計 ID and so the side of the	20	3.09%
5 .	192.168.99.203	IP packet with the	3	0.46%
		network source IP		
		address has been		
		detected.	_	
		SYN Flood attack	3	0.46%
		has been detected.		

攻擊先別	内部攻撃イベント			
攻撃先		攻撃種類	回数	
		Host scanning has been detected.	2	0.31%
		ICMP Flood attack has been detected.	2	0.31%
		IP packet with the malformed IP option has been detected.	2	0.31%
		Packet has been received from the already blocked host.	2	0.31%
		Fragmented IGMP attack has been detected.	1	0.15%
		ICMP packet with the invalid checksum value has been detected.	1	0.15%
		TCP-SYN packet with data part has been detected.	1	0.15%
		Very Small IP Fragment attack has been detected.	1	0.15%
		合計	18	2.78%
6 .	192.168.99.210	ICMP Flood attack has been detected.	2	0.31%
		ICMP packet with the malformed ICMP header has been detected.	2	0.31%
		IP packet with the malformed IP option has been detected.	2	0.31%
		UDP Bomb attack has been detected.	2	0.31%
		Very Small IP Fragment attack has been detected.	2	0.31%
		Host scanning has been detected.	1	0.15%
		IP packet with the network source IP address has been detected.	1	0.15%

攻擊先別	内部攻撃イベント			
攻撃先		攻撃種類	回数	
		Packet has been	1	0.15%
		received from the		
		already blocked		
		host.		
		TCP packet with	1	0.15%
		malformed option		
		has been detected.		
		TCP packet with	1	0.15%
		the invalid	•	0.1070
		checksum value		
		has been detected.		
			1	0.15%
		TCP port scanning	1	0.15%
		has been detected.		0.4501
		TCP-SYN packet	1	0.15%
		with data part has		
		been detected.		
		Too Many IP	1	0.15%
		Fragment attack		
		has been detected.		
		合計	18	2.78%
7.	192.168.99.216	SYN Flood attack	3	0.46%
		has been detected.		
		TCP-SYN packet	3	0.46%
		with data part has	Ŭ.	0.1070
		been detected.		
		UDP packet with	3	0.46%
		the invalid	3	0.40 /0
		checksum value		
		has been detected.	_	
		IP packet with the	2	0.31%
		network source IP		
		address has been		
		detected.		
		Host scanning has	1	0.15%
		been detected.		
		ICMP Flood attack	1	0.15%
		has been detected.		
		ICMP packet with	1	0.15%
		the invalid	•	21.070
		checksum value		
		has been detected.		
		TCP packet with	1	0.15%
		invalid ack number	'	0.15/0
		that is not related		
		with the existing		
		connections has		
		been received.		

	内部攻撃イベント	2 400.000.000		
攻撃先		攻撃種類	回数	
		TCP packet with	1	0.15%
		the malformed TCP		
		header has been		
		detected.		
		UDP port scanning	1	0.15%
		has been detected.		
		Very Small IP	1	0.15%
		Fragment attack	•	0.1070
		has been detected.		
		合計	18	2.78%
	100 100 00 000			
8.	192.168.99.230	IP packet with the	4	0.61%
		malformed IP		
		option has been		
		detected.		
		ICMP packet with	2	0.31%
		the invalid		
		checksum value		
		has been detected.		
		IP packet with the	2	0.31%
		network source IP		
		address has been		
		detected.		
		TCP packet with	2	0.31%
		the invalid	_	0.0170
		checksum value		
		has been detected.		
	+		2	0.31%
		Too Many IP	2	0.31%
		Fragment attack		
		has been detected.		
		Fragmented IGMP	1	0.15%
		attack has been		
		detected.		
		ICMP packet with	1	0.15%
		the malformed		
		ICMP header has		
		been detected.		
		TCP packet with	1	0.15%
		the malformed TCP		
		header has been		
		detected.		
		TCP-SYN packet	1	0.15%
		with data part has	'	0.1070
		been detected.		
			1	0.450/
		Very Small IP	1	0.15%
		Fragment attack		
		has been detected.	4 ==	0.0001
		合計	17	2.63%

	内部攻撃イベント			
攻擊先		攻撃種類	回数	
9.	192.168.99.195	Very Small IP	3	0.46%
		Fragment attack		
		has been detected.		
		ICMP Flood attack	2	0.31%
		has been detected.		
		TCP packet with	2	0.31%
		malformed option	_	0.0.70
		has been detected.		
		UDP port scanning	2	0.31%
		has been detected.	_	0.0170
		Fragmented IGMP	1	0.15%
		attack has been	1	0.15%
		detected.	4	0.450/
		Host scanning has	1	0.15%
		been detected.		
		IP packet with the	1	0.15%
		network source IP		
		address has been		
		detected.		
		TCP packet with	1	0.15%
		the malformed TCP		
		header has been		
		detected.		
		TCP-SYN packet	1	0.15%
		with data part has		
		been detected.		
		UDP Bomb attack	1	0.15%
		has been detected.	•	0.1070
		UDP packet with	1	0.15%
		the invalid	'	0.1570
		checksum value		
		has been detected.		
			16	2.47%
	100 100 00 001	合計		
1 0.	192.168.99.201	IP packet with the	3	0.46%
		network source IP		
		address has been		
		detected.		
		TCP packet with	2	0.31%
		malformed option		
		has been detected.		
		UDP Bomb attack	2	0.31%
		has been detected.		
		Fragmented IGMP	1	0.15%
		attack has been		- , -
		detected.		
		Host scanning has	1	0.15%
		been detected.	'	0.1070
		שבבוז מבובטובמ.		

	内部攻撃イベント			
攻撃先		攻撃種類	回数	
		ICMP Flood attack	1	0.15%
		has been detected.		
		SYN Flood attack	1	0.15%
		has been detected.		
		TCP packet with	1	0.15%
		invalid ack number	-	
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP packet with	1	0.15%
		the invalid	1	0.15%
		checksum value		
		has been detected.		0.4501
		TCP packet with	1	0.15%
		the malformed TCP		
		header has been		
		detected.		
		TCP-SYN packet	1	0.15%
		with data part has		
		been detected.		
		Very Small IP	1	0.15%
		Fragment attack		
		has been detected.		
		合計	16	2.47%
11.	192.168.99.202	Fragmented IGMP	2	0.31%
		attack has been	_	
		detected.		
		ICMP packet with	2	0.31%
		the invalid	_	0.0170
		checksum value		
		has been detected.		
		Packet has been	2	0.31%
		received from the	2	0.31%
		already blocked		
		host.		0.040/
		TCP packet with	2	0.31%
		the malformed TCP		
		header has been		
		detected.		
		Very Small IP	2	0.31%
		Fragment attack		
		has been detected.		
		ICMP packet with	1	0.15%
	1		·	- / -
		the malformed		
		the malformed ICMP header has		

攻擊先別	内部攻撃イベント			
攻撃先		攻撃種類	回数	
		TCP packet with	1	0.15%
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP packet with	1	0.15%
		malformed option		
		has been detected.		
		TCP port scanning	1	0.15%
		has been detected.	•	011070
		Too Many IP	1	0.15%
		Fragment attack	'	0.1070
		has been detected.		
		UDP packet with	1	0.15%
		the invalid	1	0.15%
		checksum value		
		has been detected.	4.0	0.470/
		合計	16	2.47%
1 2.	192.168.99.204	Very Small IP	3	0.46%
		Fragment attack		
		has been detected.		
		Too Many IP	2	0.31%
		Fragment attack		
		has been detected.		
		UDP Bomb attack	2	0.31%
		has been detected.		
		Fragmented IGMP	1	0.15%
		attack has been		
		detected.		
		ICMP Flood attack	1	0.15%
		has been detected.		
		ICMP packet with	1	0.15%
		the malformed	•	0.1070
		ICMP header has		
		been detected.		
		Packet has been	1	0.15%
		received from the	'	0.1070
		already blocked		
		host.		
		SYN Flood attack	1	0.15%
		has been detected.	1	0.15%
			4	0.450/
		TCP packet with	1	0.15%
		the invalid		
		checksum value		
		has been detected.		
		TCP port scanning	1	0.15%

	内部攻撃イベント	and a state of the state of		
攻撃先			回数	
		has been detected.		
		UDP packet with	1	0.15%
		the invalid		
		checksum value		
		has been detected.		
		UDP port scanning	1	0.15%
		has been detected.		
		合計	16	2.47%
13.	192.168.99.209	TCP packet with	3	0.46%
		malformed option		
		has been detected.		
		ICMP Flood attack	2	0.31%
		has been detected.	_	0.5170
			2	0.31%
		ICMP packet with the invalid	2	0.31%
		checksum value		
		has been detected.		0.040/
		ICMP packet with	2	0.31%
		the malformed		
		ICMP header has		
		been detected.		
		UDP packet with	2	0.31%
		the invalid		
		checksum value		
		has been detected.		
		IP packet with the	1	0.15%
		malformed IP		
		option has been		
		detected.		
		SYN Flood attack	1	0.15%
		has been detected.	•	0.1070
		TCP packet with	1	0.15%
		the invalid	'	0.15/6
		checksum value		
		has been detected.		0.4=0/
		Too Many IP	1	0.15%
		Fragment attack		
		has been detected.		
		Very Small IP	1	0.15%
		Fragment attack		
		has been detected.		
		合計	16	2.47%
1 4.	192.168.99.226	ICMP packet with	2	0.31%
		the invalid	-	
		checksum value		
		has been detected.		
		ICMP packet with	2	0.31%

攻擊先別	内部攻撃イベント			
攻撃先		攻撃種類	回数	
		the malformed		
		ICMP header has		
		been detected.		
		SYN Flood attack	2	0.31%
		has been detected.		
		Host scanning has	1	0.15%
		been detected.		
		ICMP Flood attack	1	0.15%
		has been detected.	-	01.070
		IP packet with the	1	0.15%
		malformed IP	'	0.1070
		option has been		
		detected.		
		IP packet with the	1	0.15%
		network source IP	1	0.15%
		address has been		
		detected. Packet has been	,	0.450/
			1	0.15%
		received from the		
		already blocked		
		host.		
		TCP packet with	1	0.15%
		the invalid		
		checksum value		
		has been detected.		
		TCP-SYN packet	1	0.15%
		with data part has		
		been detected.		
		UDP Bomb attack	1	0.15%
		has been detected.		
		UDP port scanning	1	0.15%
		has been detected.		
		合計	15	2.32%
1 5.	192.168.99.196	Fragmented IGMP	2	0.31%
		attack has been		
		detected.		
		Very Small IP	2	0.31%
		Fragment attack		
		has been detected.		
		Host scanning has	1	0.15%
		been detected.	•	
		ICMP Flood attack	1	0.15%
		has been detected.	'	3.1070
		ICMP packet with	1	0.15%
		the invalid	'	0.10/0
		checksum value		
		has been detected.		
		וומס טכפוו עבובטובע.		

	内部攻撃イベント			
攻撃先		攻撃種類	回数	
		IP packet with the	1	0.15%
		malformed IP		
		option has been		
		detected.		
		TCP packet with	1	0.15%
		malformed option		
		has been detected.		
		TCP packet with	1	0.15%
		the invalid	•	0.1070
		checksum value		
		has been detected.		
			1	0.450/
		TCP packet with	1	0.15%
		the malformed TCP		
		header has been		
		detected.		
		TCP port scanning	1	0.15%
		has been detected.		
		UDP packet with	1	0.15%
		the invalid		
		checksum value		
		has been detected.		
		UDP port scanning	1	0.15%
		has been detected.		
		合計	14	2.16%
1 6.	192.168.99.207	IP packet with the	2	0.31%
	102.100.00.201	network source IP	_	0.0170
		address has been		
		detected.		
		SYN Flood attack	2	0.31%
		has been detected.	2	0.31/0
			2	0.240/
		TCP packet with	2	0.31%
		malformed option		
		has been detected.		
		TCP port scanning	2	0.31%
		has been detected.		
		UDP packet with	2	0.31%
		the invalid		
		checksum value		
		has been detected.		
		ICMP packet with	1	0.15%
		the invalid		
		checksum value		
		has been detected.		
		TCP packet with	1	0.15%
		the malformed TCP	1	0.10/0
		header has been		
		detected.		

	内部攻撃イベント			
攻撃先		攻撃種類	回数	
		UDP port scanning	1	0.15%
		has been detected.		
		Very Small IP	1	0.15%
		Fragment attack		
		has been detected.		
		合計	14	2.16%
1 7.	192.168.99.233	Host scanning has	2	0.31%
		been detected.		
		TCP port scanning	2	0.31%
		has been detected.		
		TCP-SYN packet	2	0.31%
		with data part has		
		been detected.		
		ICMP packet with	1	0.15%
		the invalid		
		checksum value		
		has been detected.		
		IP packet with the	1	0.15%
		malformed IP		
		option has been		
		detected.		
		TCP packet with	1	0.15%
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP packet with	1	0.15%
		the invalid		
		checksum value		
		has been detected.		
		Too Many IP	1	0.15%
		Fragment attack	•	/ 0
		has been detected.		
		UDP Bomb attack	1	0.15%
		has been detected.		
		UDP port scanning	1	0.15%
		has been detected.	•	, 0
		Very Small IP	1	0.15%
		Fragment attack		5.1070
		has been detected.		
		合計	14	2.16%
1 8.	192.168.99.234	Too Many IP	3	0.46%
	102.100.00.204	Fragment attack	3	U. T U /0
		has been detected.		
		SYN Flood attack	2	0.31%
		has been detected.	2	0.31%
		nas been detected.		

	内部攻撃イベント			
攻撃先		攻撃種類	回数	
		Fragmented IGMP	1	0.15%
		attack has been		
		detected.		
		ICMP Flood attack	1	0.15%
		has been detected.		
		IP packet with the	1	0.15%
		malformed IP		
		option has been		
		detected.		
		IP packet with the	1	0.15%
		network source IP		
		address has been		
		detected.		
		TCP packet with	1	0.15%
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP packet with	1	0.15%
		malformed option		
		has been detected.		
		TCP port scanning	1	0.15%
		has been detected.		
		TCP-SYN packet	1	0.15%
		with data part has		
		been detected.		
		UDP Bomb attack	1	0.15%
		has been detected.		
		合計	14	2.16%
1 9.	192.168.99.208	Host scanning has	2	0.31%
		been detected.		
		ICMP Flood attack	2	0.31%
		has been detected.		
		TCP packet with	2	0.31%
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP packet with	2	0.31%
		the invalid		
		checksum value		
		has been detected.		
		ICMP packet with	1	0.15%
		the invalid		
		checksum value		

	内部攻撃イベント			
攻撃先		攻撃種類	回数	
		has been detected.		
		Packet has been	1	0.15%
		received from the		
		already blocked		
		host.		
		TCP packet with	1	0.15%
		malformed option		
		has been detected.		
		TCP packet with	1	0.15%
		the malformed TCP		
		header has been		
		detected.		
		Very Small IP	1	0.15%
		Fragment attack		0.1070
		has been detected.		
		合計	13	2.01%
2 0.	192.168.99.212	Very Small IP	3	0.46%
2 0.	192.100.99.212		3	0.40%
		Fragment attack		
		has been detected.	0	0.040/
		TCP port scanning	2	0.31%
		has been detected.		0.4=0/
		ICMP packet with	1	0.15%
		the invalid		
		checksum value		
		has been detected.		
		ICMP packet with	1	0.15%
		the malformed		
		ICMP header has		
		been detected.		
		IP packet with the	1	0.15%
		network source IP		
		address has been		
		detected.		
		Packet has been	1	0.15%
		received from the		
		already blocked		
		host.		
		SYN Flood attack	1	0.15%
		has been detected.		
		TCP packet with	1	0.15%
		the malformed TCP	•	- /-
		header has been		
		detected.		
		TCP-SYN packet	1	0.15%
		with data part has	1	0.10/0
		been detected.		
	<u> </u>	Too Many IP	1	0.15%

攻撃先別四	攻撃先別内部攻撃イベント					
攻撃先	攻撃種類	回数				
	Fragment attaches has been detection					
	合計	13	2.01%			
小計		333	51.54%			
その他		313	48.45%			
合計		646	100.00%			

攻撃先別内部攻撃イベント - ヘルプカード

回数 - 行われた攻撃の回数。

攻撃種類 - 攻撃元が行った攻撃の種類。

攻撃先 - 攻撃を受けたアドレスまたはホスト名。


合計 - この表で表示される列のすべてのデータ量。


小計 - 表で現在表示される列のすべてのデータ。 表示されないデータは小計に含まれません。

♀最も攻撃を受けた攻撃先と攻撃種類がこのページから分かります。

攻撃先別部署攻撃イベント

このページは、どこ宛て(攻撃先)にどのような攻撃が何回行われたかを示します。





攻撃先別部署攻撃イベント

攻撃先		攻撃種類	回数	
1 .	Accounting (sample)	IP packet with the	13	2.19%
		malformed IP		
		option has been		
		detected.		
		TCP-SYN packet	12	2.02%
		with data part has		
		been detected.		
		Too Many IP	11	1.85%
		Fragment attack		
		has been detected.		
		ICMP packet with	10	1.68%
		the invalid	.0	110070
		checksum value		
		has been detected.		
	†	IP packet with the	10	1.68%
		network source IP		1.5070
		address has been		
		detected.		
	+	TCP packet with	10	1.68%
		invalid ack number	10	1.0070
		that is not related		
		with the existing		
		connections has		
		been received.		
	+	TCP packet with	10	1.68%
		the malformed TCP	10	1.0070
		header has been		
		detected.		
		UDP Bomb attack	10	1.68%
		has been detected.	10	1.0070
		TCP port scanning	9	1.51%
		has been detected.	3	1.5170
		Very Small IP	8	1.34%
		Fragment attack	٥	1.54/0
		has been detected.		
		ICMP Flood attack	7	1.18%
		has been detected.	′	1.10/0
	+	ICMP packet with	7	1.18%
		the malformed	′	1.10/0
		ICMP header has		
		been detected.		
	+	SYN Flood attack	7	1 100/
			′	1.18%
<u> </u>		has been detected.	7	1 100/
		TCP packet with	′	1.18%
		the invalid		
		checksum value		
	<u> </u>	has been detected.		4.0401
		Host scanning has	6	1.01%

	部署攻撃イベント			
攻撃先		攻撃種類	回数	
		been detected.		
		Packet has been	6	1.01%
		received from the		
		already blocked		
		host.		
		UDP port scanning	6	1.01%
		has been detected.		
		Fragmented IGMP	4	0.67%
		attack has been		
		detected.		
		TCP packet with	3	0.50%
		malformed option		
		has been detected.		
		UDP packet with	2	0.33%
		the invalid		
		checksum value		
		has been detected.		
		合計	158	26.64%
2.	Tech Support (sample)	Very Small IP	11	1.85%
		Fragment attack		
		has been detected.		
		Host scanning has	10	1.68%
		been detected.		
		ICMP packet with	10	1.68%
		the invalid		
		checksum value		
		has been detected.		
		IP packet with the	10	1.68%
		network source IP		
		address has been		
		detected.		
		TCP packet with	10	1.68%
		malformed option		
		has been detected.		
		ICMP packet with	9	1.51%
		the malformed	ا	
		ICMP header has		
		been detected.		
		SYN Flood attack	9	1.51%
		has been detected.	٦	1.0170
		UDP packet with	9	1.51%
		the invalid	٦	1.0170
		checksum value		
		has been detected.		
		ICMP Flood attack	8	1.34%
		has been detected.	٥	1.34%
			0	1 2 40/
		TCP packet with	8	1.34%

	部署攻撃イベント			
攻撃先		攻撃種類	回数	
		the invalid		
		checksum value		
		has been detected.		
		Fragmented IGMP	7	1.18%
		attack has been		
		detected.		
		Packet has been	7	1.18%
		received from the		
		already blocked		
		host.		
		UDP Bomb attack	7	1.18%
		has been detected.		1.1070
		UDP port scanning	7	1.18%
		has been detected.	′	1.10/0
			e	1.01%
		TCP packet with the malformed TCP	6	1.01%
		header has been		
		detected.	0	4.040/
		TCP port scanning	6	1.01%
		has been detected.		4.0404
		Too Many IP	6	1.01%
		Fragment attack		
		has been detected.		
		IP packet with the	5	0.84%
		malformed IP		
		option has been		
		detected.		
		TCP packet with	5	0.84%
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP-SYN packet	5	0.84%
		with data part has		
		been detected.		
		合計	155	26.13%
3.	Sales (sample)	Very Small IP	14	2.36%
	(Fragment attack	• • •	0070
		has been detected.		
		SYN Flood attack	11	1.85%
		has been detected.	''	1.00 /0
		IP packet with the	9	1.51%
		network source IP	9	1.01/0
		address has been		
		detected.		4.040/
		Fragmented IGMP	8	1.34%

攻撃先別部署攻撃イベント			
攻撃先	攻撃種類	回数	
	attack has been		
	detected.		
	Host scanning has	8	1.34%
	been detected.		
	ICMP Flood attack	8	1.34%
	has been detected.		
	TCP packet with	8	1.34%
	the malformed TCP		
	header has been		
	detected.		
	TCP port scanning	8	1.34%
	has been detected.		
	UDP packet with	8	1.34%
	the invalid		- /-
	checksum value		
	has been detected.		
	TCP-SYN packet	7	1.18%
	with data part has	•	
	been detected.		
	UDP port scanning	7	1.18%
	has been detected.	•	
	Too Many IP	6	1.01%
	Fragment attack		1.0170
	has been detected.		
	IP packet with the	5	0.84%
	malformed IP		0.0470
	option has been		
	detected.		
	TCP packet with	5	0.84%
	the invalid		0.0470
	checksum value		
	has been detected.		
	UDP Bomb attack	5	0.84%
	has been detected.	3	0.0470
	ICMP packet with	4	0.67%
	the invalid	4	0.07 /6
	checksum value		
	has been detected.		
	ICMP packet with	4	0.67%
	the malformed	4	0.07 %
	ICMP header has		
	been detected.	4	0.070/
	TCP packet with	4	0.67%
	invalid ack number		
	that is not related		
	with the existing		
	connections has		

	部署攻撃イベント			
攻撃先		攻撃種類	回数	
		been received.		
		Packet has been	3	0.50%
		received from the		
		already blocked		
		host.		
		TCP packet with	3	0.50%
		malformed option		
		has been detected.		
		合計	135	22.76%
4 .	Development (sample)	ICMP Flood attack	13	2.19%
	, , ,	has been detected.		
		IP packet with the	9	1.51%
		network source IP		
		address has been		
		detected.		
		TCP packet with	9	1.51%
		the malformed TCP		
		header has been		
		detected.		
		Host scanning has	8	1.34%
		been detected.		
		UDP Bomb attack	8	1.34%
		has been detected.		
		UDP port scanning	8	1.34%
		has been detected.	Ĭ	110 170
		Fragmented IGMP	7	1.18%
		attack has been	-	111070
		detected.		
		SYN Flood attack	7	1.18%
		has been detected.	'	1.1070
		TCP packet with	7	1.18%
		malformed option	'	1.1070
		has been detected.		
		TCP port scanning	7	1.18%
		has been detected.	'	1.10/0
		Very Small IP	7	1.18%
		Fragment attack	′	1.10/0
		has been detected.		
		IP packet with the	6	1.01%
		malformed IP	O	1.01%
		option has been		
		detected.		
			5	0.040/
		ICMP packet with	5	0.84%
		the invalid		
		checksum value		
		has been detected.	-	0.0401
		TCP packet with	5	0.84%

攻擊先別	部署攻撃イベント			
攻撃先		攻撃種類	回数	
		the invalid		
		checksum value		
		has been detected.		
		UDP packet with	5	0.84%
		the invalid	_	
		checksum value		
		has been detected.		
		ICMP packet with	4	0.67%
		the malformed	•	0.01 70
		ICMP header has		
		been detected.		
		TCP-SYN packet	4	0.67%
			4	0.07 /6
		with data part has been detected.		
			4	0.070/
		Too Many IP	4	0.67%
		Fragment attack		
		has been detected.		
		TCP packet with	3	0.50%
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		Packet has been	1	0.16%
		received from the		
		already blocked		
		host.		
		合計	127	21.41%
5.	Partners (sample)	ICMP Flood attack	2	0.33%
	,	has been detected.		
		UDP packet with	2	0.33%
		the invalid		
		checksum value		
		has been detected.		
		ICMP packet with	1	0.16%
		the invalid	'	5.1570
		checksum value		
		has been detected.		
		ICMP packet with	1	0.16%
		the malformed	ı	0.10/0
		ICMP header has		
		been detected.		
			,	0.400/
		IP packet with the	1	0.16%
		network source IP		
		address has been		
		1.1.44		
		detected. Packet has been	1	0.16%

攻擊先別	部署攻撃イベント			
攻撃先		攻撃種類	回数	
		received from the already blocked host.		
		TCP packet with malformed option has been detected.	1	0.16%
		TCP packet with the malformed TCP header has been detected.	1	0.16%
		合計	10	1.68%
6 .	Intranet (sample)	Host scanning has been detected.	3	0.50%
		TCP packet with invalid ack number that is not related with the existing connections has been received.	2	0.33%
		TCP packet with the malformed TCP header has been detected.	2	0.33%
		ICMP packet with the invalid checksum value has been detected.	1	0.16%
		合計	8	1.34%
合計			593	100.00%

攻撃先別部署攻撃イベント - ヘルプカード

回数 - 行われた攻撃の回数。

攻撃種類 - 攻撃元が行った攻撃の種類。

攻撃先 - 攻撃を受けたアドレスまたはホスト名。


合計 - この表で表示される列のすべてのデータ量。


小計 - 表で現在表示される列のすべてのデータ。 表示されないデータは小計に含まれません。

♀ 最も攻撃を受けた攻撃先と攻撃種類がこのページから分かります。

攻撃先別外部攻撃イベント

このページは、どこ宛て(攻撃先)にどのような攻撃が何回行われたかを示します。





攻撃先別外部攻撃イベント

攻撃先		攻撃種類	回数	
1 .	133.108.222.10	TCP port scanning	6	3.42%
		has been detected.		
		Host scanning has	4	2.28%
		been detected.		
		ICMP packet with	4	2.28%
		the invalid		
		checksum value		
		has been detected.		
		TCP packet with	4	2.28%
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		Fragmented IGMP	3	1.71%
		attack has been		
		detected.		
		IP packet with the	3	1.71%
		malformed IP		
		option has been		
		detected.		
		TCP packet with	3	1.71%
		malformed option		
		has been detected.		
		UDP Bomb attack	3	1.71%
		has been detected.		,•
		IP packet with the	2	1.14%
		network source IP	_	
		address has been		
		detected.		
		SYN Flood attack	2	1.14%
		has been detected.		
		TCP packet with	2	1.14%
		the invalid		
		checksum value		
		has been detected.		
		UDP port scanning	2	1.14%
		has been detected.		
		TCP packet with	1	0.57%
		the malformed TCP	-	
		header has been		
		detected.		
		TCP-SYN packet	1	0.57%
		with data part has	.	5.5. 70
		been detected.		
		Too Many IP	1	0.57%
		Fragment attack	'	0.01 /0
		has been detected.		
		nas been detected.		

	外部攻撃イベント			
攻撃先		攻撃種類	回数	
		UDP packet with	1	0.57%
		the invalid		
		checksum value		
		has been detected.		
		Very Small IP	1	0.57%
		Fragment attack		
		has been detected.		
		合計	43	24.57%
2.	133.108.222.12	Too Many IP	4	2.28%
	100.100.222.12	Fragment attack	•	2.2070
		has been detected.		
		ICMP Flood attack	3	1.71%
		has been detected.	3	1.7 1 /0
			-	4 740/
		ICMP packet with	3	1.71%
		the invalid		
		checksum value		
		has been detected.		
		ICMP packet with	3	1.71%
		the malformed		
		ICMP header has		
		been detected.		
		Packet has been	3	1.71%
		received from the		
		already blocked		
		host.		
		UDP packet with	3	1.71%
		the invalid		
		checksum value		
		has been detected.		
		IP packet with the	2	1.14%
		network source IP		170
		address has been		
		detected.		
		SYN Flood attack	2	1.14%
		has been detected.	2	1.17/0
			2	1.14%
		TCP packet with invalid ack number	2	1.14%
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP packet with	2	1.14%
		malformed option		
		has been detected.		
·		TCP packet with	2	1.14%
		the invalid		
		checksum value		

	外部攻撃イベント			
攻撃先		攻撃種類	回数	
		has been detected.		
		TCP packet with	2	1.14%
		the malformed TCP		
		header has been		
		detected.		
		Fragmented IGMP	1	0.57%
		attack has been		
		detected.		
		Host scanning has	1	0.57%
		been detected.		
		IP packet with the	1	0.57%
		malformed IP		0.01 70
		option has been		
		detected.		
		TCP-SYN packet	1	0.57%
		with data part has	'	0.01 /0
		been detected.		
		UDP Bomb attack	1	0.57%
		has been detected.	'	0.57 /6
		UDP port scanning	1	0.57%
		has been detected.	'	0.57 /6
				0.57%
		Very Small IP	1	0.57%
		Fragment attack		
		has been detected. 合計	38	21.71%
	100 100 000 11		-	
3 .	133.108.222.11	ICMP Flood attack	4	2.28%
		has been detected.		0.000/
		UDP packet with	4	2.28%
		the invalid		
		checksum value		
		has been detected.		4 = 461
		ICMP packet with	3	1.71%
		the invalid		
		checksum value		
		has been detected.		
		ICMP packet with	3	1.71%
		the malformed		
		ICMP header has		
		been detected.		
		IP packet with the	3	1.71%
		network source IP		
		address has been		
		detected.		
· · · · · · · · · · · · · · · · · · ·		Fragmented IGMP	2	1.14%
		attack has been		
		detected.		
		TCP packet with	2	1.14%

攻擊先別	外部攻撃イベント			
攻撃先		攻撃種類	回数	
		invalid ack number		
		that is not related		
		with the existing		
		connections has		
		been received.		
		TCP packet with	2	1.14%
		the malformed TCP	_	111170
		header has been		
		detected.		
		TCP port scanning	2	1.14%
		has been detected.	2	1.1470
				4 4 40/
		TCP-SYN packet	2	1.14%
		with data part has		
		been detected.		
		UDP port scanning	2	1.14%
		has been detected.		
		Host scanning has	1	0.57%
		been detected.		
		SYN Flood attack	1	0.57%
		has been detected.		
		TCP packet with	1	0.57%
		malformed option	•	0.01 70
		has been detected.		
		TCP packet with	1	0.57%
		the invalid	'	0.57 70
		checksum value		
		has been detected.		
			1	0.570/
		Too Many IP	1	0.57%
		Fragment attack		
		has been detected.		
		Very Small IP	1	0.57%
		Fragment attack		
		has been detected.		
		合計	35	20.00%
4 .	133.108.222.13	TCP port scanning	3	1.71%
		has been detected.		
		Too Many IP	3	1.71%
		Fragment attack		
		has been detected.		
		Fragmented IGMP	2	1.14%
		attack has been	-	
		detected.		
		ICMP packet with	2	1.14%
		the malformed	۷	1.17/0
		ICMP header has		
		been detected.		4 4 407
		IP packet with the	2	1.14%

攻撃先別外部攻撃イベント			
攻撃先	攻撃種類	回数	
	malformed IP		
	option has been		
	detected.		
	Packet has been	2	1.14%
	received from the	_	1.1 170
	already blocked		
	host.		
	TCP packet with	2	1.14%
	the invalid	2	1.1470
	checksum value		
	has been detected.		
	TCP-SYN packet	2	1.14%
	with data part has		
	been detected.		
	UDP Bomb attack	2	1.14%
	has been detected.		
	UDP port scanning	2	1.14%
	has been detected.		
	Host scanning has	1	0.57%
	been detected.	•	
	ICMP Flood attack	1	0.57%
	has been detected.		0.01 /0
	ICMP packet with	1	0.57%
	the invalid	1	0.57 /6
	checksum value		
	has been detected.		0.570/
	SYN Flood attack	1	0.57%
	has been detected.		
	TCP packet with	1	0.57%
	invalid ack number		
	that is not related		
	with the existing		
	connections has		
	been received.		
	TCP packet with	1	0.57%
	malformed option		
	has been detected.		
	TCP packet with	1	0.57%
	the malformed TCP	•	0.01 70
	header has been		
	detected.		
	UDP packet with	1	0.57%
	the invalid	1	0.51 /0
	checksum value		
	has been detected.		
	Very Small IP	1	0.57%
	Fragment attack		

	外部攻撃イベント			
攻撃先		攻撃種類	回数	
		has been detected.		
		合計	31	17.71%
5.	133.108.222.14	IP packet with the	4	2.28%
		malformed IP		
		option has been		
		detected.		
		TCP packet with	3	1.71%
		the malformed TCP		
		header has been		
		detected.		
		Too Many IP	3	1.71%
		Fragment attack		
		has been detected.		
		Fragmented IGMP	2	1.14%
		attack has been	-	111 170
		detected.		
		ICMP Flood attack	2	1.14%
		has been detected.	_	1.1170
		Packet has been	2	1.14%
		received from the	_	1.1170
		already blocked		
		host.		
		TCP packet with	2	1.14%
		invalid ack number	_	1.1470
		that is not related		
		with the existing		
		connections has		
		been received.		
		UDP packet with	2	1.14%
		the invalid	_	1.1470
		checksum value		
		has been detected.		
		Very Small IP	2	1.14%
		Fragment attack	4	1.17/0
		has been detected.		
		ICMP packet with	1	0.57%
		the invalid	1	0.57 /0
		checksum value		
		has been detected.		
		ICMP packet with	1	0.57%
		the malformed	'	0.01 /0
		ICMP header has		
		been detected.		
		IP packet with the	1	0.57%
		network source IP	1	0.57 /0
		address has been		
		detected.		
		uetecteu.		

攻撃先別外部攻撃イ〜	シト		
攻撃先	攻撃種類	回数	
	SYN Flood attack	1	0.57%
	has been detected.		
	TCP packet with	1	0.57%
	the invalid		
	checksum value		
	has been detected.		
	TCP-SYN packet	1	0.57%
	with data part has		
	been detected.		
	合計	28	16.00%
合計		175	100.00%

攻撃先別外部攻撃イベント - ヘルプカード

回数 - 行われた攻撃の回数。

攻撃種類 - 攻撃元が行った攻撃の種類。

攻撃先 - 攻撃を受けたアドレスまたはホスト名。


合計 - この表で表示される列のすべてのデータ量。


小計 - 表で現在表示される列のすべてのデータ。 表示されないデータは小計に含まれません。

♀ 最も攻撃を受けた攻撃先と攻撃種類がこのページから分かります。

攻擊種類別攻擊元

このページは、どのような種類の攻撃がどこから(攻撃元)何回行われたかを示します。





攻擊種類別攻擊元

攻撃種類		攻撃元	回数	
1 .	ICMP Flood attack has been detected.	133.108.222.11	15	1.82%
		133.108.222.14	11	1.34%
		133.108.222.10	7	0.85%
		133.108.222.12	7	0.85%
		133.108.222.13	5	0.60%
		192.168.99.235	3	0.36%
		192.168.99.190	1	0.12%
		192.168.99.196	1	0.12%
		192.168.99.198	1	0.12%
		192.168.99.203	1	0.12%
		192.168.99.225	1	0.12%
		192.168.99.237	1	0.12%
		192.168.99.238	1	0.12%
		合計	55	6.69%
2.	IP packet with the network source IP	133.108.222.10	12	1.46%
Z .	address has been detected.	133.100.222.10	12	1.40%
	address has been detected.	122 100 222 12	10	1 210/
		133.108.222.12 133.108.222.13	10	1.21% 1.21%
		133.108.222.14	7	0.85%
		133.108.222.11	5	0.60%
		192.168.99.208	2	0.24%
		192.168.99.200	1	0.12%
		192.168.99.205	1	0.12%
		192.168.99.206	1	0.12%
		192.168.99.210	1	0.12%
		192.168.99.216	1	0.12%
		192.168.99.238	1	0.12%
		合計	52	6.33%
3 .	Very Small IP Fragment attack has been detected.	133.108.222.10	10	1.21%
		133.108.222.12	10	1.21%
		133.108.222.13	9	1.09%
		133.108.222.11	8	0.97%
		133.108.222.14	5	0.60%
		192.168.99.190	1	0.12%
		192.168.99.198	1	0.12%
		192.168.99.211	1	0.12%
		192.168.99.218	1	0.12%
		192.168.99.228	1	0.12%
		192.168.99.239	1	0.12%
		合計	48	5.84%
4.	SYN Flood attack has been detected.	133.108.222.14	12	1.46%
	2	133.108.222.13	8	0.97%
		133.108.222.10	7	0.85%
		133.108.222.11	7	0.85%
		133.108.222.11	5	0.60%

撃種類	別攻撃元	攻撃元	回数	
· * / * /*		192.168.99.190	1	0.129
		192.168.99.202	1	0.129
		_ 		
		192.168.99.207	1	0.129
		192.168.99.210	1	0.129
		192.168.99.227	1	0.129
		192.168.99.230	1	0.129
		192.168.99.231	1	0.129
		合計	46	5.60
5 .	TCP packet with the malformed TCP header has been detected.	133.108.222.13	14	1.709
		133.108.222.10	9	1.09 ^c
		133.108.222.11	7	0.859
		133.108.222.14	5	0.60
		133.108.222.12	2	0.24
		192.168.99.195	1	0.12
		192.168.99.200	1	0.12
		192.168.99.208	1	0.12
		192.168.99.209	1	0.12
		192.168.99.211	1	0.12
		192.168.99.218	1	0.12
		192.168.99.220	1	0.12
		192.168.99.224	1	0.12
		192.168.99.232	1	0.12
		合計	46	5.60
6.	Host scanning has been detected.	133.108.222.12	12	1.46
		133.108.222.14	11	1.34
		133.108.222.13	8	0.97
		133.108.222.11	6	0.73
		192.168.99.232	2	0.24
		133.108.222.10	1	0.12
		192.168.99.208	1	0.12
		192.168.99.211	1	0.12
		192.168.99.216	1	0.12
		192.168.99.224	1	0.12
		192.168.99.231	1 45	0.12 5.48
	700	合計		
7.	TCP port scanning has been detected.	133.108.222.12	9	1.09
		133.108.222.13	8	0.97
		133.108.222.10	7	0.85
		133.108.222.11	6	0.73
		133.108.222.14	4	0.48
		192.168.99.200	2	0.24
		192.168.99.192	1	0.12
		192.168.99.193	1	0.12

攻撃種類	別攻撃元	攻撃元		
久事 埋 积		192.168.99.201	1	0.12%
		192.168.99.201	1	0.12%
			1	
		192.168.99.210		0.12%
		192.168.99.224	1	0.12%
		192.168.99.230	1	0.12%
		192.168.99.238	1	0.12%
		合計	45	5.48%
8.	ICMP packet with the invalid checksum value has been detected.	133.108.222.14	11	1.34%
		133.108.222.11	7	0.85%
		133.108.222.12	5	0.60%
		133.108.222.13	5	0.60%
		133.108.222.10	4	0.48%
		192.168.99.223	2	0.24%
		192.168.99.194	1	0.12%
		192.168.99.197	1	0.12%
		192.168.99.204	1	0.12%
		192.168.99.207	1	0.12%
		192.168.99.209	1	0.12%
		192.168.99.221	1	0.12%
		192.168.99.225	1	0.12%
		192.168.99.228	1	0.12%
		192.168.99.232	1	0.12%
		192.168.99.233	1	0.12%
		合計	44	5.35%
9.	UDP packet with the invalid checksum	133.108.222.13	9	1.09%
	value has been detected.			
		133.108.222.10	8	0.97%
		133.108.222.11	4	0.48%
		133.108.222.12	4	0.48%
		133.108.222.14	4	0.48%
		192.168.99.196	1	0.12%
		192.168.99.201	1	0.12%
		192.168.99.204	1	0.12%
		192.168.99.207	1	0.12%
		192.168.99.210	1	0.12%
		192.168.99.214	1	0.12%
		192.168.99.219	1	0.12%
		192.168.99.224	1	0.12%
		192.168.99.225	1	0.12%
		192.168.99.234	1	0.12%
		192.168.99.235	1	
		合計	40	0.12% 4.87 %
1 0.	IP packet with the malformed IP option	133.108.222.10	13	1.58%
	has been detected.	133.108.222.14	6	0.73%

攻擊種類		~£, ##u →	<u> </u>	
攻擊種類		攻撃元	回数	
		133.108.222.13	5	0.60%
		133.108.222.12	3	0.36%
		133.108.222.11	2	0.24%
		192.168.99.218	2	0.24%
		192.168.99.193	1	0.12%
		192.168.99.196	1	0.12%
		192.168.99.200	1	0.12%
		192.168.99.205	1	0.12%
		192.168.99.221	1	0.12%
		192.168.99.223	1	0.12%
		192.168.99.224	1	0.12%
		192.168.99.234	1	0.12%
		合計	39	4.75%
1 1.	TCP packet with invalid ack number that is not related with the existing	133.108.222.12	7	0.85%
	connections has been received.			
		133.108.222.14	7	0.85%
		133.108.222.13	6	0.73%
		133.108.222.10	5	0.60%
		133.108.222.11	3	0.36%
		192.168.99.197	1	0.12%
		192.168.99.198	1	0.12%
		192.168.99.202	1	0.12%
		192.168.99.206	1	0.12%
		192.168.99.208	1	0.12%
		192.168.99.210	1	0.12%
		192.168.99.216	1	0.12%
		192.168.99.224	1	0.12%
		192.168.99.228	1	0.12%
		192.168.99.235	1	0.12%
		192.168.99.236	1	0.12%
		合計	39	4.75%
1 2.	Too Many IP Fragment attack has been detected.	133.108.222.10	9	1.09%
		133.108.222.12	6	0.73%
		133.108.222.13	6	0.73%
		133.108.222.11	3	0.36%
		133.108.222.14	3	0.36%
		192.168.99.195	2	0.24%
		192.168.99.224	2	0.24%
		192.168.99.190	1	0.12%
		192.168.99.203	1	0.12%
			1	
		192.168.99.207		0.12%
		192.168.99.213	1	0.12%
		192.168.99.214	1	0.12%
		192.168.99.216	1	0.12%

	別攻撃元	TA 報》二	<u> </u>	
文擊種類	T	攻撃元	回数	0.4007
		192.168.99.229	1	0.12%
		192.168.99.239	1	0.12%
		合計	39	4.75%
13.	ICMP packet with the malformed ICMP header has been detected.	133.108.222.14	12	1.46%
		133.108.222.12	8	0.97%
		133.108.222.11	5	0.60%
		133.108.222.10	3	0.36%
		192.168.99.199	2	0.24%
		133.108.222.13	1	0.12%
		192.168.99.190	1	0.12%
		192.168.99.196	1	0.12%
		192.168.99.200	1	0.12%
		192.168.99.206	1	0.12%
		192.168.99.208	1	0.12%
		192.168.99.210	1	0.12%
		192.168.99.216	1	0.12%
		合計	38	4.62%
1 4.	UDP Bomb attack has been detected.	133.108.222.10	9	1.09%
14.	ODF DOIND attack has been detected.	133.108.222.10	7	0.85%
		+	6	
		133.108.222.13		0.73%
		133.108.222.14	6	0.73%
		133.108.222.11	4	0.48%
		192.168.99.229	2	0.24%
		192.168.99.191	1	0.12%
		192.168.99.193	1	0.12%
		192.168.99.202	1	0.12%
		192.168.99.227	1	0.12%
		合計	38	4.62%
1 5.	UDP port scanning has been detected.	133.108.222.12	12	1.46%
		133.108.222.11	8	0.97%
		133.108.222.10	4	0.48%
		133.108.222.13	4	0.48%
		133.108.222.14	2	0.24%
		192.168.99.194	2	0.24%
		192.168.99.227	2	0.24%
		192.168.99.193	1	0.12%
		192.168.99.225	1	0.12%
		192.168.99.237	1	0.12%
		合計	37	4.50%
1 6.	Fragmented IGMP attack has been detected.	133.108.222.11	8	0.97%
		133.108.222.10	6	0.73%
		133.108.222.14	5	0.60%

攻撃種類 攻撃種類		小穀二	lਜ!₩-	
火筝 俚粗		攻撃元	回数	0.000/
		133.108.222.13	3	0.36%
		192.168.99.234	3	0.36%
		192.168.99.224	2	0.24%
		192.168.99.197	1	0.12%
		192.168.99.209	1	0.12%
		192.168.99.227	1	0.12%
		192.168.99.230	1	0.12%
		192.168.99.235	1	0.12%
		合計	36	4.38%
1 7.	TCP packet with the invalid checksum value has been detected.	133.108.222.12	7	0.85%
		133.108.222.13	7	0.85%
		133.108.222.11	5	0.60%
		133.108.222.14	5	0.60%
		133.108.222.10	3	0.36%
		192.168.99.190	1	0.12%
		192.168.99.194	1	0.12%
		192.168.99.198	1	0.12%
		192.168.99.215	1	0.12%
		192.168.99.225	1	0.12%
		192.168.99.231	1	0.12%
		192.168.99.237	1	0.12%
		192.168.99.239	1	0.12%
		合計	35	4.26%
1 8.	TCP-SYN packet with data part has been detected.	133.108.222.10	6	0.73%
		133.108.222.11	6	0.73%
		133.108.222.12	6	0.73%
		133.108.222.13	6	0.73%
		133.108.222.14	4	0.48%
		192.168.99.204	1	0.12%
		192.168.99.208	1	0.12%
		192.168.99.213	1	0.12%
		192.168.99.219	1	0.12%
		192.168.99.220	1	0.12%
		192.168.99.237	1	0.12%
		192.168.99.238	1	0.12%
		合計	35	4.26%
1 9.	TCP packet with malformed option has been detected.	133.108.222.11	7	0.85%
		133.108.222.14	7	0.85%
		133.108.222.12	6	0.73%
		133.108.222.13	5	0.60%
		133.108.222.10	2	0.24%
		192.168.99.191	1	0.24%
		192.168.99.198	1	0.12%

攻擊種類	別攻撃元				
攻撃種類		攻撃元		回数	
		192.168.99.207	1	0.12%	
		192.168.99.225	1	0.12%	
		192.168.99.227	1	0.12%	
		192.168.99.231	1	0.12%	
		192.168.99.236	1	0.12%	
		合計	34	4.14%	
2 0.	Packet has been received from the already blocked host.	133.108.222.11	7	0.85%	
		133.108.222.13	6	0.73%	
		133.108.222.10	4	0.48%	
		133.108.222.12	4	0.48%	
		133.108.222.14	2	0.24%	
		192.168.99.195	1	0.12%	
		192.168.99.200	1	0.12%	
		192.168.99.208	1	0.12%	
		192.168.99.209	1	0.12%	
		192.168.99.215	1	0.12%	
		192.168.99.227	1	0.12%	
		192.168.99.231	1	0.12%	
		合計	30	3.65%	
合計			821	100.00%	

攻撃種類別攻撃元 - ヘルプカード

回数 - 行われた攻撃の回数。

攻撃元 - 攻撃を行ったアドレスまたはホスト名。

攻撃種類 - 攻撃元が行った攻撃の種類。


合計 - この表で表示される列のすべてのデータ量。


小計 - 表で現在表示される列のすべてのデータ。 表示されないデータは小計に含まれません。

♀最も行われた攻撃の種類と、攻撃の種類毎の攻撃元がこのページから分かります。

攻擊種類別攻擊先

このページは、どのような種類の攻撃がどこ宛て(攻撃先)に何回行われたかを示します。





攻擊種類別攻擊先

攻撃種類		攻撃先	回数	
1 .	ICMP Flood attack has been detected.	133.108.222.11	4	0.48%
		192.168.99.191	4	0.48%
		133.108.222.12	3	0.36%
		192.168.99.224	3	0.36%
		192.168.99.239	3	0.36%
		133.108.222.14	2	0.24%
		192.168.99.190	2	0.24%
		192.168.99.194	2	0.24%
		192.168.99.195	2	0.24%
		192.168.99.203	2	0.24%
		192.168.99.208	2	0.24%
		192.168.99.209	2	0.24%
		192.168.99.210	2	0.24%
		192.168.99.223	2	0.24%
		133.108.222.13	1	0.12%
		192.168.99.192	1	0.12%
		192.168.99.196	1	0.12%
		192.168.99.201	1	0.12%
		192.168.99.204	1	0.12%
		192.168.99.211	1	0.12%
		小計	41	4.99%
		その他	14	1.70%
		合計	55	6.69%
2.	IP packet with the network source IP address has been detected.	133.108.222.11	3	0.36%
		192.168.99.201	3	0.36%
		192.168.99.203	3	0.36%
		192.168.99.239	3	0.36%
		133.108.222.10	2	0.24%
		133.108.222.12	2	0.24%
		192.168.99.190	2	0.24%
		192.168.99.207	2	0.24%
		192.168.99.216	2	0.24%
		192.168.99.220	2	0.24%
		192.168.99.221	2	0.24%
		192.168.99.230	2	0.24%
		192.168.99.238	2	0.24%
		133.108.222.14	1	0.12%
		192.168.99.191	1	0.12%
		192.168.99.193	1	0.12%
		192.168.99.194	1	0.12%
		192.168.99.195	1	0.12%
		192.168.99.197	1	0.12%
		192.168.99.205	1	0.12%
		小計	37	4.50%

撃種類		攻撃先	回数	
- IZ/X		合計	52	6.33%
3.	Very Small IP Fragment attack has been detected.	192.168.99.195	3	0.36%
		192.168.99.204	3	0.36%
		192.168.99.212	3	0.36%
		133.108.222.14	2	0.24%
		192.168.99.193	2	0.24%
		192.168.99.196	2	0.24%
		192.168.99.202	2	0.24%
		192.168.99.210	2	0.24%
		192.168.99.219	2	0.24%
		192.168.99.223	2	0.24%
		192.168.99.231	2	0.24%
		192.168.99.237	2	0.24%
		133.108.222.10	1	0.12%
		133.108.222.11	1	0.12%
		133.108.222.12	1	0.12%
		133.108.222.13	1	0.12%
		192.168.99.201	1	0.12%
		192.168.99.203	1	0.12%
		192.168.99.205	1	0.12%
		192.168.99.207	1	0.12%
		小計	35	4.26%
		その他	13	1.58%
		その他 合計	13 48	
4 .	SYN Flood attack has been detected.			5.84%
4 .	SYN Flood attack has been detected.	合計	48	5.84% 0.36%
4 .	SYN Flood attack has been detected.	合計 192.168.99.203	48 3	5.84% 0.36% 0.36%
4 .	SYN Flood attack has been detected.	合計 192.168.99.203 192.168.99.216	48 3 3	5.84% 0.36% 0.36% 0.24%
4 .	SYN Flood attack has been detected.	合計 192.168.99.203 192.168.99.216 133.108.222.10	3 3 2	5.84% 0.36% 0.36% 0.24% 0.24%
4 .	SYN Flood attack has been detected.	合計 192.168.99.203 192.168.99.216 133.108.222.10 133.108.222.12	3 3 2 2	5.84% 0.36% 0.36% 0.24% 0.24% 0.24%
4.	SYN Flood attack has been detected.	合計 192.168.99.203 192.168.99.216 133.108.222.10 133.108.222.12 192.168.99.192	48 3 3 2 2 2 2	5.84% 0.36% 0.36% 0.24% 0.24% 0.24%
4.	SYN Flood attack has been detected.	合計 192.168.99.203 192.168.99.216 133.108.222.10 133.108.222.12 192.168.99.192 192.168.99.197	48 3 3 2 2 2 2 2	5.84% 0.36% 0.36% 0.24% 0.24% 0.24% 0.24%
4.	SYN Flood attack has been detected.	合計 192.168.99.203 192.168.99.216 133.108.222.10 133.108.222.12 192.168.99.192 192.168.99.197 192.168.99.207	48 3 3 2 2 2 2 2 2	5.84% 0.36% 0.36% 0.24% 0.24% 0.24% 0.24% 0.24%
4.	SYN Flood attack has been detected.	合計 192.168.99.203 192.168.99.216 133.108.222.10 133.108.222.12 192.168.99.192 192.168.99.197 192.168.99.207 192.168.99.213	48 3 3 2 2 2 2 2 2 2	5.84% 0.36% 0.36% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24%
4.	SYN Flood attack has been detected.	合計 192.168.99.203 192.168.99.216 133.108.222.10 133.108.222.12 192.168.99.192 192.168.99.197 192.168.99.207 192.168.99.213 192.168.99.214	48 3 3 2 2 2 2 2 2 2 2	5.84% 0.36% 0.36% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24%
4.	SYN Flood attack has been detected.	合計 192.168.99.203 192.168.99.216 133.108.222.10 133.108.222.12 192.168.99.192 192.168.99.197 192.168.99.207 192.168.99.213 192.168.99.214 192.168.99.218	48 3 3 2 2 2 2 2 2 2 2 2 2	5.84% 0.36% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24%
4.	SYN Flood attack has been detected.	合計 192.168.99.203 192.168.99.216 133.108.222.10 133.108.222.12 192.168.99.192 192.168.99.197 192.168.99.207 192.168.99.213 192.168.99.214 192.168.99.218 192.168.99.226	48 3 3 2 2 2 2 2 2 2 2 2 2	5.84% 0.36% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24%
4.	SYN Flood attack has been detected.	合計 192.168.99.203 192.168.99.216 133.108.222.10 133.108.222.12 192.168.99.192 192.168.99.197 192.168.99.207 192.168.99.213 192.168.99.214 192.168.99.218 192.168.99.226 192.168.99.234	48 3 3 2 2 2 2 2 2 2 2 2 2 2	5.84% 0.36% 0.36% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24%
4.	SYN Flood attack has been detected.	合計 192.168.99.203 192.168.99.216 133.108.222.10 133.108.222.12 192.168.99.192 192.168.99.197 192.168.99.207 192.168.99.213 192.168.99.214 192.168.99.218 192.168.99.226 192.168.99.234 192.168.99.235	48 3 3 2 2 2 2 2 2 2 2 2 2 2 2 2	5.84% 0.36% 0.36% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.12%
4.	SYN Flood attack has been detected.	合計 192.168.99.203 192.168.99.216 133.108.222.10 133.108.222.12 192.168.99.192 192.168.99.197 192.168.99.207 192.168.99.213 192.168.99.214 192.168.99.218 192.168.99.218 192.168.99.234 192.168.99.235 133.108.222.11	48 3 3 2 2 2 2 2 2 2 2 2 2 2 2 2	5.84% 0.36% 0.36% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.12% 0.12% 0.12%
4.	SYN Flood attack has been detected.	合計 192.168.99.203 192.168.99.216 133.108.222.10 133.108.222.12 192.168.99.192 192.168.99.207 192.168.99.213 192.168.99.214 192.168.99.214 192.168.99.218 192.168.99.226 192.168.99.235 133.108.222.11 133.108.222.13	48 3 3 2 2 2 2 2 2 2 2 2 2 2 2 2	5.84% 0.36% 0.36% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.12% 0.12% 0.12% 0.12%
4.	SYN Flood attack has been detected.	合計 192.168.99.203 192.168.99.216 133.108.222.10 133.108.222.12 192.168.99.192 192.168.99.197 192.168.99.207 192.168.99.213 192.168.99.214 192.168.99.214 192.168.99.218 192.168.99.234 192.168.99.235 133.108.222.11 133.108.222.11	48 3 3 2 2 2 2 2 2 2 2 2 2 2 2 1 1	1.58% 5.84% 0.36% 0.36% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.12% 0.12% 0.12% 0.12% 0.12% 0.12% 0.12%
4.	SYN Flood attack has been detected.	合計 192.168.99.203 192.168.99.216 133.108.222.10 133.108.222.12 192.168.99.192 192.168.99.197 192.168.99.207 192.168.99.213 192.168.99.214 192.168.99.218 192.168.99.226 192.168.99.235 133.108.222.11 133.108.222.11 133.108.222.14 192.168.99.193	48 3 3 2 2 2 2 2 2 2 2 2 2 2 2 1 1 1	5.84% 0.36% 0.36% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.24% 0.12% 0.12% 0.12% 0.12%

攻撃種類	W17,470	T在東京 / L.		
攻擊種類	I	攻撃先	回数	4.000/
		小計	35	4.26%
		その他	11	1.34%
		合計	46	5.60%
5 .	TCP packet with the malformed TCP header has been detected.	133.108.222.14	3	0.36%
		133.108.222.11	2	0.24%
		133.108.222.12	2	0.24%
		192.168.99.199	2	0.24%
		192.168.99.202	2	0.24%
		192.168.99.213	2	0.24%
		192.168.99.227	2	0.24%
		192.168.99.228	2	0.24%
		192.168.99.235	2	0.24%
		192.168.99.236	2	0.24%
		192.168.99.239	2	0.24%
		133.108.222.10	1	0.12%
		133.108.222.13	1	0.12%
		192.168.99.192	1	0.12%
		192.168.99.194	1	0.12%
		192.168.99.195	1	0.12%
		192.168.99.196	1	0.12%
		192.168.99.198	1	0.12%
		192.168.99.201	1	0.12%
		192.168.99.207	1	0.12%
		小計	32	3.89%
		その他	14	1.70%
		合計	46	5.60%
6 .	Host scanning has been detected.	133.108.222.10	4	0.48%
0 .	riost scarring has been detected.	192.168.99.199	3	0.46%
		192.168.99.206	3	0.36%
			2	0.30%
		192.168.99.192	2	
		192.168.99.203	2	0.24%
		192.168.99.208	2	0.24%
		192.168.99.217		0.24%
		192.168.99.229	2	0.24%
		192.168.99.233	2	0.24%
		133.108.222.11	1	0.12%
		133.108.222.12	1	0.12%
		133.108.222.13	1	0.12%
		192.168.99.191	1	0.12%
		192.168.99.195	1	0.12%
		192.168.99.196	1	0.12%
		192.168.99.200	1	0.12%
		192.168.99.201 192.168.99.205	1	0.12% 0.12%

攻撃種類				
攻撃種類		攻撃先	回数	
		192.168.99.210	1	0.12%
		192.168.99.211	1	0.12%
		小計	33	4.01%
		その他	12	1.46%
		合計	45	5.48%
7 .	TCP port scanning has been detected.	133.108.222.10	6	0.73%
		133.108.222.13	3	0.36%
		192.168.99.236	3	0.36%
		133.108.222.11	2	0.24%
		192.168.99.207	2	0.24%
		192.168.99.212	2	0.24%
		192.168.99.227	2	0.24%
		192.168.99.228	2	0.24%
		192.168.99.231	2	0.24%
		192.168.99.233	2	0.24%
		192.168.99.190	1	0.12%
		192.168.99.191	1	0.12%
		192.168.99.193	1	0.12%
		192.168.99.196	1	0.12%
		192.168.99.197	1	0.12%
		192.168.99.200	1	0.12%
		192.168.99.202	1	0.12%
		192.168.99.204	1	0.12%
		192.168.99.206	1	0.12%
		192.168.99.210	1	0.12%
		小計	36	4.38%
		その他	9	1.09%
		合計	45	5.48%
■ 8.	ICMP packet with the invalid checksum value has been detected.	133.108.222.10	4	0.48%
		192.168.99.239	4	0.48%
		133.108.222.11	3	0.36%
		133.108.222.11 133.108.222.12	3	
				0.36%
		133.108.222.12 192.168.99.200	3	0.36% 0.24%
		133.108.222.12	3 2	0.36% 0.24% 0.24%
		133.108.222.12 192.168.99.200 192.168.99.202	3 2 2	0.36% 0.24% 0.24% 0.24%
		133.108.222.12 192.168.99.200 192.168.99.202 192.168.99.209	3 2 2 2	0.36% 0.24% 0.24% 0.24% 0.24%
		133.108.222.12 192.168.99.200 192.168.99.202 192.168.99.209 192.168.99.226 192.168.99.230	3 2 2 2 2 2	0.36% 0.24% 0.24% 0.24% 0.24% 0.24%
		133.108.222.12 192.168.99.200 192.168.99.202 192.168.99.209 192.168.99.226 192.168.99.230 133.108.222.13	3 2 2 2 2 2 2 1	0.36% 0.24% 0.24% 0.24% 0.24% 0.24% 0.12%
		133.108.222.12 192.168.99.200 192.168.99.202 192.168.99.209 192.168.99.226 192.168.99.230 133.108.222.13 133.108.222.14	3 2 2 2 2 2 2 1	0.36% 0.24% 0.24% 0.24% 0.24% 0.12% 0.12%
		133.108.222.12 192.168.99.200 192.168.99.202 192.168.99.209 192.168.99.226 192.168.99.230 133.108.222.13 133.108.222.14 192.168.99.192	3 2 2 2 2 2 2 1 1	0.36% 0.24% 0.24% 0.24% 0.24% 0.12% 0.12% 0.12%
		133.108.222.12 192.168.99.200 192.168.99.202 192.168.99.209 192.168.99.226 192.168.99.230 133.108.222.13 133.108.222.14 192.168.99.192 192.168.99.194	3 2 2 2 2 2 2 1 1 1	0.36% 0.36% 0.24% 0.24% 0.24% 0.24% 0.12% 0.12% 0.12%
		133.108.222.12 192.168.99.200 192.168.99.202 192.168.99.209 192.168.99.226 192.168.99.230 133.108.222.13 133.108.222.14 192.168.99.192	3 2 2 2 2 2 2 1 1	0.36% 0.24% 0.24% 0.24% 0.24% 0.12% 0.12% 0.12%

撃種類	別攻撃先	攻撃先	回数	
争性炽		192.168.99.203	1	0.129
		192.168.99.207	1	0.12
		192.168.99.208	1	0.12
		192.168.99.212	1	0.12
			35	4.26
		小計	9	1.09
		その他	44	5.35
	LIDD as about with the discussion of a book and	合計		
9.	UDP packet with the invalid checksum value has been detected.	133.108.222.11	4	0.48
		192.168.99.222	4	0.48
		133.108.222.12	3	0.36
		192.168.99.216	3	0.36
		133.108.222.14	2	0.24
		192.168.99.194	2	0.24
		192.168.99.205	2	0.24
		192.168.99.207	2	0.24
		192.168.99.209	2	0.24
		133.108.222.10	1	0.12
		133.108.222.13	1	0.12
		192.168.99.191	1	0.12
		192.168.99.192	1	0.12
		192.168.99.193	1	0.12
		192.168.99.195	1	0.12
		192.168.99.196	1	0.12
		192.168.99.200	1	0.12
		192.168.99.202	1	0.12
		192.168.99.204	1	0.12
		192.168.99.211	1	0.12
		小計	35	4.26
		その他	5	0.60
		合計	40	4.87
1 0.	IP packet with the malformed IP option has been detected.	133.108.222.14	4	0.48
		192.168.99.230	4	0.48
		133.108.222.10	3	0.36
		192.168.99.237	3	0.36
		133.108.222.13	2	0.24
		192.168.99.203	2	0.24
		192.168.99.210	2	0.24
		192.168.99.222	2	0.24
		133.108.222.12	1	0.12
		192.168.99.196	1	0.12
		192.168.99.200	1	0.12
		192.168.99.206	1	0.12
		1 197 That 99 7 In	1	() 1 /

	別攻撃先	龙蚁 生	₩	
攻擊種類		攻撃先	回数	0.4007
		192.168.99.211	1	0.12%
		192.168.99.217	1	0.12%
		192.168.99.220	1	0.12%
		192.168.99.223	1	0.12%
		192.168.99.225	1	0.12%
		192.168.99.226	1	0.12%
		192.168.99.232	1	0.12%
		小計	34	4.14%
		その他	5	0.60%
		合計	39	4.75%
11.	TCP packet with invalid ack number that is not related with the existing connections has been received.	133.108.222.10	4	0.48%
		192.168.99.231	3	0.36%
		133.108.222.11	2	0.24%
		133.108.222.12	2	0.24%
		133.108.222.14	2	0.24%
		192.168.99.199	2	0.24%
		192.168.99.208	2	0.24%
		192.168.99.232	2	0.24%
			2	
		192.168.99.238		0.249
		133.108.222.13	1	0.129
		192.168.99.190	1	0.129
		192.168.99.191	1	0.129
		192.168.99.192	1	0.129
		192.168.99.197	1	0.129
		192.168.99.198	1	0.12%
		192.168.99.201	1	0.129
		192.168.99.202	1	0.129
		192.168.99.211	1	0.12%
		192.168.99.215	1	0.12%
		192.168.99.216	1	0.129
		小計	32	3.89%
		その他	7	0.85%
		合計	39	4.75%
1 2.	Too Many IP Fragment attack has been detected.	133.108.222.12	4	0.48%
		133.108.222.13	3	0.36%
		133.108.222.14	3	0.36%
		192.168.99.234	3	0.36%
		192.168.99.204	2	0.24%
		192.168.99.215	2	0.24%
		192.168.99.220	2	0.24%
		192.168.99.230	2	0.24%
		192.168.99.237	2	0.24%

攻撃種類				
攻擊種類		攻撃先	回数	
		133.108.222.10	1	0.12%
		133.108.222.11	1	0.12%
		192.168.99.200	1	0.12%
		192.168.99.202	1	0.12%
		192.168.99.205	1	0.12%
		192.168.99.209	1	0.12%
		192.168.99.210	1	0.12%
		192.168.99.211	1	0.12%
		192.168.99.212	1	0.12%
		192.168.99.214	1	0.12%
		192.168.99.221	1	0.12%
		小計	34	4.14%
		その他	5	0.60%
		合計	39	4.75%
1 3.	ICMP packet with the malformed ICMP header has been detected.	133.108.222.11	3	0.36%
		133.108.222.12	3	0.36%
		133.108.222.13	2	0.24%
		192.168.99.190	2	0.24%
		192.168.99.198	2	0.24%
		192.168.99.205	2	0.24%
		192.168.99.209	2	0.24%
		192.168.99.210	2	0.24%
		192.168.99.226	2	0.24%
		192.168.99.232	2	0.24%
		192.168.99.239	2	0.24%
		133.108.222.14	1	0.12%
		192.168.99.192	1	0.12%
		192.168.99.194	1	0.12%
		192.168.99.197	1	0.12%
		192.168.99.202	1	0.12%
			1	
		192.168.99.204		0.12%
		192.168.99.206	1	0.12%
		192.168.99.212	1	0.12%
		192.168.99.218	1	0.12%
		小計	33	4.01%
		その他	5	0.60%
		合計	38	4.62%
1 4.	UDP Bomb attack has been detected.	133.108.222.10	3	0.36%
		192.168.99.198	3	0.36%
		133.108.222.13	2	0.24%
		192.168.99.201	2	0.24%
		192.168.99.204	2	0.24%
		192.168.99.210	2	0.24%
		192.168.99.215	2	0.24%

	別攻撃先	구스 병이 되고	ريلا → ريلا	
文學種類		攻撃先	回数	
		192.168.99.232	2	0.249
		192.168.99.235	2	0.249
		192.168.99.239	2	0.24
		133.108.222.12	1	0.12°
		192.168.99.192	1	0.12
		192.168.99.195	1	0.12
		192.168.99.197	1	0.12
		192.168.99.211	1	0.12
		192.168.99.221	1	0.12
		192.168.99.223	1	0.12
		192.168.99.224	1	0.12
		192.168.99.226	1	0.12
		192.168.99.227	1	0.12
		小計	32	3.89
		その他	6	0.73
		合計	38	4.62
15.	UDP port scanning has been detected.	192.168.99.219	3	0.36
10.	ODI port scarring has been detected.	192.168.99.235	3	0.36
		133.108.222.10	2	0.24
		133.108.222.11	2	0.24
		133.108.222.11	2	0.24
		192.168.99.195	2	0.24
			2	
		192.168.99.200		0.24
		192.168.99.222	2	0.24
		133.108.222.12	1	0.12
		192.168.99.193	1	0.12
		192.168.99.196	1	0.12
		192.168.99.197	1	0.12
		192.168.99.198	1	0.12
		192.168.99.204	1	0.12
		192.168.99.205	1	0.12
		192.168.99.206	1	0.12
		192.168.99.207	1	0.12
		192.168.99.213	1	0.12
		192.168.99.215	1	0.12
		192.168.99.216	1	0.12
		小計	30	3.65
		その他	7	0.85
		合計	37	4.50
1 6.	Fragmented IGMP attack has been detected.	133.108.222.10	3	0.36
		133.108.222.11	2	0.24
		133.108.222.13	2	0.24
		133.108.222.14	2	0.24
		192.168.99.196	2	0.24

攻撃種類別	WY. A. T. T. U. T.	T/+ 排化 /-		
文撃種類	T	攻撃先	回数	0.0467
		192.168.99.202	2	0.24%
		192.168.99.211	2	0.24%
		192.168.99.218	2	0.24%
		192.168.99.222	2	0.24%
		133.108.222.12	1	0.12%
		192.168.99.195	1	0.12%
		192.168.99.198	1	0.12%
		192.168.99.201	1	0.12%
		192.168.99.203	1	0.12%
		192.168.99.204	1	0.12%
		192.168.99.206	1	0.12%
		192.168.99.214	1	0.12%
		192.168.99.219	1	0.12%
		192.168.99.220	1	0.12%
		192.168.99.221	1	0.12%
		小計	30	3.65%
		その他	6	0.73%
		合計	36	4.38%
1 7.	TCP packet with the invalid checksum value has been detected.	133.108.222.10	2	0.24%
		133.108.222.12	2	0.24%
		133.108.222.13	2	0.24%
		192.168.99.190	2	0.24%
		192.168.99.206	2	0.24%
		192.168.99.208	2	0.24%
		192.168.99.213	2	0.24%
		192.168.99.228	2	0.24%
		192.168.99.230	2	0.24%
		133.108.222.11	1	0.12%
		133.108.222.14	1	0.12%
		192.168.99.196	1	0.12%
		192.168.99.201	1	0.12%
		192.168.99.204	1	0.12%
		192.168.99.205	1	0.12%
		192.168.99.209	1	0.12%
		192.168.99.210	1	0.12%
		192.168.99.215	1	0.12%
		192.168.99.221	1	0.12%
		192.168.99.222	1	0.12%
		小計	29	3.53%
		その他	6	0.73%
		合計	35	4.26%
1 8.	TCP-SYN packet with data part has been detected.	192.168.99.216	3	0.36%
	dototied.	133.108.222.11	2	0.24%
				· ·

		ナル地と	1=144	
攻擊種類	T	攻撃先	回数	0.0407
		133.108.222.13	2	0.24%
		192.168.99.205	2	0.24%
		192.168.99.233	2	0.24%
		192.168.99.235	2	0.24%
		192.168.99.236	2	0.24%
		133.108.222.10	1	0.12%
		133.108.222.12	1	0.12%
		133.108.222.14	1	0.12%
		192.168.99.195	1	0.12%
		192.168.99.200	1	0.12%
		192.168.99.201	1	0.12%
		192.168.99.203	1	0.12%
		192.168.99.210	1	0.12%
		192.168.99.211	1	0.12%
		192.168.99.212	1	0.12%
		192.168.99.218	1	0.12%
		192.168.99.221	1	0.12%
		192.168.99.224	1	0.12%
		小計	28	3.41%
		その他	7	0.85%
			35	4.26%
	TOD and at Manager Landing Land	合計		
1 9.	TCP packet with malformed option has	133.108.222.10	3	0.36%
	been detected.	100 100 00 000	0	0.000/
		192.168.99.209	3	0.36%
		133.108.222.12	2	0.24%
		192.168.99.195	2	0.24%
		192.168.99.201	2	0.24%
		192.168.99.207	2	0.24%
		192.168.99.227	2	0.24%
		133.108.222.11	1	0.12%
		133.108.222.13	1	0.12%
		192.168.99.192	1	0.12%
		192.168.99.193	1	0.12%
		192.168.99.194	1	0.12%
		192.168.99.196	1	0.12%
		192.168.99.197	1	0.12%
		192.168.99.200	1	0.12%
		192.168.99.202	1	0.12%
		192.168.99.208	1	0.12%
		192.168.99.210	1	0.12%
		192.168.99.219	1	0.12%
		192.168.99.221	1	0.12%
		小計	29	3.53%
		(1 th)		
		その他	5	0.60%

攻擊種類	別攻撃先			
攻擊種類		攻撃先	回数	
2 0.	Packet has been received from the already blocked host.	133.108.222.12	3	0.36%
		192.168.99.193	3	0.36%
		192.168.99.231	3	0.36%
		133.108.222.13	2	0.24%
		133.108.222.14	2	0.24%
		192.168.99.202	2	0.24%
		192.168.99.203	2	0.24%
		192.168.99.235	2	0.24%
		192.168.99.190	1	0.12%
		192.168.99.194	1	0.12%
		192.168.99.197	1	0.12%
		192.168.99.200	1	0.12%
		192.168.99.204	1	0.12%
		192.168.99.208	1	0.12%
		192.168.99.210	1	0.12%
		192.168.99.212	1	0.12%
		192.168.99.219	1	0.12%
		192.168.99.226	1	0.12%
		192.168.99.236	1	0.12%
		その他	0	0.00%
		合計	30	3.65%
合計			821	100.00%

攻撃種類別攻撃先 - ヘルプカード

回数 - 行われた攻撃の回数。

攻撃種類 - 攻撃元が行った攻撃の種類。

攻撃先 - 攻撃を受けたアドレスまたはホスト名。


合計 - この表で表示される列のすべてのデータ量。


小計 - 表で現在表示される列のすべてのデータ。 表示されないデータは小計に含まれません。

♀最も行われた攻撃の種類と、攻撃の種類毎の攻撃先がこのページから分かります。

プロトコル別攻撃種類

このページは、プロトコル別にどのような種類の攻撃が何回行われたかを示します。





プロトコル別攻撃種類

プロトコ	ル	攻撃種類	回数	
1 .	80	Very Small IP	48	5.84%
		Fragment attack		
		has been detected.		
		SYN Flood attack	46	5.60%
		has been detected.		
		TCP packet with	46	5.60%
		the malformed TCP		
		header has been		
		detected.		
		Host scanning has	45	5.48%
		been detected.		0
		TCP port scanning	45	5.48%
		has been detected.	70	J.7070
		UDP packet with	40	4.87%
		the invalid	40	7.01 /0
		checksum value		
		has been detected.		
		TCP packet with	39	4.75%
		invalid ack number	39	4.7370
		that is not related		
		with the existing		
		connections has		
		been received.		
		Too Many IP	39	4.75%
		Fragment attack	39	4.7370
		has been detected.		
		UDP port scanning	37	4.50%
		has been detected.	31	4.50 /6
		TCP packet with	35	4.26%
		the invalid	33	4.20 /
		checksum value		
		has been detected.	25	4.26%
		TCP-SYN packet	35	4.20%
		with data part has been detected.		
			34	4.14%
		TCP packet with malformed option	34	4.14%
		· · · · · · · · · · · · · · · · · · ·		
		has been detected.	20	2 650/
		Packet has been	30	3.65%
		received from the		
		already blocked		
		host.	E40	62 240/
		合計	519	63.21%
2.	icmp	ICMP Flood attack	55	6.69%
		has been detected.		
		ICMP packet with	44	5.35%
		the invalid		
		checksum value		

プロトコ	ル別攻撃種類			
プロトコ	ル	攻撃種類	回数	
		has been detected.		
		ICMP packet with	38	4.62%
		the malformed		
		ICMP header has		
		been detected.		
		合計	137	16.68%
3 .	6	IP packet with the	52	6.33%
		network source IP		
		address has been		
		detected.		
4.	tcp	IP packet with the	39	4.75%
		malformed IP		
		option has been		
		detected.		
5 .	1600	UDP Bomb attack	38	4.62%
		has been detected.		
6 .	udp	Fragmented IGMP	36	4.38%
		attack has been		
		detected.		
合計			821	100.00%

プロトコル別攻撃種類 - ヘルプカード

プロトコル - インターネットでデータの送受信をするために使用される一連の約束事。 HTTP、FTP、SMTP などが通常使用されるプロトコルです。

回数 - 行われた攻撃の回数。

攻撃種類 - 攻撃元が行った攻撃の種類。


合計 - この表で表示される列のすべてのデータ量。


小計 - 表で現在表示される列のすべてのデータ。 表示されないデータは小計に含まれません。

♥プロトコル毎に、最も行われた攻撃の種類がこのページから分かります。

検知ウィルス

このページは、検知したウィルスとウィルスを検知したファイル名を示します。





検知ウィルス

ウィルス	·名	ファイル名	回数	
1 .	VIRUS_FILE_10	virus10.exe	39	3.05%
		virus10.zip	38	2.97%
		virus10.txt	26	2.03%
		virus10.com	21	1.64%
		virus10.ini	21	1.64%
		合計	145	11.34%
2.	VIRUS_FILE_7	virus7.exe	35	2.73%
		virus7.zip	33	2.58%
		virus7.com	29	2.26%
		virus7.txt	29	2.26%
		virus7.ini	18	1.40%
		合計	144	11.26%
3.	VIRUS_FILE_2	virus2.zip	34	2.66%
		virus2.exe	31	2.42%
		virus2.ini	30	2.34%
		virus2.txt	24	1.87%
		virus2.com	21	1.64%
		合計	140	10.95%
4 .	VIRUS_FILE_1	virus1.exe	39	3.05%
		virus1.zip	29	2.26%
		virus1.ini	24	1.87%
		virus1.txt	22	1.72%
		virus1.com	21	1.64%
		合計	135	10.56%
5.	VIRUS_FILE_3	virus3.zip	34	2.66%
		virus3.com	26	2.03%
		virus3.exe	26	2.03%
		virus3.txt	24	1.87%
		virus3.ini	23	1.80%
		合計	133	10.40%
6.	VIRUS FILE 4	virus4.zip	36	2.81%
		virus4.exe	27	2.11%
		virus4.com	26	2.03%
		virus4.ini	23	1.80%
		virus4.txt	16	1.25%
		合計	128	10.01%
7.	VIRUS FILE 8	virus8.exe	31	2.42%
		virus8.zip	30	2.34%
		virus8.com	21	1.64%
		virus8.txt	21	1.64%
		virus8.ini	20	1.56%
		合計	123	9.62%
8.	VIRUS_FILE_9	virus9.exe	38	2.97%
		virus9.zip	31	2.42%
		virus9.com	19	1.48%
		virus9.txt	16	1.25%

検知ウィ	ルス			
ウィルス		ファイル名	回数	
		virus9.ini	15	1.17%
		合計	119	9.31%
9.	VIRUS_FILE_6	virus6.exe	38	2.97%
		virus6.zip	33	2.58%
		virus6.com	16	1.25%
		virus6.ini	15	1.17%
		virus6.txt	10	0.78%
		合計	112	8.76%
1 0.	VIRUS_FILE_5	virus5.exe	32	2.50%
		virus5.zip	23	1.80%
		virus5.ini	20	1.56%
		virus5.txt	13	1.01%
		virus5.com	11	0.86%
		合計	99	7.74%
合計			1,278	100.00%

検知ウィルス - ヘルプカード

ウィルス名 - 検知したウィルスの名前。

ファイル名 - ウィルスが含まれているファイル名。

回数・ウィルス検知回数。


合計 - この表で表示される列のすべてのデータ量。


小計 - 表で現在表示される列のすべてのデータ。 表示されないデータは小計に含まれません。

♀最も検知したウィルスと、そのファイル名がこのページから分かります。

プロトコル別検知ウィルス

このページは、プロトコル別にどのようなウィルスを検知したのかを示します。





プロトコ	ル別検知ウィルス			
プロトコ	ル	ウィルス名	回数	
1 .	http	VIRUS_FILE_10	87	6.80%
		VIRUS_FILE_1	72	5.63%
		VIRUS_FILE_2	72	5.63%
		VIRUS_FILE_4	70	5.47%
		VIRUS_FILE_3	69	5.39%
		VIRUS_FILE_8	69	5.39%

プロトコ	ル	ウィルス名	回数	
		VIRUS_FILE_7	68	5.329
		VIRUS FILE 9	61	4.779
		VIRUS_FILE_6	53	4.14
		VIRUS FILE 5	46	3.59
		合計	667	52.19
2.	pop3	VIRUS FILE 7	35	2.73
		VIRUS FILE 8	33	2.58
		VIRUS FILE 2	31	2.42
		VIRUS FILE 9	31	2.42
		VIRUS FILE 10	30	2.34
		VIRUS FILE 4	28	2.19
		VIRUS_FILE_6	26	2.03
		VIRUS FILE 1	25	1.95
		VIRUS FILE 3	25	1.95
		VIRUS FILE 5	17	1.33
		合計	281	21.98
3.	smtp	VIRUS FILE 5	35	2.73
	•	VIRUS FILE 3	34	2.66
		VIRUS_FILE_7	34	2.66
		VIRUS_FILE_2	31	2.42
		VIRUS_FILE_1	28	2.19
		VIRUS_FILE_10	27	2.11
		VIRUS_FILE_6	27	2.11
		VIRUS_FILE_4	25	1.95
		VIRUS_FILE_9	21	1.64
		VIRUS_FILE_8	19	1.48
		合計	281	21.98
4.	ftp	VIRUS_FILE_1	10	0.78
		VIRUS_FILE_7	7	0.54
		VIRUS_FILE_2	6	0.46
		VIRUS_FILE_6	6	0.46
		VIRUS_FILE_9	6	0.46
		VIRUS_FILE_3	5	0.39
		VIRUS_FILE_4	5	0.39
		VIRUS_FILE_8	2	0.15
		VIRUS_FILE_10	1	0.07
		VIRUS_FILE_5	1	0.07
		合計	49	3.83

T FI	.,	.00.0070
プロトコル別検知ウィルス - ヘルプカード		
ウィルス名 - 検知したウィルスの名前。		

プロトコル別検知ウィルス - ヘルプカード

プロトコル - インターネットでデータの送受信をするために使用される一連の約束事。 HTTP、FTP、SMTP などが通常使用されるプロトコルです。

回数・ウィルス検知回数。


合計 - この表で表示される列のすべてのデータ量。


小計 - 表で現在表示される列のすべてのデータ。 表示されないデータは小計に含まれません。

♀ 最もウィルスが利用したプロトコルと、そのウィルス名がこのページから分かります。

ウィルスを検知したファイルの拡張子

このページは、ウィルスルを検知したファイルの拡張子を示します。





ウィルスを検知したファイルの拡張子

拡張子		回数	
1 .	exe	336	26.29%
2.	zip	321	25.11%
3.	com	211	16.51%
4 .	ini	209	16.35%
5.	txt	201	15.72%
合計		1,278	100.00%

ウィルスを検知したファイルの拡張子 - ヘルプカード

回数・ウィルス検知回数。


拡張子 - ウィルスを検知したファイルの拡張子。


合計 - この表で表示される列のすべてのデータ量。

♀ ウィルスを検知したファイルの拡張子がこのページから分かります。

ウィルス検知関連内部クライアント

このページは、ウィルス検知に関連する内部クライアントと、検知したウィルスを示します。





ウィルス検知関連内部クライアント

内部クラ	イアント	ウィルス名	回数	
1 .	192.168.232.3	VIRUS_FILE_3	8	0.57%
		VIRUS_FILE_2	7	0.50%
		VIRUS_FILE_10	5	0.35%
		VIRUS_FILE_4	4	0.28%
		VIRUS FILE 6	4	0.28%
		VIRUS FILE 7	4	0.28%
		VIRUS FILE 8	4	0.28%
		VIRUS FILE 9	4	0.28%
		VIRUS FILE 5	3	0.21%
		VIRUS FILE 1	2	0.14%
		合計	45	3.23%
2.	192.168.231.3	VIRUS FILE 2	8	0.57%
<u> </u>	132.100.231.3	VIRUS FILE 7	7	0.50%
		VIRUS FILE 1	5	0.35%
		VIRUS FILE_1	5	0.35%
		VIRUS_FILE_10	5	0.35%
		VIRUS_FILE_3	4	
				0.28%
		VIRUS_FILE_4	2	0.14%
		VIRUS_FILE_5	2	0.14%
		VIRUS_FILE_6	2	0.14%
		VIRUS_FILE_8	2	0.14%
		合計	42	3.01%
3.	192.168.99.212	VIRUS_FILE_6	4	0.28%
		VIRUS_FILE_1	3	0.21%
		VIRUS_FILE_10	3	0.21%
		VIRUS_FILE_2	3	0.21%
		VIRUS_FILE_8	3	0.21%
		VIRUS_FILE_3	2	0.14%
		VIRUS_FILE_5	2	0.14%
		VIRUS_FILE_7	2	0.14%
		VIRUS FILE 9	2	0.14%
		VIRUS FILE 4	1	0.07%
		合計	25	1.79%
4.	192.168.99.237	VIRUS FILE 1	5	0.35%
		VIRUS FILE 3	5	0.35%
		VIRUS_FILE_2	4	0.28%
		VIRUS FILE 4	4	0.28%
		VIRUS_FILE_10	2	0.14%
	<u> </u>	VIRUS FILE 6	2	0.14%
		VIRUS_FILE_5	1	0.14%
		VIRUS FILE 7	1	0.07%
		VIRUS_FILE_/	1	0.07%
			25	1.79%
E	102 169 00 100	合計 VIDUS FILE 40		
5 .	192.168.99.196	VIRUS_FILE_10	6	0.43%
		VIRUS_FILE_1	3	0.21%
		VIRUS_FILE_8	3	0.21%

部クラ	イアント	ウィルス名	回数	
1		VIRUS_FILE_9	3	0.219
		VIRUS FILE 2	2	0.149
		VIRUS FILE 5	2	0.149
		VIRUS FILE 7	2	0.149
		VIRUS FILE 3	1	0.079
		VIRUS FILE 4	1	0.07
		合計	23	1.65
6 .	192.168.99.193	VIRUS FILE 1	3	0.21
— 0.	192.100.99.193	VIRUS FILE 10	3	0.21
		VIRUS FILE 2	3	0.21
		VIRUS FILE 3	3	0.21
		VIRUS_FILE_3	3	0.21
			2	
		VIRUS_FILE_4	2	0.14
		VIRUS_FILE_8		0.14
		VIRUS_FILE_5	1	0.07
		VIRUS_FILE_6	1	0.07
		VIRUS_FILE_9	1	0.07
		合計	22	1.58
7 .	192.168.99.204	VIRUS_FILE_10	7	0.50
		VIRUS_FILE_1	3	0.21
		VIRUS_FILE_2	3	0.21
		VIRUS_FILE_5	3	0.21
		VIRUS_FILE_3	2	0.14
		VIRUS_FILE_8	2	0.14
		VIRUS_FILE_6	1	0.07
		VIRUS_FILE_7	1	0.07
		合計	22	1.58
8.	192.168.99.239	VIRUS_FILE_7	5	0.35
		VIRUS_FILE_4	4	0.28
		VIRUS_FILE_8	4	0.28
		VIRUS_FILE_9	4	0.28
		VIRUS_FILE_3	2	0.14
		VIRUS_FILE_1	1	0.07
		VIRUS_FILE_2	1	0.07
		VIRUS_FILE_6	1	0.07
		合計	22	1.58
9.	192.168.99.194	VIRUS FILE 2	4	0.28
		VIRUS_FILE_5	4	0.28
		VIRUS FILE 6	3	0.21
		VIRUS_FILE_1	2	0.14
		VIRUS FILE 4	2	0.14
		VIRUS_FILE_8	2	0.14
	+	VIRUS_FILE_9	2	0.14
	+	VIRUS FILE 10	1	0.14
		VIRUS FILE 7	1	0.07

部クラ	イアント	ウィルス名	回数	
A)- 2		合計	21	1.50%
10.	192.168.99.195	VIRUS FILE 1	3	0.219
		VIRUS FILE 3	3	0.219
		VIRUS FILE 5	3	0.219
		VIRUS FILE 9	3	0.219
		VIRUS FILE 10	2	0.149
		VIRUS_FILE_2	2	0.149
		VIRUS_FILE_6	2	0.149
		VIRUS_FILE_7	2	0.14
		VIRUS_FILE_8	1	0.079
		合計	21	1.50
11.	192.168.99.220	VIRUS FILE 1	3	0.219
		VIRUS_FILE_10	3	0.219
		VIRUS FILE 4	3	0.219
		VIRUS FILE 5	3	0.219
		VIRUS FILE 6	3	0.219
		VIRUS FILE 2	2	0.14
		VIRUS_FILE_8	2	0.14
		VIRUS FILE 3	1	0.07
		VIRUS FILE 7	1	0.07
		合計	21	1.50
12.	192.168.99.223	VIRUS_FILE_3	6	0.43
		VIRUS_FILE_7	4	0.289
		VIRUS FILE 9	3	0.21
		VIRUS FILE 1	2	0.14
		VIRUS FILE 10	1	0.07
		VIRUS FILE 2	1	0.07
		VIRUS FILE 4	1	0.07
		VIRUS_FILE_5	1	0.07
		VIRUS FILE 6	1	0.07
		VIRUS FILE 8	1	0.079
		合計	21	1.50
13.	192.168.99.225	VIRUS FILE 2	6	0.43
		VIRUS FILE 1	3	0.21
		VIRUS FILE 10	3	0.21
		VIRUS FILE 7	3	0.21
		VIRUS FILE 6	2	0.14
		VIRUS_FILE_9	2	0.14
		VIRUS_FILE_3	1	0.07
		VIRUS FILE 5	1	0.079
		合計	21	1.50
14.	192.168.99.234	VIRUS_FILE_7	4	0.28
		VIRUS_FILE_1	3	0.21
		VIRUS_FILE_2	2	0.14
		VIRUS FILE 3	2	0.14

内部クラ	イアント	ウィルス名	回数	
4141-2		VIRUS FILE 4	2	0.149
		VIRUS FILE 5	2	0.149
		VIRUS FILE 6	2	0.149
		VIRUS FILE 9	2	0.149
		VIRUS FILE 10	1	0.07%
		VIRUS FILE 8	1	0.07%
		合計	21	1.50%
1 5.	192.168.99.198	VIRUS_FILE_9	4	0.28%
10.	132.100.33.130	VIRUS FILE 10	3	0.21%
		VIRUS FILE 3	3	0.219
		VIRUS FILE 8	3	0.21%
		VIRUS FILE 1	2	0.217
		VIRUS FILE 4	2	0.147
		VIRUS_FILE_4 VIRUS_FILE_2	1	0.147
		VIRUS_FILE_2 VIRUS_FILE_6	1	
		VIRUS_FILE_6 VIRUS_FILE_7	1	0.079
			20	0.079
1 0	400 400 00 007	合計	-	1.43
1 6.	192.168.99.207	VIRUS_FILE_7	4	0.289
		VIRUS_FILE_10	3	0.219
		VIRUS_FILE_3	3	0.219
		VIRUS_FILE_5	3	0.219
		VIRUS_FILE_6	3	0.219
		VIRUS_FILE_1	2	0.149
		VIRUS_FILE_8	2	0.149
		合計	20	1.43
1 7.	192.168.99.208	VIRUS_FILE_10	4	0.289
		VIRUS_FILE_3	3	0.219
		VIRUS_FILE_4	3	0.219
		VIRUS_FILE_8	3	0.219
		VIRUS_FILE_1	2	0.149
		VIRUS_FILE_7	2	0.149
		VIRUS_FILE_9	2	0.149
		VIRUS_FILE_6	1	0.079
		合計	20	1.43
1 8.	192.168.99.222	VIRUS_FILE_1	4	0.289
		VIRUS_FILE_2	4	0.289
		VIRUS_FILE_4	4	0.289
		VIRUS_FILE_3	2	0.149
		VIRUS FILE 6	2	0.149
		VIRUS FILE 7	2	0.149
		VIRUS_FILE_10	1	0.079
		VIRUS FILE 5	1	0.079
		合計	20	1.439
19.	192.168.99.230	VIRUS_FILE_4	5	0.35%
19.	102.100.00.200	VIRUS FILE 1	2	0.337

内部クラ	イアント	ウィルス名	回数	
		VIRUS_FILE_10	2	0.14%
		VIRUS_FILE_2	2	0.14%
		VIRUS_FILE_3	2	0.14%
		VIRUS_FILE_8	2	0.14%
		VIRUS_FILE_9	2	0.14%
		VIRUS_FILE_5	1	0.07%
		VIRUS_FILE_6	1	0.07%
		VIRUS_FILE_7	1	0.07%
		合計	20	1.43%
20.	192.168.99.231	VIRUS_FILE_7	4	0.28%
		VIRUS_FILE_8	4	0.28%
		VIRUS_FILE_1	2	0.14%
		VIRUS_FILE_4	2	0.14%
		VIRUS_FILE_5	2	0.14%
		VIRUS_FILE_6	2	0.14%
		VIRUS_FILE_10	1	0.07%
		VIRUS_FILE_2	1	0.07%
		VIRUS_FILE_3	1	0.07%
		VIRUS_FILE_9	1	0.07%
		合計	20	1.43%
小計			472	33.90%
その他			920	66.09%
合計			1,392	100.00%

ウィルス検知関連内部クライアント - ヘルプカード

ウィルス名 - 検知したウィルスの名前。

回数・ウィルス検知回数。

合計 - この表で表示される列のすべてのデータ量。


小計 - 表で現在表示される列のすべてのデータ。 表示されないデータは小計に含まれません。


内部クライアント - ウィルス検知に関連する内部クライアント。

♀最もウィルス検知に関連する内部クライアントがこのページから分かります。

ウィルス検知関連外部クライアント

このページは、ウィルス検知に関連する外部クライアントと、検知したウィルスを示します。





ウィルス検知関連外部クライアント

www.cabcard.jp	\/IDIIO EII E 40		
www.cabcard.jp	VIRUS_FILE_10	72	8.15%
	VIRUS_FILE_2	61	6.90%
	VIRUS_FILE_7	61	6.90%
	VIRUS_FILE_3	60	6.79%
	VIRUS_FILE_4	58	6.56%
	VIRUS_FILE_8	56	6.34%
	VIRUS_FILE_1	55	6.22%
	VIRUS_FILE_9	49	5.54%
	VIRUS_FILE_6	46	5.21%
	VIRUS_FILE_5	40	4.53%
	合計	558	63.19%
133.108.224.30	VIRUS_FILE_3	16	1.81%
	VIRUS FILE 5	16	1.81%
	VIRUS FILE 7	11	1.24%
	VIRUS_FILE_10	10	1.13%
		10	1.13%
		9	1.019
	VIRUS FILE 2	9	1.019
			1.019
			0.68%
	VIRUS FILE 8	4	0.459
	合計	100	11.329
www.hitachisoft.ip		9	1.01%
		7	0.79%
		6	0.68%
			0.56%
			0.56%
			0.45%
			0.459
			0.349
			0.349
			0.229
		48	5.439
133 108 224 10		8	0.90%
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			0.68%
†			0.68%
1			0.68%
†			0.68%
†			0.56%
1			0.56%
			0.34%
			0.347
+			0.117
+			5.32%
133 108 224 20			0.90%
100.100.224.20	VIRUS_FILE_5	7	0.909
	133.108.224.30 www.hitachisoft.jp 133.108.224.10	VIRUS_FILE_7	VIRUS_FILE_7

部クラ	イアント	ウィルス名	回数	
		VIRUS FILE 1	6	0.68%
		VIRUS_FILE_7	6	0.68%
		VIRUS_FILE_10	4	0.45%
		VIRUS FILE 3	4	0.45%
		VIRUS_FILE_4	4	0.45%
		VIRUS_FILE_8	4	0.45%
		VIRUS_FILE_9	3	0.349
		VIRUS_FILE_2	1	0.119
		合計	47	5.32
6 .	133.108.222.30	VIRUS_FILE_7	5	0.569
		VIRUS_FILE_1	3	0.349
		VIRUS_FILE_4	2	0.229
		VIRUS_FILE_6	2	0.229
		VIRUS_FILE_2	1	0.119
		VIRUS FILE 3	1	0.11
		合計	14	1.58
7 .	www.yahoo.co.jp	VIRUS FILE 2	4	0.45
	, , ,	VIRUS FILE 10	2	0.229
		VIRUS FILE 9	2	0.22
		VIRUS FILE 3	1	0.11
		VIRUS FILE 4	1	0.119
		VIRUS_FILE_6	1	0.119
		VIRUS FILE 8	1	0.11
		合計	12	1.35
8.	133.108.223.20	VIRUS FILE 9	4	0.45
		VIRUS FILE 2	3	0.34
		VIRUS FILE 10	1	0.11
		VIRUS_FILE_4	1	0.11
		VIRUS FILE 6	1	0.11
		VIRUS FILE 7	1	0.11
		合計	11	1.24
9.	www.f-marinos.com	VIRUS FILE 2	3	0.34
		VIRUS FILE 10	2	0.22
		VIRUS FILE 1		0.11
		VIRUS_FILE_3	1	0.11
		VIRUS_FILE_6	1	0.11
		VIRUS_FILE_8	1	0.11
		VIRUS FILE 9	1	0.11
		合計	10	1.13
1 0.	example.com	VIRUS FILE 1	3	0.34
	- Champioroom	VIRUS_FILE_8	2	0.22
	 	VIRUS FILE 10	1	0.11
	+	VIRUS FILE 3	1	0.11
		VIRUS FILE 7	1	0.11
		- VINOS_I IEL_7 合計	8	0.11

<u></u>	検知関連外部クライアント イアント	ウィルス名	回数	
11.	hitachi-business.com	VIRUS_FILE_8	3	0.240/
11.	nitachi-business.com	VIRUS_FILE_6	1	0.34%
				0.11%
		VIRUS_FILE_4	1	0.11%
		VIRUS_FILE_5	1	0.11%
		VIRUS_FILE_6	1	0.11%
		VIRUS_FILE_7	1	0.11%
		合計	8	0.90%
1 2.	133.108.223.10	VIRUS_FILE_3	3	0.34%
		VIRUS_FILE_6	1	0.11%
		VIRUS_FILE_7	1	0.11%
		VIRUS_FILE_8	1	0.11%
		VIRUS_FILE_9	1	0.11%
		合計	7	0.79%
13.	www.hitachisoft-sd.co.jp	VIRUS_FILE_10	2	0.22%
		VIRUS_FILE_4	2	0.22%
		VIRUS_FILE_6	1	0.11%
		VIRUS_FILE_9	1	0.11%
		合計	6	0.68%
14.	www.baystars.co.jp	VIRUS_FILE_10	2	0.22%
		VIRUS_FILE_1	1	0.11%
		VIRUS_FILE_8	1	0.11%
		合計	4	0.45%
1 5.	www.hanshintigers.jp	VIRUS_FILE_4	1	0.11%
	<u> </u>	VIRUS_FILE_6	1	0.11%
		VIRUS_FILE_9	1	0.11%
		合計	3	0.34%
合計	•		883	100.00%

ウィルス検知関連外部クライアント - ヘルプカード

ウィルス名 - 検知したウィルスの名前。

回数・ウィルス検知回数。

外部クライアント - ウィルス検知に関連する外部クライアント。


合計 - この表で表示される列のすべてのデータ量。


小計 - 表で現在表示される列のすべてのデータ。 表示されないデータは小計に含まれません。

♀ 最もウィルス検知に関連する外部クライアントがこのページから分かります。

フィルタ対象アドレス別ユーザ

このページは、Webフィルタリングによってアクセスがブロックされたアドレスと、その際にアクセスしたユーザを示します。





	対象アドレス別ユーザ			
アドレス		ユーザ	回数	
1 .	www.f-marinos.com(block)	192.168.99.183	19	0.29%
		192.168.99.113	17	0.26%
		192.168.99.172	17	0.26%
		192.168.99.165	16	0.25%
		192.168.99.216	16	0.25%
		192.168.99.226	16	0.25%
		192.168.99.110	15	0.23%
		192.168.99.146	14	0.22%
		192.168.99.186	14	0.22%
		192.168.99.191	14	0.22%
		192.168.99.231	14	0.22%
		192.168.99.103	13	0.20%
		192.168.99.114	13	0.20%
		192.168.99.122	13	0.20%
		192.168.99.149	13	0.20%
		192.168.99.192	13	0.20%
		192.168.99.203	13	0.20%
		192.168.99.204	13	0.20%
		192.168.99.221	13	0.20%
		192.168.99.105	12	0.18%
		小計	288	4.52%
		その他	1,030	16.17%
		合計	1,318	20.69%
2 .	example.com(block)	192.168.99.191	19	0.29%
		192.168.99.180	18	0.28%
		192.168.99.220	17	0.26%
		192.168.99.193	16	0.25%
		192.168.99.212	16	0.25%
		192.168.99.223	16	0.25%
		192.168.99.238	16	0.25%
		192.168.99.109	15	0.23%
		192.168.99.136	15	0.23%
				00.
		192.168.99.158	15	0.23%
		192.168.99.158 192.168.99.175	15 15	
		192.168.99.175	15	0.23%
		192.168.99.175 192.168.99.183	15 15	0.23% 0.23%
		192.168.99.175 192.168.99.183 192.168.99.202	15 15 15	0.23% 0.23% 0.23%
		192.168.99.175 192.168.99.183 192.168.99.202 192.168.99.130	15 15 15 14	0.23% 0.23% 0.23% 0.22%
		192.168.99.175 192.168.99.183 192.168.99.202 192.168.99.130 192.168.99.131	15 15 15 14 14	0.23% 0.23% 0.23% 0.22% 0.22%
		192.168.99.175 192.168.99.183 192.168.99.202 192.168.99.130 192.168.99.131 192.168.99.155	15 15 15 14 14 14	0.23% 0.23% 0.23% 0.22% 0.22% 0.22%
		192.168.99.175 192.168.99.183 192.168.99.202 192.168.99.130 192.168.99.131 192.168.99.155 192.168.99.168	15 15 15 14 14 14 14	0.23% 0.23% 0.23% 0.22% 0.22% 0.22% 0.22%
		192.168.99.175 192.168.99.183 192.168.99.202 192.168.99.130 192.168.99.131 192.168.99.155 192.168.99.168 192.168.99.173	15 15 15 14 14 14 14 14	0.23% 0.23% 0.23% 0.22% 0.22% 0.22% 0.22%
		192.168.99.175 192.168.99.183 192.168.99.202 192.168.99.130 192.168.99.131 192.168.99.155 192.168.99.168 192.168.99.173 192.168.99.176	15 15 15 14 14 14 14 14 14	0.23% 0.23% 0.23% 0.22% 0.22% 0.22% 0.22% 0.22%
		192.168.99.175 192.168.99.183 192.168.99.202 192.168.99.130 192.168.99.131 192.168.99.155 192.168.99.168 192.168.99.173	15 15 15 14 14 14 14 14	0.23% 0.23% 0.23% 0.22% 0.22% 0.22% 0.22% 0.22% 0.22% 4.80%

ドレス		ユーザ	回数	
		合計	1,315	20.64%
3.	www.hanshintigers.jp(block)	192.168.99.221	21	0.33%
	3 71 \ /	192.168.99.124	16	0.25%
		192.168.99.100	15	0.23%
		192.168.99.192	15	0.23%
		192.168.99.196	15	0.239
		192.168.99.204	15	0.239
		192.168.99.208	15	0.239
		192.168.99.199	14	0.22
		192.168.99.115	13	0.20
		192.168.99.120	13	0.20
		192.168.99.130	13	0.20
		192.168.99.140	13	0.20
		192.168.99.155	13	0.20
		192.168.99.232	13	0.20
		192.168.99.134	12	0.18
		192.168.99.138	12	0.18
		192.168.99.153	12	0.18
		192.168.99.157	12	0.18
		192.168.99.159	12	0.18
		192.168.99.177	12	0.18
		小計	276	4.33
		その他	1,027	16.12
		合計	1,303	20.45
4.	www.baystars.co.jp(block)	192.168.99.123	16	0.25
		192.168.99.202	16	0.25
		192.168.99.113	14	0.22
		192.168.99.141	14	0.22
		192.168.99.174	14	0.22
		192.168.99.110	13	0.20
		192.168.99.114	13	0.20
		192.168.99.170	13	0.20
		192.168.99.186	13	0.20
		192.168.99.188	13	0.20
		192.168.99.238	13	0.20
		192.168.99.109	12	0.18
		192.168.99.128	12	0.18
		192.168.99.132	12	0.18
		192.168.99.133	12	0.18
		192.168.99.135	12	0.18
		192.168.99.155	12	0.18
		192.168.99.161	12	0.18
		192.168.99.172	12	0.18
		192.168.99.173	12	0.18

アドレス		ユーザ	回数	
		その他	986	15.47%
		合計	1,246	19.56%
5 .	www.yahoo.co.jp(pass)	192.168.99.152	17	0.26%
		192.168.99.153	16	0.25%
		192.168.99.120	15	0.23%
		192.168.99.191	15	0.23%
		192.168.99.236	15	0.23%
		192.168.99.101	14	0.22%
		192.168.99.137	14	0.22%
		192.168.99.141	14	0.22%
		192.168.99.169	14	0.22%
		192.168.99.140	13	0.20%
		192.168.99.158	13	0.20%
		192.168.99.166	13	0.20%
		192.168.99.193	13	0.20%
		192.168.99.216	13	0.20%
		192.168.99.129	12	0.18%
		192.168.99.132	12	0.18%
		192.168.99.136	12	0.18%
		192.168.99.173	12	0.18%
		192.168.99.195	12	0.18%
		192.168.99.197	12	0.18%
		小計	271	4.25%
		その他	917	14.39%
		合計	1,188	18.65%
合計			6,370	100.00%

フィルタ対象アドレス別ユーザ - ヘルプカード

アドレス - アクセスしたフィルタ対象アドレス。

ユーザ - フィルタ対象アドレスにアクセスしたユーザ。

回数 - ブロック回数。


合計 - この表で表示される列のすべてのデータ量。


小計 - 表で現在表示される列のすべてのデータ。 表示されないデータは小計に含まれません。

↑ 最もアクセスがブロックされたフィルタ対象アドレスと、アクセスしたユーザがこのページから分かります。

フィルタ対象カテゴリ別ユーザ

このページは、Webフィルタリングによってアクセスがブロックされたときのカテゴリと、その際にアクセスしたユーザを示します。





フィルタ対象カテゴリ別ユーザ				
カテゴリ		ユーザ	回数	
1 .	Sports	192.168.99.113	41	0.64%
		192.168.99.221	41	0.64%
		192.168.99.172	40	0.62%
		192.168.99.155	37	0.58%
		192.168.99.183	37	0.58%

カテゴリ		ユーザ	回数	
<u>, , , , , , , , , , , , , , , , , , , </u>		192.168.99.110	36	0.56%
		192.168.99.204	36	0.56%
		192.168.99.114	35	0.54%
		192.168.99.141	35	0.54%
		192.168.99.186	35	0.54%
		192.168.99.135	34	0.539
		192.168.99.165	34	0.53%
		192.168.99.192	34	0.53%
		192.168.99.202	34	0.53%
		192.168.99.124	33	0.519
		192.168.99.128	33	0.519
		192.168.99.167	33	0.51%
		192.168.99.231	33	0.519
		192.168.99.105	32	0.50%
		192.168.99.115	32	0.50%
		小計	705	11.069
		その他	3,162	49.639
		合計	3,867	60.709
2.	Entertainment	192.168.99.191	19	0.29%
		192.168.99.180	18	0.28%
		192.168.99.220	17	0.26%
		192.168.99.193	16	0.25%
		192.168.99.212	16	0.25%
		192.168.99.223	16	0.25%
		192.168.99.238	16	0.25%
		192.168.99.109	15	0.239
		192.168.99.136	15	0.23%
		192.168.99.158	15	0.23%
		192.168.99.175	15	0.23%
		192.168.99.183	15	0.23%
		192.168.99.202	15	0.23%
		192.168.99.130	14	0.237
		192.168.99.131	14 14	0.229
		192.168.99.155		0.229
		192.168.99.168	14	0.229
		192.168.99.173	14	0.229
		192.168.99.176	14	0.229
		192.168.99.200	14	0.229
		小計	306	4.809
		その他	1,009	15.849
		合計	1,315	20.649
3.	Search Engines	192.168.99.152	17	0.26%
		192.168.99.153	16	0.25%
		192.168.99.120	15	0.23%
		192.168.99.191	15	0.23%

フィルタ対象カテゴリ別ユーザ			
カテゴリ	ユーザ	回数	
	192.168.99.236	15	0.23%
	192.168.99.101	14	0.22%
	192.168.99.137	14	0.22%
	192.168.99.141	14	0.22%
	192.168.99.169	14	0.22%
	192.168.99.140	13	0.20%
	192.168.99.158	13	0.20%
	192.168.99.166	13	0.20%
	192.168.99.193	13	0.20%
	192.168.99.216	13	0.20%
	192.168.99.129	12	0.18%
	192.168.99.132	12	0.18%
	192.168.99.136	12	0.18%
	192.168.99.173	12	0.18%
	192.168.99.195	12	0.18%
	192.168.99.197	12	0.18%
	小計	271	4.25%
	その他	917	14.39%
	合計	1,188	18.65%
合計		6,370	100.00%

フィルタ対象カテゴリ別ユーザ - ヘルプカード

カテゴリ - アクセスしたフィルタ対象カテゴリ。

ユーザ - フィルタ対象カテゴリにアクセスしたユーザ。

回数 - ブロック回数。


合計 - この表で表示される列のすべてのデータ量。


小計 - 表で現在表示される列のすべてのデータ。 表示されないデータは小計に含まれません。

♥ 最もアクセスがブロックされたフィルタ対象カテゴリと、アクセスしたユーザがこのページから分かります。

フィルタ対象ユーザ別アドレス

このページは、Webフィルタリングによってアクセスがブロックされたユーザと、その際にアクセスしたアドレスを示します。





	対象ユーザ別アドレス			
ユーザ		アドレス	回数	
1 .	192.168.99.113	www.f-marinos.co m(block)	17	0.26%
		www.baystars.co.jp (block)	14	0.22%
		example.com(block	12	0.18%
		www.hanshintigers .jp(block)	10	0.15%
		www.yahoo.co.jp(p ass)	10	0.15%
		合計	63	0.98%
2 .	192.168.99.183	www.f-marinos.co m(block)	19	0.29%
		example.com(block	15	0.23%
		www.yahoo.co.jp(p ass)	11	0.17%
		www.baystars.co.jp (block)	10	0.15%
		www.hanshintigers .jp(block)	8	0.12%
		合計	63	0.98%
3 .	192.168.99.141	www.baystars.co.jp (block)	14	0.22%
		www.yahoo.co.jp(p ass)	14	0.22%
		example.com(block	13	0.20%
		www.hanshintigers .jp(block)	11	0.17%
		www.f-marinos.co m(block)	10	0.15%
		合計	62	0.97%
4 .	192.168.99.221	www.hanshintigers .jp(block)	21	0.33%
		www.f-marinos.co m(block)	13	0.20%
		example.com(block	10	0.15%
		www.yahoo.co.jp(p ass)	9	0.14%
		www.baystars.co.jp (block)	7	0.11%
		合計	60	0.94%
5 .	192.168.99.155	example.com(block	14	0.22%
		www.hanshintigers	13	0.20%

	対象ユーザ別アドレス			
ユーザ		アドレス	回数	
		.jp(block)		
		www.baystars.co.jp (block)	12	0.18%
		www.f-marinos.co m(block)	12	0.18%
		www.yahoo.co.jp(p ass)	7	0.11%
		合計	58	0.91%
6 .	192.168.99.204	www.hanshintigers .jp(block)	15	0.23%
		example.com(block	13	0.20%
		www.f-marinos.co m(block)	13	0.20%
		www.yahoo.co.jp(p ass)	9	0.14%
		www.baystars.co.jp (block)	8	0.12%
		合計	58	0.91%
7 .	192.168.99.124	www.hanshintigers .jp(block)	16	0.25%
		example.com(block)	13	0.20%
		www.yahoo.co.jp(p ass)	11	0.17%
		www.baystars.co.jp (block)	10	0.15%
		www.f-marinos.co m(block)	7	0.11%
		合計	57	0.89%
■ 8.	192.168.99.191	example.com(block)	19	0.29%
		www.yahoo.co.jp(p ass)	15	0.23%
		www.f-marinos.co m(block)	14	0.22%
		www.baystars.co.jp (block)	6	0.09%
		www.hanshintigers .jp(block)	3	0.04%
		合計	57	0.89%
9 .	192.168.99.110	www.f-marinos.co m(block)	15	0.23%
		www.baystars.co.jp (block)	13	0.20%
		example.com(block)	12	0.18%

フィルタ	対象ユーザ別アドレス			
ユーザ		アドレス	回数	
		www.hanshintigers .jp(block)	8	0.12%
		www.yahoo.co.jp(p ass)	8	0.12%
		合計	56	0.87%
1 0.	192.168.99.140	www.hanshintigers .jp(block)	13	0.20%
		www.yahoo.co.jp(p ass)	13	0.20%
		example.com(block)	11	0.17%
		www.baystars.co.jp (block)	11	0.17%
		www.f-marinos.co m(block)	8	0.12%
		合計	56	0.87%
1 1.	192.168.99.202	www.baystars.co.jp (block)	16	0.25%
		example.com(block)	15	0.23%
		www.hanshintigers .jp(block)	10	0.15%
		www.f-marinos.co m(block)	8	0.12%
		www.yahoo.co.jp(p ass)	7	0.11%
		合計	56	0.87%
1 2.	192.168.99.216	www.f-marinos.co m(block)	16	0.25%
		www.yahoo.co.jp(p ass)	13	0.20%
		www.hanshintigers .jp(block)	12	0.18%
		example.com(block)	11	0.17%
		www.baystars.co.jp (block)	4	0.06%
		合計	56	0.87%
1 3.	192.168.99.238	example.com(block)	16	0.25%
		www.baystars.co.jp (block)	13	0.20%
		www.hanshintigers .jp(block)	12	0.18%
		www.yahoo.co.jp(p ass)	8	0.12%
		www.f-marinos.co	7	0.11%

	対象ユーザ別アドレス		1 1 1867 .	
ユーザ		アドレス	回数	
		m(block)		
		合計	56	0.87%
1 4.	192.168.99.135	www.baystars.co.jp (block)	12	0.18%
		example.com(block)	11	0.17%
		www.f-marinos.co m(block)	11	0.17%
		www.hanshintigers .jp(block)	11	0.17%
		www.yahoo.co.jp(p ass)	9	0.14%
		合計	54	0.84%
1 5.	192.168.99.169	www.yahoo.co.jp(p ass)	14	0.22%
		example.com(block	13	0.20%
		www.baystars.co.jp (block)	11	0.17%
		www.hanshintigers .jp(block)	10	0.15%
		www.f-marinos.co m(block)	6	0.09%
		合計	54	0.84%
1 6.	192.168.99.176	example.com(block	14	0.22%
		www.f-marinos.co m(block)	11	0.17%
		www.hanshintigers .jp(block)	11	0.17%
		www.yahoo.co.jp(p ass)	11	0.17%
		www.baystars.co.jp (block)	7	0.11%
		合計	54	0.84%
1 7.	192.168.99.172	www.f-marinos.co m(block)	17	0.26%
		www.baystars.co.jp (block)	12	0.18%
		www.hanshintigers .jp(block)	11	0.17%
		example.com(block	8	0.12%
		www.yahoo.co.jp(p ass)	5	0.07%
		合計	53	0.83%
1 8.	192.168.99.173	example.com(block	14	0.22%

フィルタ対象ユーザ別アドレス				
ユーザ		アドレス	回数	
)		
		www.baystars.co.jp (block)	12	0.18%
		www.yahoo.co.jp(p ass)	12	0.18%
		www.hanshintigers .jp(block)	8	0.12%
		www.f-marinos.co m(block)	7	0.11%
		合計	53	0.83%
1 9.	192.168.99.186	www.f-marinos.co m(block)	14	0.22%
		www.baystars.co.jp (block)	13	0.20%
		example.com(block)	9	0.14%
		www.yahoo.co.jp(p ass)	9	0.14%
		www.hanshintigers .jp(block)	8	0.12%
		合計	53	0.83%
2 0.	192.168.99.193	example.com(block)	16	0.25%
		www.yahoo.co.jp(p ass)	13	0.20%
		www.hanshintigers .jp(block)	11	0.17%
		www.f-marinos.co m(block)	7	0.11%
		www.baystars.co.jp (block)	6	0.09%
		合計	53	0.83%
小計			1,132	17.77%
その他			5,238	82.22%
合計			6,370	100.00%

フィルタ対象ユーザ別アドレス・ヘルプカード

アドレス - アクセスしたフィルタ対象アドレス。

ユーザ - フィルタ対象アドレスにアクセスしたユーザ。

回数 - ブロック回数。

合計 - この表で表示される列のすべてのデータ量。


フィルタ対象ユーザ別アドレス - ヘルプカード


小計 - 表で現在表示される列のすべてのデータ。 表示されないデータは小計に含まれません。

 \P 最もアクセスがブロックされたフィルタ対象ユーザと、アクセスしたアドレスがこのページから分かります。

フィルタ対象ユーザ別カテゴリ

このページは、Webフィルタリングによってアクセスがブロックされたユーザと、その際にアクセスしたカテゴリを示します。





	対象ユーザ別カテゴリ			
ユーザ		カテゴリ	回数	
1 .	192.168.99.113	Sports	41	0.64%
		Entertainment	12	0.18%
		Search Engines	10	0.15%
		合計	63	0.98%
2.	192.168.99.183	Sports	37	0.58%
		Entertainment	15	0.23%
		Search Engines	11	0.17%
		合計	63	0.98%
3.	3. 192.168.99.141	Sports	35	0.54%
		Search Engines	14	0.22%
		Entertainment	13	0.20%
		合計	62	0.97%
4.	192.168.99.221	Sports	41	0.64%
		Entertainment	10	0.15%
		Search Engines	9	0.14%
		合計	60	0.94%
5.	192.168.99.155	Sports	37	0.58%
		Entertainment	14	0.22%
		Search Engines	7	0.11%
		合計	58	0.91%
6 .	192.168.99.204	Sports	36	0.56%
		Entertainment	13	0.20%
		Search Engines	9	0.14%
		合計	58	0.91%
7 .	192.168.99.124	Sports	33	0.51%
		Entertainment	13	0.20%
		Search Engines	11	0.17%
		合計	57	0.89%
8.	192.168.99.191	Sports	23	0.36%
		Entertainment	19	0.29%
		Search Engines	15	0.23%
		合計	57	0.89%
9.	192.168.99.110	Sports	36	0.56%
		Entertainment	12	0.18%
		Search Engines	8	0.12%
		合計	56	0.87%
1 0.	192.168.99.140	Sports	32	0.50%
		Search Engines	13	0.20%
		Entertainment	11	0.17%
		合計	56	0.87%
11.	192.168.99.202	Sports	34	0.53%
		Entertainment	15	0.23%
		Search Engines	7	0.11%
		合計	56	0.87%
1 2.	192.168.99.216	Sports	32	0.50%

フィルタ	対象ユーザ別カテゴリ			
ユーザ		カテゴリ	回数	
		Search Engines	13	0.20%
		Entertainment	11	0.17%
		合計	56	0.87%
13.	192.168.99.238	Sports	32	0.50%
		Entertainment	16	0.25%
		Search Engines	8	0.12%
		合計	56	0.87%
1 4.	192.168.99.135	Sports	34	0.53%
		Entertainment	11	0.17%
		Search Engines	9	0.14%
		合計	54	0.84%
1 5.	192.168.99.169	Sports	27	0.42%
		Search Engines	14	0.22%
		Entertainment	13	0.20%
		合計	54	0.84%
1 6.	192.168.99.176	Sports	29	0.45%
		Entertainment	14	0.22%
		Search Engines	11	0.17%
		合計	54	0.84%
1 7.	192.168.99.172	Sports	40	0.62%
		Entertainment	8	0.12%
		Search Engines	5	0.07%
		合計	53	0.83%
18.	192.168.99.173	Sports	27	0.42%
		Entertainment	14	0.22%
		Search Engines	12	0.18%
		合計	53	0.83%
1 9.	192.168.99.186	Sports	35	0.54%
		Entertainment	9	0.14%
		Search Engines	9	0.14%
		合計	53	0.83%
20.	192.168.99.193	Sports	24	0.37%
		Entertainment	16	0.25%
		Search Engines	13	0.20%
		合 計	53	0.83%
小計		H.F.	1,132	
その他			5,238	82.22%
合計			6,370	

フィルタ対象ユーザ別カテゴリ - ヘルプカード

カテゴリ-アクセスしたフィルタ対象カテゴリ。

ユーザ - フィルタ対象カテゴリにアクセスしたユーザ。

フィルタ対象ユーザ別カテゴリ・ヘルプカード

回数 - ブロック回数。


合計 - この表で表示される列のすべてのデータ量。


小計 - 表で現在表示される列のすべてのデータ。 表示されないデータは小計に含まれません。

♥ 最もアクセスがブロックされたフィルタ対象ユーザと、アクセスしたカテゴリがこのページから分かります。

マシンアドレス別送信メールアドレス

このページは、スパムメールとして検出されたメールを送信したマシンアドレスと送信メールアドレスを示します。





	ドレス別送信メールアドレス			
アドレス		メールアドレス	回数	
1 .	133.108.112.218	tad-sasaki07@hita chisoft.jp	3	1.01%
		tad-sasaki01@hita chisoft.jp	2	0.67%
		tad-sasaki02@hita chisoft.jp	2	0.67%
		tad-sasaki03@hita chisoft.jp	2	0.67%
		tad-sasaki04@hita	1	0.33%
		chisoft.jp tad-sasaki06@hita	1	0.33%
		chisoft.jp tad-sasaki08@hita	1	0.33%
		chisoft.jp tad-sasaki09@hita	1	0.33%
		chisoft.jp 合計	13	4.40%
	422 400 442 247			
2.	133.108.112.217	tad-sasaki05@hita chisoft.jp	5	1.69%
		tad-sasaki01@hita chisoft.jp	2	0.67%
		tad-sasaki08@hita chisoft.jp	2	0.67%
		tad-sasaki02@hita chisoft.jp	1	0.33%
		tad-sasaki07@hita chisoft.jp	1	0.33%
		tad-sasaki09@hita chisoft.jp	1	0.33%
		合計	12	4.06%
3 .	133.108.112.222	tad-sasaki03@hita chisoft.jp	2	0.67%
		tad-sasaki06@hita chisoft.jp	2	0.67%
		tad-sasaki07@hita	2	0.67%
		chisoft.jp tad-sasaki08@hita	2	0.67%
		chisoft.jp tad-sasaki09@hita	2	0.67%
		chisoft.jp tad-sasaki05@hita	1	0.33%
		chisoft.jp	4.4	2 700/
4	400 400 440 407	合計	11	3.72%
4 .	133.108.112.197	tad-sasaki02@hita chisoft.jp	2	0.67%
		tad-sasaki09@hita chisoft.jp	2	0.67%

アドレス		メールアドレス	回数	
<i>)</i>	1			0.000/
		tad-sasaki01@hita chisoft.jp	1	0.33%
		tad-sasaki03@hita chisoft.jp	1	0.33%
		tad-sasaki04@hita chisoft.jp	1	0.33%
		tad-sasaki06@hita chisoft.jp	1	0.33%
		tad-sasaki07@hita	1	0.33%
		chisoft.jp tad-sasaki08@hita	1	0.33%
		chisoft.jp	10	2 200/
	400 400 440 004	合計	10	3.39%
5 .	133.108.112.204	tad-sasaki09@hita chisoft.jp	4	1.35%
		tad-sasaki02@hita chisoft.jp	2	0.67%
		tad-sasaki03@hita chisoft.jp	2	0.67%
		tad-sasaki06@hita chisoft.jp	1	0.33%
		tad-sasaki07@hita	1	0.33%
		chisoft.jp 合計	10	3.39%
6.	133.108.112.230	tad-sasaki03@hita	2	0.67%
		chisoft.jp		
		tad-sasaki06@hita chisoft.jp	2	0.67%
		tad-sasaki08@hita chisoft.jp	2	0.67%
		tad-sasaki09@hita chisoft.jp	2	0.67%
		tad-sasaki04@hita	1	0.33%
		chisoft.jp tad-sasaki05@hita	1	0.33%
		chisoft.jp	40	2 222
	400 400 440 000	合計	10	3.39%
7 .	133.108.112.200	tad-sasaki08@hita chisoft.jp	3	1.01%
		tad-sasaki03@hita chisoft.jp	2	0.67%
		tad-sasaki02@hita chisoft.jp	1	0.33%
		tad-sasaki05@hita	1	0.33%
		chisoft.jp tad-sasaki06@hita chisoft.jp	1	0.33%

アドレス	ドレス別送信メールアドレス	ノールアドレフ	回数	
ノトレス	1	メールアドレス		0.000/
		tad-sasaki07@hita chisoft.jp	1	0.33%
		合計	9	3.05%
8 .	133.108.112.219	tad-sasaki07@hita chisoft.jp	3	1.01%
		tad-sasaki01@hita chisoft.jp	2	0.67%
		tad-sasaki03@hita	1	0.33%
		chisoft.jp tad-sasaki05@hita	1	0.33%
		chisoft.jp		
		tad-sasaki08@hita chisoft.jp	1	0.33%
		tad-sasaki09@hita chisoft.jp	1	0.33%
		合計	9	3.05%
9 .	133.108.112.190	tad-sasaki04@hita chisoft.jp	2	0.67%
		tad-sasaki05@hita chisoft.jp	2	0.67%
		tad-sasaki06@hita chisoft.jp	2	0.67%
		tad-sasaki07@hita chisoft.jp	1	0.33%
		tad-sasaki08@hita chisoft.jp	1	0.33%
		合計	8	2.71%
1 0.	133.108.112.196	tad-sasaki04@hita chisoft.jp	2	0.67%
		tad-sasaki07@hita chisoft.jp	2	0.67%
		tad-sasaki09@hita chisoft.jp	2	0.67%
		tad-sasaki02@hita chisoft.jp	1	0.33%
		tad-sasaki06@hita chisoft.jp	1	0.33%
		合計	8	2.71%
1 1.	133.108.112.205	tad-sasaki04@hita chisoft.jp	2	0.67%
		tad-sasaki05@hita chisoft.jp	2	0.67%
		tad-sasaki09@hita chisoft.jp	2	0.67%
		tad-sasaki01@hita chisoft.jp	1	0.33%
		tad-sasaki03@hita	1	0.33%

	ドレス別送信メールアドレス			
アドレス		メールアドレス	回数	
		chisoft.jp		
		合計	8	2.71%
1 2.	133.108.112.208	tad-sasaki01@hita	2	0.67%
		chisoft.jp		
		tad-sasaki02@hita	2	0.67%
		chisoft.jp		
		tad-sasaki03@hita	2	0.67%
		chisoft.jp		
		tad-sasaki04@hita	1	0.33%
		chisoft.jp		
		tad-sasaki07@hita	1	0.33%
		chisoft.jp		
		合計	8	2.71%
13.	133.108.112.214	tad-sasaki02@hita	2	0.67%
		chisoft.jp		
		tad-sasaki01@hita	1	0.33%
		chisoft.jp		
		tad-sasaki03@hita	1	0.33%
		chisoft.jp		
		tad-sasaki05@hita	1	0.33%
		chisoft.jp		
		tad-sasaki06@hita	1	0.33%
		chisoft.jp		
		tad-sasaki07@hita	1	0.33%
		chisoft.jp		
		合計	7	2.37%
14.	133.108.112.226	tad-sasaki01@hita	2	0.67%
	1001100111220	chisoft.jp	_	0.0.70
		tad-sasaki08@hita	2	0.67%
		chisoft.jp	_	0.0.70
		tad-sasaki02@hita	1	0.33%
		chisoft.jp		0.0070
		tad-sasaki04@hita	1	0.33%
		chisoft.jp		0.0070
		tad-sasaki07@hita	1	0.33%
		chisoft.jp	'	0.0070
		合計	7	2.37%
1 5.	133.108.112.229	tad-sasaki05@hita	2	0.67%
10.		chisoft.jp	-	0.01 /0
		tad-sasaki02@hita	1	0.33%
		chisoft.jp	'	0.00/0
		tad-sasaki06@hita	1	0.33%
		chisoft.jp	1	0.55/0
		tad-sasaki07@hita	1	0.33%
		chisoft.jp	1	0.33/0
		tad-sasaki08@hita	1	0.33%
			1	0.33%
		chisoft.jp		

	ドレス別送信メールアドレス	1 1 - 1 2 1 2 1 - 1	→ 3k/ .	
アドレス		メールアドレス	回数	
		tad-sasaki09@hita chisoft.jp	1	0.33%
		合計	7	2.37%
1 6.	133.108.112.232	tad-sasaki06@hita chisoft.jp	2	0.67%
		tad-sasaki09@hita chisoft.jp	2	0.67%
		tad-sasaki03@hita chisoft.jp	1	0.33%
		tad-sasaki04@hita	1	0.33%
		chisoft.jp tad-sasaki05@hita	1	0.33%
		chisoft.jp		
		合計	7	2.37%
1 7.	133.108.112.234	tad-sasaki08@hita chisoft.jp	2	0.67%
		tad-sasaki09@hita chisoft.jp	2	0.67%
		tad-sasaki05@hita chisoft.jp	1	0.33%
		tad-sasaki06@hita chisoft.jp	1	0.33%
		tad-sasaki07@hita	1	0.33%
		chisoft.jp	7	2.37%
- 40	400 400 440 005	合計	-	
1 8.	133.108.112.235	tad-sasaki08@hita chisoft.jp	2	0.67%
		tad-sasaki02@hita chisoft.jp	1	0.33%
		tad-sasaki03@hita chisoft.jp	1	0.33%
		tad-sasaki06@hita chisoft.jp	1	0.33%
		tad-sasaki07@hita chisoft.jp	1	0.33%
		tad-sasaki09@hita chisoft.jp	1	0.33%
		Chisort.jp	7	2.37%
1 9.	133.108.112.192	tad-sasaki08@hita	2	0.67%
<u> </u>	100.100.112.132	chisoft.jp		
		tad-sasaki02@hita chisoft.jp	1	0.33%
		tad-sasaki03@hita chisoft.jp	1	0.33%
		tad-sasaki04@hita chisoft.jp	1	0.33%
		tad-sasaki06@hita	1	0.33%

マシンア	ドレス別送信メールアドレス			
アドレス		メールアドレス	回数	
		chisoft.jp		
		合計	6	2.03%
2 0.	133.108.112.194	tad-sasaki02@hita chisoft.jp	2	0.67%
		tad-sasaki03@hita chisoft.jp	1	0.33%
		tad-sasaki04@hita chisoft.jp	1	0.33%
		tad-sasaki07@hita chisoft.jp	1	0.33%
		tad-sasaki08@hita chisoft.jp	1	0.33%
		合計	6	2.03%
小計			170	57.62%
その他			125	42.37%
合計			295	100.00%

マシンアドレス別送信メールアドレス - ヘルプカード

アドレス - スパムメールを送信したマシンの IP アドレス。

メールアドレス - スパムメールを送信したメールアドレス。

回数・メールの送信回数。


合計 - この表で表示される列のすべてのデータ量。


小計 - 表で現在表示される列のすべてのデータ。 表示されないデータは小計に含まれません。

♀ 最もスパムメールを送信した、マシンアドレスとメールアドレスがこのページから分かります。

メールアドレス別送信マシンアドレス

このページは、スパムメールとして検出されたメールを送信したメールアドレスと送信マシンアドレスを示します。





メールア	ドレス	アドレス	回数	
1.	tad-sasaki06@hitachisoft.jp	133.108.112.190	2	0.679
	tad sasakioo@mitacinson.jp	133.108.112.216	2	0.679
		133.108.112.221	2	0.679
			2	
		133.108.112.222		0.679
		133.108.112.227	2	0.679
		133.108.112.230	2	0.67
		133.108.112.232	2	0.67
		133.108.112.238	2	0.67
		133.108.112.192	1	0.33
		133.108.112.193	1	0.33
		133.108.112.196	1	0.33
		133.108.112.197	1	0.33
		133.108.112.199	1	0.33
		133.108.112.200	1	0.33
		133.108.112.201	1	0.33
		133.108.112.202	1	0.33
		133.108.112.204	1	0.33
		133.108.112.207	1	0.33
		133.108.112.214	1	0.33
		133.108.112.215	1	0.33
		小計	28	9.49
		その他	8	2.71
		·	36	
	1:00 @1:1 1: 6:	合計		12.20
2.	tad-sasaki08@hitachisoft.jp	133.108.112.200	3	1.01
		133.108.112.231	3	1.01
		133.108.112.192	2	0.67
		133.108.112.217	2	0.67
		133.108.112.222	2	0.67
		133.108.112.226	2	0.67
		133.108.112.230	2	0.67
		133.108.112.234	2	0.67
		133.108.112.235	2	0.67
		133.108.112.190	1	0.33
		133.108.112.194	1	0.33
		133.108.112.195	1	0.33
		133.108.112.197	1	0.33
		133.108.112.198	1	0.33
		133.108.112.201	1	0.33
		133.108.112.206	1	0.33
		133.108.112.210	1	0.33
		133.108.112.216	1	0.33
		133.108.112.218	1	0.33
		133.108.112.219	1	0.33
		小計	31	10.50
		その他	5	1.69

ールア	ドレス	アドレス	回数	
		合計	36	12.20%
3.	tad-sasaki03@hitachisoft.jp	133.108.112.200	2	0.67%
O.	taa cacamoo e macmoonijp	133.108.112.204	2	0.67%
		133.108.112.208	2	0.67%
		133.108.112.209	2	0.67%
		133.108.112.210	2	0.67%
		133.108.112.218	2	0.67%
		133.108.112.222	2	0.67%
		133.108.112.228	2	0.67%
		133.108.112.230	2	0.67%
		133.108.112.191	1	0.33%
		133.108.112.191	1	0.33%
		133.108.112.194	1	0.33%
		133.108.112.197		0.33%
		133.108.112.201	1	0.33%
		133.108.112.205	1	0.339
		133.108.112.211	1	0.339
		133.108.112.214	1	0.33%
		133.108.112.215	1	0.339
		133.108.112.216	1	0.339
		133.108.112.219	1	0.33%
		小計	29	9.839
		その他	6	2.03%
		合計	35	11.86%
4.	tad-sasaki07@hitachisoft.jp	133.108.112.218	3	1.019
		133.108.112.219	3	1.019
		133.108.112.196	2	0.679
		133.108.112.220	2	0.67%
		133.108.112.222	2	0.67%
		133.108.112.223	2	0.679
		133.108.112.190	1	0.33%
		133.108.112.191	1	0.33%
		133.108.112.194	1	0.33%
		133.108.112.197	1	0.339
			4	0.33%
		133.108.112.200	1	
		133.108.112.200 133.108.112.202	1	0.33%
		133.108.112.202 133.108.112.203	1	0.33%
		133.108.112.202	1	0.33% 0.33%
		133.108.112.202 133.108.112.203	1	0.33% 0.33% 0.33%
		133.108.112.202 133.108.112.203 133.108.112.204	1 1 1	0.33% 0.33% 0.33% 0.33%
		133.108.112.202 133.108.112.203 133.108.112.204 133.108.112.208	1 1 1 1	0.33% 0.33% 0.33% 0.33% 0.33%
		133.108.112.202 133.108.112.203 133.108.112.204 133.108.112.208 133.108.112.211	1 1 1 1 1	0.33% 0.33% 0.33% 0.33% 0.33%
		133.108.112.202 133.108.112.203 133.108.112.204 133.108.112.208 133.108.112.211 133.108.112.212	1 1 1 1 1	0.33% 0.33% 0.33% 0.33% 0.33% 0.33%
		133.108.112.202 133.108.112.203 133.108.112.204 133.108.112.208 133.108.112.211 133.108.112.212 133.108.112.214	1 1 1 1 1 1 1	0.33% 0.33% 0.33% 0.33% 0.33% 0.33% 0.33% 0.33%

ールア	ドレス	アドレス	回数	
		その他	7	2.379
		合計	35	11.86
5.	tad-sasaki09@hitachisoft.jp	133.108.112.204	4	1.35
<u>J.</u>	taa cacamoo omacmoonijp	133.108.112.196	2	0.67
		133.108.112.197	2	0.67
		133.108.112.205	2	0.67
		133.108.112.222	2	0.67
		133.108.112.230	2	0.67
		133.108.112.231	2	0.67
		133.108.112.232	2	0.67
		133.108.112.234	2	0.67
		133.108.112.237	2	0.67
		133.108.112.199	1	0.33
		133.108.112.206	1	0.33
		133.108.112.209	1	0.33
		133.108.112.212	1	0.33
		133.108.112.217	1	0.33
		133.108.112.217		
			1	0.33
		133.108.112.219	1	0.33
		133.108.112.220	1	0.33
		133.108.112.223	1	0.33
		133.108.112.225	1	0.33
		小計	32	10.84
		その他	3	1.01
	1.0501.01.01	合計	35	11.86
6.	tad-sasaki05@hitachisoft.jp	133.108.112.217	5	1.69
		133.108.112.190	2	0.67
		133.108.112.193	2	0.67
		133.108.112.202	2	0.67
		133.108.112.205	2	0.67
		133.108.112.229	2	0.67
		133.108.112.238	2	0.67
		133.108.112.191	1	0.33
		133.108.112.195	1	0.33
				0.33
		133.108.112.200	1	
		133.108.112.201	1	0.33
		133.108.112.201 133.108.112.203	1	0.33
		133.108.112.201 133.108.112.203 133.108.112.206	1 1 1	0.33 0.33 0.33
		133.108.112.201 133.108.112.203 133.108.112.206 133.108.112.207	1 1 1 1	0.33 0.33 0.33 0.33
		133.108.112.201 133.108.112.203 133.108.112.206	1 1 1 1 1	0.33 0.33 0.33 0.33
		133.108.112.201 133.108.112.203 133.108.112.206 133.108.112.207	1 1 1 1	0.33 0.33 0.33 0.33
		133.108.112.201 133.108.112.203 133.108.112.206 133.108.112.207 133.108.112.211	1 1 1 1 1	0.33 0.33 0.33 0.33 0.33 0.33
		133.108.112.201 133.108.112.203 133.108.112.206 133.108.112.207 133.108.112.211 133.108.112.213	1 1 1 1 1 1	0.33 0.33 0.33 0.33 0.33
		133.108.112.201 133.108.112.203 133.108.112.206 133.108.112.207 133.108.112.211 133.108.112.213 133.108.112.214	1 1 1 1 1 1 1	0.33 0.33 0.33 0.33 0.33 0.33

-ルア	ドレス	アドレス	回数	
· ·		小計	30	10.1
		その他	4	1.3
		合計	34	11.5
7.	tad-sasaki02@hitachisoft.jp	133.108.112.194	2	0.67
		133.108.112.197	2	0.67
		133.108.112.204	2	0.67
		133.108.112.208	2	0.67
		133.108.112.214	2	0.67
		133.108.112.218	2	0.67
		133.108.112.227	2	0.67
		133.108.112.237	2	0.67
		133.108.112.192	1	0.33
		133.108.112.196	1	0.33
		133.108.112.199	1	0.33
		133.108.112.200	1	0.33
		133.108.112.202	1	0.33
		133.108.112.206	1	0.33
		133.108.112.210	1	0.33
		133.108.112.217	1	0.33
		133.108.112.224	1	0.33
		133.108.112.226	1	0.33
		133.108.112.228	1	0.33
		133.108.112.229	1	0.33
		小計	28	9.4
		その他	3	1.0
		合計	31	10.5
8.	tad-sasaki04@hitachisoft.jp	133.108.112.190	2	0.67
		133.108.112.196	2	0.67
		133.108.112.198	2	0.67
		133.108.112.205	2	0.67
		133.108.112.210	2	0.67
		133.108.112.220	2	0.67
		133.108.112.221	2	0.67
		133.108.112.191	1	0.33
		133.108.112.192	1	0.33
		133.108.112.194	1	0.33
		133.108.112.197	1	0.33
		133.108.112.202	1	0.33
		133.108.112.208	1	0.33
		133.108.112.209	1	0.33
		133.108.112.213	1	0.3
		133.108.112.215	1	0.33
		133.108.112.218	1	0.33
		133.108.112.225	1	0.33
		133.108.112.226	1	0.33

・ールア	ドレス	アドレス	回数	
		133.108.112.227	1	0.339
		小計	27	9.15
		その他	3	1.01
		合計	30	10.16
9.	tad-sasaki01@hitachisoft.jp	133.108.112.199	3	1.01
		133.108.112.208	2	0.67
		133.108.112.217	2	0.67
		133.108.112.218	2	0.67
		133.108.112.219	2	0.67
		133.108.112.226	2	0.67
		133.108.112.193	1	0.33
		133.108.112.197	1	0.33
		133.108.112.198	1	0.33
		133.108.112.205	1	0.33
		133.108.112.207	1	0.33
		133.108.112.214	1	0.33
		133.108.112.224	1	0.33
		133.108.112.225	1	0.33
		133.108.112.233	1	0.33
		133.108.112.237	1	0.33
		その他	0	0.00
		合計	23	7.79
什			295	100.00

メールアドレス別送信マシンアドレス - ヘルプカード

アドレス - スパムメールを送信したマシンの IP アドレス。

メールアドレス - スパムメールを送信したメールアドレス。

回数・メールの送信回数。

合計 - この表で表示される列のすべてのデータ量。

小計 - 表で現在表示される列のすべてのデータ。 表示されないデータは小計に含まれません。

♥ 最もスパムメールを送信した、メールアドレスとマシンアドレスがこのページから分かります。

このレポートは HitachiSoft によって作成されました。	火曜日, 11月 04, 2008 - 09:18:58
----------------------------------	------------------------------

NetInsight は、日立ソフトの登録商標です。 他の商標は各企業に属するものです。